021/2018

Question Booklet Alpha Code

1	1	
_	_	

Question Booklet Serial Number

Total Number of Questions: 100	Time: 75 Minutes
Maximum Marks: 100	

INSTRUCTIONS TO CANDIDATES

- 1. The question paper will be given in the form of a Question Booklet. There will be four versions of question booklets with question booklet alpha code viz. **A**, **B**, **C** & **D**.
- 2. The Question Booklet Alpha Code will be printed on the top left margin of the facing sheet of the question booklet.
- 3. The Question Booklet Alpha Code allotted to you will be noted in your seating position in the Examination Hall.
- 4. If you get a question booklet where the alpha code does not match to the allotted alpha code in the seating position, please draw the attention of the Invigilator IMMEDIATELY.
- 5. The Question Booklet Serial Number is printed on the top right margin of the facing sheet. If your question booklet is un-numbered, please get it replaced by new question booklet with same alpha code.
- 6. The question booklet will be sealed at the middle of the right margin. Candidate should not open the question booklet, until the indication is given to start answering.
- 7. Immediately after the commencement of the examination, the candidate should check that the question booklet supplied to him contains all the 100 questions in serial order. The question booklet does not have unprinted or torn or missing pages and if so he/she should bring it to the notice of the Invigilator and get it replaced by a complete booklet with same alpha code. This is most important.
- 8. A blank sheet of paper is attached to the question booklet. This may be used for rough work.
- 9. Please read carefully all the instructions on the reverse of the Answer Sheet before marking your answers.
- 10. Each question is provided with four choices (A), (B), (C) and (D) having one correct answer. Choose the correct answer and darken the bubble corresponding to the question number using Blue or Black Ball Point Pen in the OMR Answer Sheet.
- 11. Each correct answer carries 1 mark and for each wrong answer 1/3 mark will be deducted. No negative mark for unattended questions.
- 12. No candidate will be allowed to leave the examination hall till the end of the session and without handing over his/her Answer Sheet to the Invigilator. Candidates should ensure that the Invigilator has verified all the entries in the Register Number Coding Sheet and that the Invigilator has affixed his/her signature in the space provided.
- 13. Strict compliance of instructions is essential. Any malpractice or attempt to commit any kind of malpractice in the Examination will result in the disqualification of the candidate.



021/2018

1.		o wrote the biography of Prophet I	Muhai	mmed for the first time in Malayalam language
	(A)	Makthi Thangal		
	(B)	E.V. Krishna Pillai		
	(C)	Sayed Muhammed Hamadani T	hanga	1
	(D)	Vakkom Moulavi		
2.	Whi	ch social reformer was known as	'The k	Kerala Spartacus' ?
	(A)	Vaikunda Swamikal	(B)	Thycaud Aiya
	(C)	Dr. Paplu	(D)	Ayyankali
3.	T.D.		⁷ ayala	r award for 2017. Which is the award winning
	(A)	Sirajunnisa	(B)	Alpha
	(C)	Francis Itty Cora	(D)	Sugandhi Enna Andal Devanayaki
4.	Who	o was known as "Dasarji" ?		
	(A)	P.S. Mohammed	(B)	Dr. Ayyathan Gopalan
	(C)	K. Sukumaran	(D)	Mannath Padmanabhan
5.	Who	o started <i>Sabari Ashram</i> at Olavakk	kode in	n 1923 ?
	(A)	K.P. Kesava Menon	(B)	E.V.R. Naicker
	(C)	T.R. Krishnaswamy Iyyer	(D)	Mullasseril Narayanan Nambi
6.	Whi	ch Christian Missionary was knov	vn as '	The Father of Malayalam Script' ?
	(A)	Benjamin Bailey	(B)	William Carrey
	(C)	Herman Gundert	(D)	Charles Mead
7.	Who	o was the father of Muslim Renais	sance	Movement in Kerala ?
	(A)	Fazal Ali Thangal	(B)	Ali Musaliyar
	(C)	Vakkom Abdul Qadir Moulavi	(D)	Hamadani Thangal
8.	Who	o wrote the Malayalam drama, "N	ingal	Enne Communistakki" ?
	(A)	Srikandan Nair	(B)	Omcheri
	(C)	N.N. Pillai	(D)	Thoppil Bhasi

A 3

9.		wrote the Pream		r tne indian						
	(A)	Dr. B.R. Ambed			(B)	-	Mathai			
	(C)	Jawaharlal Neh	ru		(D)	Dr. 1	Rajendra Prasa	d		
10.	Inter	rnational Yoga Da	ay is c	on:						
	(A)	June 21	(B)	July 21		(C)	August 21	(D)	September 21	1
11.	"No	t to argue and wi	n, But	t to learn an	ıd let l	learn"	- the slogan of	:		
	(A)	The Religious C	onfer	ence at Alw	raye					
	(B)	The Slogan of S			on					
	(C)	The Maraman (Cui M	ulama i	Duaia Calalaa			
	(D)	The First meeting	ig oi	Travancore	SH WI	ulalli	rraja Sabna			
12.	The	Rohingyas were	the na							
	(A)	Sumatra	(B)	Rakhine		(C)	Brunei	(D)	Taunggyi	
13.	How	many High Cou	rts ar	e there in Ir	ndia ?					
	(A)	29	(B)	21		(C)	24	(D)	23	
14.	The	Twenty Second A	Asian	Athletic Ch	ampic	nship	- 2017 was hel	ld at:		
	(A)	Hyderabad	(B)	Bhopal		(C)	Punjab	(D)	Odisha	
15.	AM	AZON - The large	est Int	ernet based	Retai	ler in	the world was	founded	d by :	
	(A)	Jack Ma			(B)	Serg	ey Bin and Lar	ry Page		
	(C)	Sachin Bansal a	nd Bi	nny Bensal	(D)	Jeff 1	Bezos			
16.	As p	er the Chinese N	ew Ye	ear, every 12	2 years	s there	e is a :			
	(A)	Wolf Year	(B)	Rooster Ye	ear	(C)	Cow year	(D)	Fox year	
17.	Nath	nu La is situated a	at:							
	(A)	Sikkim			(B)	Aruı	nachal Pradesh			
	(C)	Kashmir			(D)	Nag	aland			
18.	The	Article 17 of Indi	an Co	onstitution r	efers :					
	(A)	Freedom			(B)	Unto	ouchability			
	(C)	Writ Petition			(D)	Com	pulsory Educa	tion		
021/	2018				4					A

19.	The	Central Governme	ent pr	ogramme i	for the	bette	rment of Slu	m Dweller	s:	
	(A)	Pradhan Mantri	Mud	ra Yojana						
	(B)	Valmiki Ambedl	kar A	awas Yojai	na					
	(C)	Pradhan Mantri	Matr	itva Vanda	ana Yo	ojana				
	(D)	Deen Dayal Ant	tyoday	ya Yojana						
20.	Wha	t is the official lar	nguag	e of Maldiv	ves ?					
	(A)	Mahal	(B)	Jesry		(C)	Dhivehi	(D)	Urdu	
21.		ear old primigrav							estation.	She was
	(A)	Hydrops fetalis			(B)	Dow	n's Syndron	ne		
	(C)	Congenital hypo	othyro	idism	(D)	Phei	nyl Ketonuri	a		
22.	Whi	ch of the following	g is th	e drug of o	choice	for th	ie manageme	ent of endo	metriosis	?
	(A)	Estrogen			(B)	Hun	nan menopa	usal gonad	lotropin	
	(C)	Danazol			(D)	Dua	dilan			
23.	Beni	gn ingrowing of t	he en	dometrium	into t	he my	yometrium is	s known as	:	
	(A)	Adenomyosis	(B)	Endometr	itis	(C)	Endometric	osis (D)	Leiomy	oma
24.	Acti	ve management of	f third	l stage of la	abour	includ	des all the fo	llowing ex	cept :	
	(A)	Early cord clamp	ping							
	(B)	Applying suprap	pubic	pressure						
	(C)	Prophylactic oxy	tocics	after deliv	very of	f ante	rior shoulder	ſ		
	(D)	Controlled cord	tracti	on						
25.	pree	rimigravida in 34 clampsia. She wa wing before admi	as on	Magnesiur	n Sulp	hate	therapy. Th	e nurse sh	ould asse	
	(A)	Pupillary respon	ise		(B)	Resp	oiratory rate			
	(C)	Urine output			(D)	Dee	p Tendon Re	eflexes		
26.	Whi	ch of the following	g is n	ot a sign of	f place	ntal s	eparation ?			
	(A)	Uterus becomes	hard	and globul	lar					
	(B)	The extra vulval	porti	on of the u	ımbilic	al cor	d shortens			
	(C)	The uterus rises	in the	abdomen						
	(D)	There is a gush of	of bloo	od from the	e vagiı	na				
A					5					021/2018

27.	Couv	velaire uterus is a f	feature of which	of the	e follo	owing cor	ndition?			
	(A)	Hour glass contra	action	(B)	Uteı	ine inver	sion			
	(C)	Endometriosis		(D)	Abr	uptio pla	centa			
28.	gettii	imigravida is adm ng inhalational an gesia :								
	(A)	Halothane	(B) Nitric oxid	le	(C)	Entono	x	(D)	Bupivacain	
29.	is no	imi parturient is in progress in labour will adopt to overc	r even after 2 mi	nutes						
	(A)	Perform Zavenell	li Maneuver							
	(B)	Administer IV ox	cytocin to increas	se stre	ength	of contra	action			
	(C)	Wait for 10 minu	tes for spontane	ous d	eliver	y				
	(D)	Perform Mc Robe	ert's Maneuver							
30.	Use	of Ventouse in the	second stage of	labou	ır is c	ontraindi	cated in :	:		
	(A)	Persistent occipite	o posterior	(B)	Fail	are of sec	ondary p	ower	S	
	(C)	Preterm delivery		(D)	Pre	eclampsia	a			
31.		urse is monitoring t nterpretation of th						_	•	ſG.
	(A)	100 - 200 bpm		(B)	110	- 150 bpr	n			
	(C)	120 - 180 bpm		(D)	100	- 120 bpr	n			
32.	Whic	ch of the following	is not a compor	nent o	of the	Bishop's	score ?			
	(A)	Station of the hea	ad	(B)	Con	sistency o	of the cer	vix		
	(C)	Position of the he	ead	(D)	Cerv	vical dilat	tation			
33.		omen in the fourth	0		-	severe Po	ostpartun	n Hae	morrhage. Wh	ich
	(A)	Kartagener's Syn	drome	(B)	Ash	erman's S	Syndrom	e		
	(C)	Chorio Carcinom	na	(D)	Shee	ehan's Sy	ndrome			
021/	2018			6						A

34.	-							th acute abdominal should be managed
	(A)	Immediate ind	uction	of labour b	y oxy	tocics		
	(B)	Immediate cae	sarean	section				
	(C)	Magnesium su	lphate	therapy				
	(D)	Watchful expe	ctancy					
35.				-	-	•		most of the sperms al form of sperms ?
	(A)	Terato Zoospe	rmia		(B)	Asthenospermia		
	(C)	Azoospermia			(D)	Aspermia		
36.	Bloo	d volume in a n	eonate	is:				
	(A)	85 ml/kg body	weigh	t	(B)	75 ml/kg bodyw	eight	
	(C)	65 ml/kg body	weigh	t	(D)	95 ml/kg bodyw	eight	
37.	In ch	nest X-ray boot s	haped	appearance	e of he	eart is seen in :		
	(A)	Atrial septal de	efect		(B)	Ventricular septa	al defect	
	(C)	Tetralogy of Fa	llot		(D)	Patent ductus ar	teriosus	
38.	Milk	secretion reflex	in brea	astfeeding o	occurs	due to release of :		
	(A)	Oxytocin	(B)	Prolactin		(C) Estrogen	(D)	Vasopressin
39.	Tem	perature to be n	naintai	ned for stor	age aı	nd transport of vac	ccine is :	
	(A)	0 degree Celsiu	1S		(B)	2 - 8 degree Cels	ius	
	(C)	–20 degree Ce	elsius		(D)	20 degree Celsius	S	
4 0.	Pink	colour in Colou	ır code	classificatio	on of l	MNCI guideline in	ndicates :	
	(A)	Hospital referr	al		(B)	Initiation of treat	tment	
	(C)	Home treatment	nt		(D)	None of the above	ve .	
41.	The	antidote used in	parac	etamol toxic	city is	:		
	(A)	Isoproterenol			(B)	Desferroxamine		
	(C)	Atropine			(D)	N-acetylcysteine		
A					7			021/2018

42.	Dysl	exia means :							
	(A)	Difficulty in rea	ding		(B)	Diffi	culty in writ	ing	
	(C)	Difficulty in ma	thema	atics	(D)	Diffi	culty in reas	oning	
43.	In kl	inefelters syndro	me ch	romosomal	abnor	mality	, is represen	ted as:	
	(A)	XO	(B)	XXY		(C)	XYY	(D)	XXX
44.	Duh	amel surgery is d	one ii	n correcting	:				
	(A)	Cleft palate			(B)	Cleft	lip		
	(C)	Pyloric stenosis			(D)	Hirs _]	prungs disea	ise	
45.	In th	alassaemia mode	of ge	netic transn	nissio	n is :			
	(A)	x linked recessiv	_' e		(B)	Auto	somal recess	sive	
	(C)	Autosomal dom	inant		(D)	x lin	ked dominaı	nt	
46.	Туре	e of play in toddle	er is :						
	(A)	Parallel play			(B)	Solita	ary play		
	(C)	Cooperative pla	y		(D)	Imag	ginative play		
47.	The	process of elimina	ation (of defective	gene	by me	dical engine	ering is kn	own as:
	(A)	Euthenics			(B)	Dysg	genics		
	(C)	Eugenics			(D)	Eupl	nenics		
48.	The	upper segment to	lowe	r segment r	atio ir	ı a bal	y at birth is	:	
	(A)	1	(B)	1.4		(C)	1.7	(D)	1.5
49.	Baby	friendly hospital	l initia	ative was la	unche	d by V	WHO in the	year :	
	(A)	1992	(B)	1991		(C)	1993	(D)	1994
50.	Oliv	e shaped mass on	palpa	ation felt in	epiga	strium	n is a finding	; in :	
	(A)	Hirsprung disea	se		(B)	Recta	al atresia		
	(C)	Intussusception			(D)	Pylo	ric stenosis		
51.	The	most common op	portu	nistic infect	ion as	ssociat	ed with AID	OS:	
	(A)	Pneumocystic p	neum	onia	(B)	Tube	erculosis		
	(C)								

52.	An e	early sign of acu	te resp	iratory fail	lure :						
	(A)	Cyanosis			(B)	Rest	lessness				
	(C)	Paradoxic ches	st move	ement	(D)	Arry	ythmia				
53.		ideal 'door to r e ischemic strok		time for a	ndminis	tratio	n of fibi	rinolytic	therap	y in pati	ents with
	(A)	45 minutes	(B)	60 minu	tes	(C)	90 mir	nutes	(D)	3 hours	
54.		haemodynamic ent with cardiog				initia	ation of	an intra	aortic	balloon p	ump in a
	(A)	Decreased syst	temic v	ascular res	sistance	and	decrease	d stroke	volun	ne	
	(B)	Increased dias	tolic BF	and decre	eased s	ystoli	c BP				
	(C)	Decreased PA	WP and	d increase	d cardi	ac ou	tput				
	(D)	Decreased CV	P and i	ncreased 1	right at	rial p	ressure				
55.	Whi	ch of the followi	ing is n	ot involve	ed in V	AP cai	re bundl	e ?			
	(A)	Oral care			(B)	Sub	glottic sı	action			
	(C)	DVT prophyla	xis		(D)	Hur	nidificat	ion			
56.	The	primary acid-ba	se imb	alance see	n in Ac	ute K	idney In	jury is :			
	(A)	Metabolic Acid	dosis		(B)	Resp	piratory	Acidosis	;		
	(C)	Metabolic Alka	alosis		(D)	Resp	piratory	Alkalosi	S		
57.	The	most common e	electroly	yte abnorn	nality s	een in	patient	s with pa	ancreat	itis is :	
	(A)	Hypokalemia			(B)	Hyp	ocalcem	iia			
	(C)	Hyperkalemia			(D)	Hyp	ercalcer	nia			
58.	Para	llytic ileus occur	s in pa	tients with	burns	invol	ving tota	al body s	urface	area grea	iter than :
	(A)	20%	(B)	30%		(C)	40%		(D)	45%	
59.	Whi	ch of the follow	ing dise	ease does 1	not req	uire a	irborne j	precautio	on ?		
	(A)	Chickenpox	(B)	H_1N_1		(C)	Tubero	culosis	(D)	Measles	3
60.	Radi	ioactive isotope	used in	the treatr	nent of	meta	static bo	ne lesion	is:		
	(A)	Iodine 131			(B)	Pho	sphorou	s 32			
	(C)	Yttrium 90			(D)	Sam	arium 1	53			
A					9						021/2018

61.	Whi	ch of the follow	ing rhy	thm is cons	sidered	d as le	ethal dysrrhyth	mia ?		
	(A)	Idioventricular	rhyth	m	(B)	Juno	tional escape 1	hythm		
	(C)	Premature atri	al cont	raction	(D)	Mul	tifocal atrial ta	chycard	ia	
62.	Hun	nidification of ox	xygen i	s recommer	nded v	when	oxygen flow is	greater	than :	
	(A)	4 L/minute	(B)	5 L/minu	te	(C)	6 L/minute	(D)	7 L/minute	!
63.	An a	ntidysrrhythmic gs :	drug t	hat possesse	es som	e chai	racteristic of all	groups o	f antidysrrhy	thmic
	(A)	Lidocaine	(B)	Amiodaro	one	(C)	Adenosine	(D)	Procainami	de
64.		mean arterial p spinal cord inju		to be main	ntaine	d to 1	maintain the po	erfusion	of the spinal	cord
	(A)	75 - 80 mm Hg	5		(B)	85 -	90 mm Hg			
	(C)	90 - 95 mm Hg	5		(D)	95 -	100 mm Hg			
65.	Whi	ch of the follow	ing is r	not a contra	indica	ition f	or nasotrachea	l intubat	ion ?	
	(A)	Mandibular fr	acture		(B)	Fror	ntal sinus fracti	are		
	(C)	Basilar skull fr	acture		(D)	Crib	riform plate fr	acture		
66.	Whe	n was the first	nationa	l health pol	licy fo	rmula	ited ?			
	(A)	1980	(B)	1983		(C)	1987	(D)	2002	
67.	Wor	ld immunization	n week	is observed	l every	year	during:			
	(A)	Last week of A	April		(B)	Last	week of June			
	(C)	Last week of A	August		(D)	Last	week of Decer	mber		
68.		ne of mission la Inding immuniz		•	-		th and Family	v Welfar	e with the a	im of
	(A)	Mission Rainb	ow		(B)	Miss	sion Bagiratha			
	(C)	Mission Praha	r		(D)	Miss	sion Indradhar	nush		
69.	Wha	t numerator is ı	ısed in	computing	gener	al fer	tility rate ?			
	(A)	Estimated mid	year po	opulation	(B)	Nur	nber of pregna	ncies in	the year	
	(C)	Number of reg	istered	live births	(D)	Nur	nber of females	of repro	oductive age	
021/	2018				10					A

				dren a	re giv	en Retinol cap	sule evei	ry 6 months. W	hat
	o .	-			(C)	200 000 111	(D)	100 000 III	
(A)	10,000 IU	(B)	20,000 IU		(C)	200,000 IU	(D)	100,000 IU	
	h microorganis Neisseria men	sm ? ingitide	s	ars, th (B) (D)	Mor	billivirus		<i>uingitis</i> is caused	by
To it	nprove complia	ance to	treatment. v	what i	nnova	ntion is being i	mplemer	nted in DOTS ?	
	-					e	F		
(B)	O			-			to get hi	s medications	
(C)	Having the he	ealth wo	rker or a re	espons	ible fa	amily member	monitor	drug intake	
(D)	Having a targe drugs	et list to	check on w	hethe	r the p	oatient has coll	ected his	monthly supply	of
Whi	ch demographic	c tool m	ay be used	to des	scribe	the sex compo	sition of	the population	?
(A)	Sex ratio			(B)	Sex	proportion			
(C)	Population py	ramid		(D)	Any	of these may l	be used		
	(1.11	• . 1			1 . 1	1 6	0		
T 1	tion of a child i	พาth me	asles belon	gs to v	<i>w</i> hat I	evel of preven	tion?		
				O		0 1	(D)	т. 11.	
Isola (A)	Tertiary	(B)	Primary	O	(C)	Secondary	(D)	Intermediate	
	(A) (B) (C) (D) Whice (A) (C) To pris the (A) (C) To in (A) (B) (C) (D) Whice (A)	 (A) 5 skin lesions, (B) 3 skin lesions, (C) 5 skin lesions, (D) 3 skin lesions, (D) 3 skin lesions, (E) Which biological uses (E) Measles vaccing (E) Among children agentation (E) Among children agentation (E) Streptococcus (E) Streptococcus (E) Measles vaccing (E) Streptococcus (E) Streptococcus (E) Having the head of the particular of the particular	 (A) 5 skin lesions, positive (B) 3 skin lesions, positive (C) 5 skin lesions, negative (D) 3 skin lesions, negative (D) 3 skin lesions, negative (E) Which biological used in Electric (A) OPV (C) Measles vaccine (D) Measles vaccine (E) Measles vaccine<td> (A) 5 skin lesions, positive slit skin sr (B) 3 skin lesions, positive slit skin sr (C) 5 skin lesions, negative slit skin sr (D) 3 skin lesions, negative slit skin sr (D) 3 skin lesions, negative slit skin sr (E) Which biological used in EPI should negative slit skin sr (E) Measles vaccine </td><td>(A) 5 skin lesions, positive slit skin smear (B) 3 skin lesions, positive slit skin smear (C) 5 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (E) 3 skin lesions, negative slit skin smear (E) 3 skin lesions, negative slit skin smear (E) 4 Skin lesions, negative slit skin smear (E) 5 skin lesions, negative slit skin smear (E) 6 Skin lesions, negative slit skin smear (E) 6 Skin lesions, negative slit skin smear (E) 6 Skin lesions, positive slit skin smear (E) 6 Skin lesions, p</td><td>(A) 5 skin lesions, positive slit skin smear (B) 3 skin lesions, positive slit skin smear (C) 5 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear Which biological used in EPI should not be stored (A) OPV (B) DPT (C) Measles vaccine (D) MM To prevent xerophthalmia, young children are giv is the dose given to preschoolers? (A) 10,000 IU (B) 20,000 IU (C) Among children aged 2 months to 3 years, the moswhich microorganism? (A) Neisseria meningitides (B) Mor (C) Streptococcus Pneumoniae (D) Hen To improve compliance to treatment, what innova (A) Having the health worker follow up the clie (B) Having the patient come to the health center (C) Having the health worker or a responsible factory (D) Having a target list to check on whether the patrugs Which demographic tool may be used to describe (A) Sex ratio (B) Sex</td><td> (A) 5 skin lesions, positive slit skin smear (B) 3 skin lesions, positive slit skin smear (C) 5 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (E) 3 skin lesions, negative slit skin smear (E) 3 skin lesions, negative slit skin smear (E) 4 OPV (E) 4 DPT (E) 5 Measles vaccine (E) 6 MMR (E) 6 MMR (E) 7 DPT (E) 8 DPT (E) 8 MMR (E) 9 MMR (E) 10,000 IU (E) 200,000 IU (E) 4 Morbillivirus (E) 5 Streptococcus Pneumoniae (D) 4 Hemophilus Influe (E) 6 Having the health worker follow up the client at home (E) 4 Having the patient come to the health center every month (E) 4 Having the health worker or a responsible family member (E) 6 Having the health worker or a responsible family member (E) 6 Having a target list to check on whether the patient has colledurgs (E) 6 Worker (E) 7 Worker (E) 8 Worker<td> (A) 5 skin lesions, positive slit skin smear (B) 3 skin lesions, positive slit skin smear (C) 5 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (E) 5 skin lesions, negative slit skin smear (E) 3 skin lesions, negative slit skin smear (E) 6 DPT (E) Measles vaccine (D) MMR (E) Measles vaccine (D) MMR (E) 200,000 IU (C) 200,000 IU (D) Among children aged 2 months to 3 years, the most prevalent form of men which microorganism? (A) Neisseria meningitides (B) Morbillivirus (C) Streptococcus Pneumoniae (D) Hemophilus Influenzae (E) Having the health worker follow up the client at home (E) Having the patient come to the health center every month to get himality of the patient come to the health center every month to get himality at the stranger list to check on whether the patient has collected himality demographic tool may be used to describe the sex composition of (A) Sex ratio (B) Sex proportion </td><td>(B) 3 skin lesions, positive slit skin smear (C) 5 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear Which biological used in EPI should not be stored in the freezer? (A) OPV (B) DPT (C) Measles vaccine (D) MMR To prevent xerophthalmia, young children are given Retinol capsule every 6 months. Wis the dose given to preschoolers? (A) 10,000 IU (B) 20,000 IU (C) 200,000 IU (D) 100,000 IU Among children aged 2 months to 3 years, the most prevalent form of meningitis is caused which microorganism? (A) Neisseria meningitides (B) Morbillivirus (C) Streptococcus Pneumoniae (D) Hemophilus Influenzae To improve compliance to treatment, what innovation is being implemented in DOTS? (A) Having the health worker follow up the client at home (B) Having the patient come to the health center every month to get his medications (C) Having the health worker or a responsible family member monitor drug intake (D) Having a target list to check on whether the patient has collected his monthly supply drugs Which demographic tool may be used to describe the sex composition of the population (A) Sex ratio (B) Sex proportion</td></td>	 (A) 5 skin lesions, positive slit skin sr (B) 3 skin lesions, positive slit skin sr (C) 5 skin lesions, negative slit skin sr (D) 3 skin lesions, negative slit skin sr (D) 3 skin lesions, negative slit skin sr (E) Which biological used in EPI should negative slit skin sr (E) Measles vaccine 	(A) 5 skin lesions, positive slit skin smear (B) 3 skin lesions, positive slit skin smear (C) 5 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (E) 3 skin lesions, negative slit skin smear (E) 3 skin lesions, negative slit skin smear (E) 4 Skin lesions, negative slit skin smear (E) 5 skin lesions, negative slit skin smear (E) 6 Skin lesions, negative slit skin smear (E) 6 Skin lesions, negative slit skin smear (E) 6 Skin lesions, positive slit skin smear (E) 6 Skin lesions, p	(A) 5 skin lesions, positive slit skin smear (B) 3 skin lesions, positive slit skin smear (C) 5 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear Which biological used in EPI should not be stored (A) OPV (B) DPT (C) Measles vaccine (D) MM To prevent xerophthalmia, young children are giv is the dose given to preschoolers? (A) 10,000 IU (B) 20,000 IU (C) Among children aged 2 months to 3 years, the moswhich microorganism? (A) Neisseria meningitides (B) Mor (C) Streptococcus Pneumoniae (D) Hen To improve compliance to treatment, what innova (A) Having the health worker follow up the clie (B) Having the patient come to the health center (C) Having the health worker or a responsible factory (D) Having a target list to check on whether the patrugs Which demographic tool may be used to describe (A) Sex ratio (B) Sex	 (A) 5 skin lesions, positive slit skin smear (B) 3 skin lesions, positive slit skin smear (C) 5 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (E) 3 skin lesions, negative slit skin smear (E) 3 skin lesions, negative slit skin smear (E) 4 OPV (E) 4 DPT (E) 5 Measles vaccine (E) 6 MMR (E) 6 MMR (E) 7 DPT (E) 8 DPT (E) 8 MMR (E) 9 MMR (E) 10,000 IU (E) 200,000 IU (E) 4 Morbillivirus (E) 5 Streptococcus Pneumoniae (D) 4 Hemophilus Influe (E) 6 Having the health worker follow up the client at home (E) 4 Having the patient come to the health center every month (E) 4 Having the health worker or a responsible family member (E) 6 Having the health worker or a responsible family member (E) 6 Having a target list to check on whether the patient has colledurgs (E) 6 Worker (E) 7 Worker (E) 8 Worker<td> (A) 5 skin lesions, positive slit skin smear (B) 3 skin lesions, positive slit skin smear (C) 5 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (E) 5 skin lesions, negative slit skin smear (E) 3 skin lesions, negative slit skin smear (E) 6 DPT (E) Measles vaccine (D) MMR (E) Measles vaccine (D) MMR (E) 200,000 IU (C) 200,000 IU (D) Among children aged 2 months to 3 years, the most prevalent form of men which microorganism? (A) Neisseria meningitides (B) Morbillivirus (C) Streptococcus Pneumoniae (D) Hemophilus Influenzae (E) Having the health worker follow up the client at home (E) Having the patient come to the health center every month to get himality of the patient come to the health center every month to get himality at the stranger list to check on whether the patient has collected himality demographic tool may be used to describe the sex composition of (A) Sex ratio (B) Sex proportion </td><td>(B) 3 skin lesions, positive slit skin smear (C) 5 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear Which biological used in EPI should not be stored in the freezer? (A) OPV (B) DPT (C) Measles vaccine (D) MMR To prevent xerophthalmia, young children are given Retinol capsule every 6 months. Wis the dose given to preschoolers? (A) 10,000 IU (B) 20,000 IU (C) 200,000 IU (D) 100,000 IU Among children aged 2 months to 3 years, the most prevalent form of meningitis is caused which microorganism? (A) Neisseria meningitides (B) Morbillivirus (C) Streptococcus Pneumoniae (D) Hemophilus Influenzae To improve compliance to treatment, what innovation is being implemented in DOTS? (A) Having the health worker follow up the client at home (B) Having the patient come to the health center every month to get his medications (C) Having the health worker or a responsible family member monitor drug intake (D) Having a target list to check on whether the patient has collected his monthly supply drugs Which demographic tool may be used to describe the sex composition of the population (A) Sex ratio (B) Sex proportion</td>	 (A) 5 skin lesions, positive slit skin smear (B) 3 skin lesions, positive slit skin smear (C) 5 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (E) 5 skin lesions, negative slit skin smear (E) 3 skin lesions, negative slit skin smear (E) 6 DPT (E) Measles vaccine (D) MMR (E) Measles vaccine (D) MMR (E) 200,000 IU (C) 200,000 IU (D) Among children aged 2 months to 3 years, the most prevalent form of men which microorganism? (A) Neisseria meningitides (B) Morbillivirus (C) Streptococcus Pneumoniae (D) Hemophilus Influenzae (E) Having the health worker follow up the client at home (E) Having the patient come to the health center every month to get himality of the patient come to the health center every month to get himality at the stranger list to check on whether the patient has collected himality demographic tool may be used to describe the sex composition of (A) Sex ratio (B) Sex proportion 	(B) 3 skin lesions, positive slit skin smear (C) 5 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear (D) 3 skin lesions, negative slit skin smear Which biological used in EPI should not be stored in the freezer? (A) OPV (B) DPT (C) Measles vaccine (D) MMR To prevent xerophthalmia, young children are given Retinol capsule every 6 months. Wis the dose given to preschoolers? (A) 10,000 IU (B) 20,000 IU (C) 200,000 IU (D) 100,000 IU Among children aged 2 months to 3 years, the most prevalent form of meningitis is caused which microorganism? (A) Neisseria meningitides (B) Morbillivirus (C) Streptococcus Pneumoniae (D) Hemophilus Influenzae To improve compliance to treatment, what innovation is being implemented in DOTS? (A) Having the health worker follow up the client at home (B) Having the patient come to the health center every month to get his medications (C) Having the health worker or a responsible family member monitor drug intake (D) Having a target list to check on whether the patient has collected his monthly supply drugs Which demographic tool may be used to describe the sex composition of the population (A) Sex ratio (B) Sex proportion

Unused BCG should be discarded how many hours after reconstitution?

70.

78.		en patients cannot make decisions for ciple of ?	or the	mselves, the nurse advocate relies on the ethical
	(A)	Justice and beneficence	(B)	Fidelity and nonmaleficence
	(C)	Fidelity and justice	(D)	Beneficence and nonmaleficence
79.	Whi	ch of the following is the most imp	ortan	at treatment of patients with Dengue H-fever?
	(A)	Replacement of body fluids	(B)	Give aspirin for fever
	(C)	Avoid unnecessary movement	(D)	Ice cap over abdomen in case of melena
80.	Whi	ch of the following is an epidemio	logic f	function of the nurse during an epidemic?
	(A)	Conducting assessment of suspec	cted ca	ases to detect the communicable diseases
	(B)	Monitoring the condition of the c	cases a	affected by the communicable disease
	(C)	Teaching the community on prev	entiv	e measures against the disease
	(D)	Participating in the investigation	to de	termine the source of epidemic
81.		ch theorist help a manager to ung g about desired outcomes to them		and that employees engage in behaviours that
	(A)	Abraham Maslow	(B)	Clayton Alderfer
	(C)	Frederick Herzberg	(D)	Victor Vroom
82.	Whi	ch type of evaluation is most suited	d for o	qualitative assessment ?
	(A)	Criterion referenced evaluation		
	(B)	Norm referenced evaluation		
	(C)	Formative evaluation		
	(D)	Summative evaluation		
83.	"Vita	al few, trivial many" is explained	in	
	(A)	Theory Z	(B)	Pareto Principle
	(C)	Time motion studies	(D)	Commitment principle
84.	Mos	t empowering leadership style is _		
	(A)	Autocratic	(B)	Democratic
	(C)	Transformational	(D)	Transactional
85.	Whi	ch among the following is not an a	advan	tage of lecture method ?
	(A)	Time saving	(B)	Enables clarification of doubts
	(C)	Encourages passive learners	(D)	Allows addition of newest information

12

A

021/2018

86.	Who developed kindergarten system of education?									
	(A)	Friedrich Froebel	(B)	Mar	ia Montessori					
	(C)	Rabindranath Tagore	(D)	Joha	nn Heinrich Pe	stalozzi	ĺ			
87.	In paired comparison technique of ranking, number of comparisons involved is									
	where 'N' stands for the number of men to be rated.									
	(A)	$\frac{(N-2)(N-1)}{3}$	(B)	$\frac{N^2}{N}$	<u>- 1</u>					
	(C)	$\frac{N^2-1}{2}$	(D)	<u>N (</u>	$\frac{N-1)}{2}$					
88.		cific instructional activities and pr	oceduı	es tha	nt a teacher may	use in	his/her classroom			
		Audiovisual aids	(B)	Info	rmation giving					
	. ,	Teaching skills	(D)		avioural modific	cations				
	` '	G	, ,							
89.	Fide	lity actually means :								
	(A)	Keeping one's promises	(B)	Tell	ing truth always	8				
	(C)	Doing no harm to the patient	(D)	The	re is negligence					
90.	is the best indicator of student interaction.									
	(A)	Participation in co-curricular ac	tivities	;						
	(B)	Sociogram								
	(C)	Helping mentality								
	(D)	Attention seeking behaviour								
91.	Cognitive restructuring technique including all of the following except									
	(A)	Positive self-talk	(B)	Refi	aming					
	(C)	Relaxation	(D)	Dec	atastro Phizing					
92.	In EEG Alpha waves are prominent over									
	(A)	Frontal region	(B)	Occ	ipital region					
	(C)	Parietal region	(D)	Tem	poral region					
93.	Pare	eidolia is a kind of								
	(A)	Illusion (B) Hallucina	ation	(C)	Delusion	(D)	Derealisation			
A			13				021/2018			

{P.T.O.}

86.

94.	Emotions which is commonly seen in a passive aggressive personality disorder:									
	(A)	Depression	(B)	Guilt		(C)	Anger	(D)	Fear	
95.	Floce	cillation is charac	teristi	cally seen ii	n					
,	(A)	Dementia	(B)	Dissociatio			 Depression	(D)	Delirium	
96.	Which of the following drug is used to treat enuresis?									
	(A)	A) Imipramine			(B)	Methylphenidate				
	(C)	Olanzapine			(D)	Risp	eridone			
97.	Narcotic Drugs and Psychotropic Substance Act (NDPSA) passed in the year of									
	(A)	1978	(B)	1985		(C)	1980	(D)	1989	
98.	Capgra's syndrome is most commonly seen in									
	(A)	Catatonic Schizophrenia			(B)	Hebephrenic Schizophrenia				
	(C)	Simple Schizophrenia			(D)	Paranoid Schizophrenia				
99.	Fear of cat is									
	(A)	Ailurophobia			(B)	Apiphobia				
	(C)) Arachnophobia			(D)	Astraphobia				
100.	Tuberous sclerosis found with greater frequency in									
	(A)) Mental Retardation			(B)	Autism				
	(C)	Tic disorder			(D)	Atte	ntion Deficit an	d Hype	eractivity Disorder	
					۰.0	_				

- o O o -

SPACE FOR ROUGH WORK

SPACE FOR ROUGH WORK