Maximum: 100 marks

Time: 1 hour and 15 minutes

1.	. Which of the following fire extinguisher is suitable for a live electrical fire?				
	(A)	Halon	(B)	Water	
	(C)	Foam	(D)	Liquefied chemical	
2.	The plier	s used to make wire hooks ar	nd loops is:		
	(A)	Combination pliers	(B)	Long nose pliers	
	(C)	Round nose pliers	(D)	Flat nose pliers	
3.	When ten	perature of carbon increases	s, its resistance?		
	(A)	Decreases	(B)	Increases	
	(C)	Remains same	(D)	None of these	
4.	The specia	fication of a given screwdrive	er is (75 mm × 0.	4 mm × 2.5 mm) 0.4 mm stands for :	
	(A)	Length	(B)	Thickness of tip of blade	
*	(C)	Diameter	(D)	Handle length	
5.	The unit	of Specific resistance is :			
	(A)	Ohm - meter	(B)	Ohm / meter	
	(C)	Ohm	(D)	None of these	
6.	The unit of	of dielectric strength is:			
	(A)	kV/mm	(B)	kW/mm	
	(C)	Ohm/mm	(D)	Ampere	
7.	The resist	ance of 100W, 250V electric	lamp is :		
12	(A)	62.5 Ohms	(B)	625 Ohms	
	(C)	6250 Ohms	(D)	325 Ohms	

8.	Three 30 o will be:	hms resistors are connected in pa	rallel. The	effective resistance of the combination
	(A)	10 Ohms	(B)	90 Ohms
	(C)	25 Ohms	(D)	15 Ohms
9.	Three resi		ohms are co	onnected in parallel. What is the tota
	(A)	Less than 27 ohms	(B)	Greater than 68 ohms
	(C)	Between 27 and 47 ohms	(D)	None of these
10.	The type of	of watt meter suitable to measure	DC power	is:
	(A)	Induction type	(B)	Dynamo meter type
	(C)	LPF type	(D)	None of these
11.	If the area	a of a metal wire of a given length	is doubled,	its resistance will be:
	(A)	Doubled	(B)	Halved
	(C)	Remains same	(D)	Four times more
12.	Which on	e of the following is called as vala	nce electron	n in an atom?
	(A)	No. of electrons in inner orbit	(B)	No. of electrons in the N shell
	(C)	No. of electrons in the outer mo	st orbit(D)	No. of electrons in the M shell
13.	Interpole	s are connected in :		
	(A)	Series with armature	(B)	Series with field
	(C)	Parallel with armature	(D)	None of these
14.	In three	phase delta connection, line voltage	ge is:	
	(A)	$\sqrt{3} V_{ph}$	(B)	$V_{ph}/\sqrt{3}$
	(C)	Same as phase voltage	(D)	Same as line current
15.	Cells are	connected in series to get:		
	(A)	More voltage	(B)	More current
	(C)	More power	(D)	None of these
03	6/2016		4	

16.	No load t	est on a transformer is	conducted to measure	
	(A)	Copper loss	(B)	Core loss
	(C)	Total loss	(D)	Efficiency
17.	1 micro o	hm is —	- ohm.	
	(A)	1/1000000	(B)	1/100000
	(C)	1/10000	(D)	1/1000
18.	In SI unit	t one coulomb of electric	city corresponds to a	quantity of electrons about :
	(A)	6.24×10 ¹⁸	(B)	6.24×10 ⁸
	(C)	62.4×10 ⁸	(D)	62.4×10 ¹⁸
19.	Which of	the following does not d	depend on the resistar	nce of a conductor?
	(A)	Length	(B)	Material
	(C)	Voltage	(D)	Temperature
20.	Which of	the following material l	have negative temper	ature coefficient of resistance?
	(A)	Copper	(B)	Aluminium
	(C)	Tungsten	(D)	Carbon
21.	How man 240 V?	y 6 volt lamps are req	uired to make a deco	rative serial set of operating voltage of
	(A)	38	(B)	40
	(C)	42	(D)	36
22.	What is th	ne use of Eureka wire?		
	(A)	Rheostat	(B)	Heating element
	(C)	Earth wire	(D)	Winding wire
23.	Which is a	not a property of an ins	ulator?	
	(A)	High heat conductivit	y (B)	High permittivity
	(C)	High dielectric streng	th (D)	High mechanical strength

24.	In Lecland	che cell manganese dioxide acts	as:	
	(A)	Positive electrode	(B)	Negative electrode
	(C)	Depolarizer	(D)	Electrolyte
25.	Positive e	lectrode in a dry cell is :		
	(A)	Zinc	(B)	Copper
	(C)	Carbon	(D)	None of these
26.	In a lead	acid battery 6 positive electrode	s are there. T	he numbers of negative plates are :
	(A)	4	(B)	5
	(C)	7	(D)	8
27.	The capac	city of the storage battery is exp	ressed in:	
	(A)	Voltage rating	(B)	Ampere rating
	(C)	Ampere-hour rating	(D)	None of these
28.	Permaner	nt magnets are made from :		
	(A)	Soft iron piece	(B)	Alnico
	(C)	Nichrome	(D)	Graphite
29.	The mate	rial slightly repelled by a magne	et is called:	
	(A)	Magnetic	(B)	Paramagnetic
	(C)	Diamagnetic	(D)	Ferromagnetic
30.	The unit	of magnetic reluctance is:		
	(A)	Ampere-turns	(B)	Weber / m ²
	(C)	Ampere turns / Weber	(D)	None of these
31.	Tesla is tl	he unit of:		
	(A)	Flux	(B)	Flux density
	(C)	MMF	(D)	Reluctance
32.	The rule	used to determine the direction	of induced cu	rrent in a dc generator :
	(A)	Fleming's left hand rule	(B)	Lenz's law
	(C)	Right hand thumb rule	(D)	Fleming's right hand rule
036	/2016		6	

036/2016

33.	Split ring	gs are made from :		
	(A)	Gun metal	(B)	Brass
	(C)	Hard drawn copper	(D)	Bronze
34.	The wind	ing have many turns of thin wi	re in dc gener	rator is :
	(A)	Series field winding	(B)	Armature winding
	(C)	Shunt field winding	(D)	None of these
35.	The dc ge	nerator used for welding purpo	se is:	
	(A)	Cumulative compound	(B)	Shunt
	(C)	Differential compound	(D)	Series
36.	The type	of dc motor used for traction pu	rpose is:	
	(A)	Shunt motor	(B)	Long shunt motor
	(C)	Series motor	(D)	Short shunt motor
37.	The conne	ection of no volt coil in de 3 poin	it starter acro	ss dc supply is in series with :
	(A)	Armature	(B)	Starting resistor
	(C)	Over load relay	(D)	Shunt field
38.	Ward- Le	onard system of speed control is	s used in dc sl	nunt motor to get :
	(A)	Above normal speed only	(B)	Below normal speed only
	(C)	From zero to desired value	(D)	Normal constant speed
39.	The fuse u	unit is made from :		
	(A)	Bakelite	(B)	Porcelain
	(C)	Ceramic	(D)	Iron
40.	The joint	used in over head lines for exten	nding the lens	gth is:
	(A)	Rat tail joint	(B)	Married joint
	(C)	Western union joint	(D)	Aerial tap joint
41.	As per IE	Rules how much load is permit	ted in a powe	r sub circuit :
	(A)	2500 W	(B)	4000 W
	(C)	3000 W	(D)	5000 W

42.	The colour	r used for neutral wire in	supply system is:	
	(A)	Blue	(B)	Black
	(C)	Yellow	(D)	Green
43.	The recon	nmended length of pipe us	ed as earth electro	de is:
	(A)	Not less than 2.25m	(B)	Not less than 2.5 m
	(C)	Not less than 2m	(D)	None of these
44.	The size o	f the plate used for earthi	ng electrode is :	
	(A)	60 cm × 60 cm	(B)	50 cm × 50 cm
	(C)	45 cm × 45 cm	(D)	40 cm × 40 cm
45.	The test u	sed to check whether the	switches are conne	cted in live wire or not is:
	(A)	Continuity test	(B)	Earth test
	(C)	Polarity test	(D)	Insulation test
46.	2 pin sock	ets should not be used in	domestic wiring un	less the appliance to be connected is
	(A)	Double earthed	(B)	Double insulated
	(C)	Controlled by ELCB	(D)	Controlled by MCB
47.	Irms value	is equal to:		
	(A)	0.637 I _{MAX}	(B)	0.707 I _{MAX}
	(C)	6.37 I _{MAX}	(D)	7.07 I _{MAX}
48.	Form fact	or of a sinusoidal wave is		
	(A)	11.1	(B)	1.11
	(C)	0.111	(D)	None of these
49.	The unit	of inductive reactance is :		
	(A)	Henry	(B)	Ohm
	(C)	Ampere turn	(D)	Susceptance

8

50.	50. The phase difference between any two adjacent phases in a three phase system is:			
	(A)	90°	(B)	120°
	(C)	180°	(D)	360°
51.	To provid	e inductance in a circuit which is used	?	
	(A)	Resistor	(B)	Choke
	(C)	Capacitor	(D)	All of these
52.	In which l	load power factor may be unity?		
	(A)	Inductive reactance with resistance	(B)	Non inductive resistance
	(C)	Capacitive reactance	(D)	None of these
53.	The recipi	rocal of impedance is:		
	(A)	Susceptance	(B)	Conductance
	(C)	Admittance	(D)	Inductance
54.	The effect	of low power factor in an electrical sys	stem is	
	(A)	Efficiency will be more	(B)	Current will be increased
	(C)	Current will be reduced	(D)	None of these
55.	In a 3 pha	se system voltage across phase to phase	se is ca	alled:
	(A)	Phase voltage	(B)	Line voltage
	(C)	EMF	(D)	Terminal voltage
56.	Line volta	ge of a star connected 3 phase circuit i	s 415	V. The phase voltage will be:
	(A)	415 V	(B)	210 V
	(C)	220 V	(D)	240 V
57.	The formu	ala for reactive power in a 3 phase syst	em is	
	(A)	$3V_L I_L \cos\theta$	(B)	$\sqrt{3} V_L I_L Cos\theta$
	(C)	$\sqrt{3}V_{L}I_{L}Sin\theta$	(D)	$\sqrt{3}V_{p}I_{p}Sin\theta$

58.	The numb	er of slip rings required for a rotatin	ig field ty	ype 3 phase alternator is:
	(A)	2	(B)	3
	(C)	12	(D)	6
59.	Alternato	rs are rated in :		
	(A)	KW	(B)	HP
	(C)	KVA	(D)	KVAR
60.	The speed	l of 6 pole 60 Hz alternator is :		
	(A)	600 rpm	(B)	1200 rpm -
	(C)	1800 rpm	(D)	800 rpm
61.	Core loss	in a transformer is constant during :		
	(A)	Quarter load	(B)	Half load
	(C)	Full load	(D)	All load
62.	Condition	for maximum efficiency of a transfo	rmer is :	
	(A)	Copper loss is equal to iron loss	(B)	Copper loss is more than iron loss
	(C)	Copper loss is zero	(D)	None of these
63.	The full load?	oad copper loss in a transformer is	900 wat	ts. What will be the copper loss at ha
	(A)	1300 W	(B)	500 W
	(C)	225 W	(D)	450 W
64.	In which	part of a transformer hysteresis loss	will occ	ur?
	(A)	Core	(B)	Windings
	(C)	Transformer oil	(D)	Conservator
65.	The stand	dard secondary rated voltage of a pot	ential tr	ansformer is:
	(A)	150 V	(B)	110 V
	(C)	200 V	(D)	75 V
036	/2016	10		

036/2016

66. The direction of rotation of stator magnetic field depends up on :			nds up on :		
	(A)	Supply voltage	(B)	Type of stator winding	
	(C)	Phase sequence of the supply	(D)	All of these	
67.	When spe	eed of induction motor increases	the rotor free	quency will?	
	(A)	Decreases	(B)	Increases	
	(C)	Remains constant	(D)	Zero	
68.	Inching o	peration is also called as :			
	(A)	Starting	(B)	Stopping	
	(C)	Braking	(D)	Jogging	
69.	How man	y contactors are there in a fully	automatic st	ar delta starter?	
	(A)	1	(B)	3	
	(C)	4	(D)	6	
70.	The devic	e used to store electrical energy	in the form o	f electro static energy is :	
	(A)	Inductor	(B)	Resistor	
	(C)	Thermistor	(D)	Capacitor	
1.	The type	of capacitor used in capacitor sta	art motor is:		
	(A)	Electrolytic capacitor	(B)	Ceramic capacitor	
	(C)	Disc capacitor	(D)	Mica capacitor	
2.	Universal	motor is used in:			
	(A)	Fan	(B)	Refrigerator	
	(C)	Jet pump	(D)	Food mixer	
3.	The unit of	of sensitivity of meter is:			
	(A)	Volt / ohm	(B)	Amp / ohm	
	(C)	Ohm / amp	(D)	Ohm / volt	
4.	Control sp	oring used in an instrument is m	ade from :		
	(A)	Bronze	(B)	Copper	
	(C)	Phosphor bronze	(D)	Brass	

75.	The unit o	f luminous flux is :		
	(A)	Candela	(B)	Lux
	(C)	Lumen	(D)	Lumen/watt
76.	In the foll	owing which is not a passive compo	nent?	
	(A)	Resistor	(B)	Capacitor
	(C)	Transistor	(D)	Inductor
77.	Which ele	ment is used as semiconductor mat	erial?	
	(A)	Copper	(B)	Plastic
	(C)	Silicon	(D)	Brass
78.	What is th	he abbreviation of PILC cable?		
	(A)	Paper Insulated Length Core	(B)	Polymer Insulated Lead Core
	(C)	Paper Insulated Lead Covered	(D)	None of these
79.	The size o	of the ceiling fan is generally expres	sed by its	
	(A)	Number of blades	(B)	Pitch angle
	(C)	Length of the blade	(D)	Sweep
80.	Line insu	lators are made from :		
	(A)	Mica	(B)	Porcelain clay
	(C)	Granite	(D)	Asbestos
81.	When the	time in India is 10.30 AM, the time	e of Sri La	anka is?
	(A)	10 AM	(B)	10.30 AM
	(C)	11 AM	(D)	12.30 PM
82.	The numl	ber of Union Territories in India :		
	(A)	7	(B)	8
	(C)	9	(D)	10
83.	Which of	the following states have no coastli	ne?	
	(A)	Gujarat	(B)	Maharashtra
	(C)	Rajasthan	(D)	Karnataka

84.	1 4th India	n Census was conducted in the year			
04.				1001	
	(A)	2001	(B)	1981	
	(C)	1991	(D)	2011	
85.	Who is kn	own as the 'Grand Old Man of Indi	a'?		
	(A)	Gopala Krishna Gokhale	(B)	Bala Gangadhar Tilak	
	(C)	Lala Lajpat Rai	(D)	Dadabhai Naoroji	
86.	Discovery	of India' is authored by :			
	(A)	R.P. Dutt	(B)	R.C. Dutt	
	(C)	V.D. Savarkar	(D)	Jawaharlal Nehru	
87.	The first	women president of Indian Nationa	l Congress	s:	
	(A)	Annie Besant	(B)	Sarojini Naidu	
	(C)	Indira Gandhi	(D)	Sonia Gandhi	
88.	The histor	ric 'Dandi March' was in connection	with:		
	(A)	Non Co-operation Movement	(B)	Khilafat Movement	
	(C)	Quit India Movement	(D)	Civil Disobedience Movement	
89.	Which am	ong the following is an east-flowing	g river in l	Kerala?	
	(A)	Periyar	(B)	Pambar	
	(C)	Chaliyar	(D)	Pamba	
90.	The Ezhir	nala Naval Academy is located in th	ne district	of:	
	(A)	Thrissur	(B)	Kasargod	
	(C)	Kannur	(D)	Kozhikode	
91.	Alathur S	idhasramam was founded by :			
	(A)	Sree Narayana Guru	(B)	Brahmananda Sivayogi	
	(C)	Chattambi Swami	(D)	Kumara Guru	
92.	Prathyak	sha Raksha Daiva Sabha was found	led by:		
	(A)	Pambadi John Joseph	(B)	M.C. Joseph	
	(C)	Poikayil Yohannan	(D)	Abraham Malpan	

93.	'Misrabho	janam' or interdining was a method in	troduc	ed by:
	(A)	Ayyankali	(B)	K. Ayyappan
	(C)	Pandit Karuppan	(D)	Vagbhadananda
94.	The 'Ezha	va Memorial' was prepared under the	leader	ship of:
	(A)	Dr. Palpu	(B)	G.P. Pillai
	(C)	K.P. Sankara Menon	(D)	K.P. Kesava Menon
95.	The play	Adukkalayil Ninnu Arangathekku' exp	osed t	the condition of women among:
	(A)	Nairs	(B)	Pulayas
	(C)	Ezhavas	(D)	Nambuthiris
96.	The prese	ent Vice Chairman of 'Niti Ayog':		
	(A)	Aravind Pangariya	(B)	Radha Mohan Singh
	(C)	Bibek Debroy	(D)	Prabhat Patnaik
97.	'Vyapam	Scam' is an admission and recruitment	scam	in the state of:
	(A)	Uttar Pradesh	(B)	Madhya Pradesh
	(C)	Rajastan	(D)	Gujarat
98.	The Copa	America football tournament 2015 was	s held	in:
	(A)	Brazil	(B)	Argentina
	(C)	Chile	(D)	Uruguay
99.	The famo	us scientist Stephen Hawking belonged	l to:	
	(A)	America	(B)	Germany
	(C)	France	(D)	England
100.	. The 2014	Nobel Prize for literature was won by		
	(A)	Mo Yan	(B)	Alice Munro
	(C)	Patrick Modiano	(D)	Thomas Transtromer