

PROVISIONAL ANSWER KEY

Question Paper Code:	50/2019/OL
Category Code:	089/2018
Exam:	Pharmacist Gr II (Homoeo)
Medium of Question:	English
Date of Test	11-10-2019
Department	Homoeopathy
Alphacode	A

Question1:-Dynamisation of liquid drug substances by

- A:-Trituration
- B:-Succussion
- C:-Mother solution
- D:-None of the above

Correct Answer:- Option-B

Question2:-Common name of Asterias Rubens is

- A:-Star fish
- B:-Jelly fish
- C:-Cuttle fish
- D:-River fish

Correct Answer:- Option-A

Question3:-The body of the prescription is

- A:-Superscription
- B:-Inscription
- C:-Subscription
- D:-Signatura

Correct Answer:- Option-B

Question4:-The time taken for second potency trituration in decimal scale is

- A:-10 mts
- B:-30 mts
- C:-20 mts
- D:-60 mts

Correct Answer:- Option-D

Question5:-Glycerol is used for the preservation of

- A:-Apismellifica
- B:-Tarentula
- C:-Lachesis
- D:-Buforana

Correct Answer:- Option-C

Question6:-The branch of pharmacology deals with physical characteristics and botanical sources of crude drugs

- A:-Pharmacodynamics
- B:-Pharmaconomy
- C:-Pharmacognosy
- D:-Pharmachopolaxy

Correct Answer:- Option-C

Question7:-Dispensing alcohol contains----percent alcohol

- A:-80
- B:-77
- C:-66
- D:-88

Correct Answer:- Option-D

Question8:-Drugs prepared from diseased products

- A:-Nosodes
- B:-Sarcodes
- C:-Imponderabilia
- D:-Biotherapeutic preparations

Correct Answer:- Option-A

Question9:-Drug strength of Phosphorus tincture is

A:-1/20

B:-1/10

C:-1/100

D:-1/667

Correct Answer:- Option-D

Question10:-The dose of the drug which causes death of living being

A:-Lethal dose

B:-Booster dose

C:-infinitesimal

D:-physiological dose

Correct Answer:- Option-A

Question11:-When a particular medicine is prescribed for a particular disease condition it is called

A:-Drug

B:-Medicine

C:-Remedy

D:-Potency

Correct Answer:- Option-C

Question12:-The synonym of absolute alcohol is

A:-Alcoholfortis

B:-Anhydrous alcohol

C:-Alcoholofficialis

D:-Rectified spirit

Correct Answer:- Option-B

Question13:-Written direction for the preparation of medicine is known as

A:-Subscription

B:-Superscription

C:-Inscription

D:-prescription

Correct Answer:- Option-D

Question14:-Synonym of Solvent Ether is

A:-Ethyl Oxide

B:-Butane

C:-Methyl Oxide

D:-Sulphur Oxide

Correct Answer:- Option-A

Question15:-The method of removing moisture from any substance is called

A:-Decantation

B:-Distillation

C:-Dessication

D:-De-ionisation

Correct Answer:- Option-C

Question16:-No. of volumes of Homoeopathic Pharmacopoeia India

A:-8

B:-9

C:-10

D:-7

Correct Answer:- Option-C

Question17:-Remedy with a wide range of symptoms in provings and it helps to treat a wide range of problem is called

A:-Genuine remedy

B:-Long acting remedy

C:-complimentary remedy

D:-Polychrest remedy

Correct Answer:- Option-D

Question18:-Medicine which is prepared from dry leaf

A:-Tabacum

B:-Aegale folia

C:-Ficusreligiosa

D:-Justiciaadathoda

Correct Answer:- Option-A

Question19:-For recording of symptoms of narcotics while proving-----symptoms are selected

- A:-Primary
 - B:-Secondary
 - C:-Alternating
 - D:-Pharmacological
- Correct Answer:- Option-B

Question20:-Lanolin is

- A:-wool fat
 - B:-Pig fat
 - C:-whale fat
 - D:-none of the above
- Correct Answer:- Option-A

Question21:-Homoeopathic Pharmacopoea committee was constituted by Government of India in

- A:-1972
 - B:-1971
 - C:-1962
 - D:-1984
- Correct Answer:- Option-C

Question22:-Branch of Pharmacy deals with the preparation of crude drugs is

- A:-Official pharmacy
 - B:-Extemporaneous pharmacy
 - C:-Galenical pharmacy
 - D:-None
- Correct Answer:- Option-C

Question23:-What is Homoeopathic alcohol?

- A:-66%
 - B:-88%
 - C:-87%
 - D:-100%
- Correct Answer:- Option-C

Question24:-Which one is not a synonym of placebo

- A:-saccharum
 - B:-lactopen
 - C:-Nihilinum
 - D:-Phytum
- Correct Answer:- Option-A

Question25:-To be taken at bed time is designated as

- A:-B.D
 - B:-H.D
 - C:-H.S
 - D:-B and C
- Correct Answer:- Option-D

Question26:-Proved drug is a

- A:-Medicine
 - B:-Remedy
 - C:-Potency
 - D:-Both B and C
- Correct Answer:- Option-A

Question27:-What is the commonly used size of cones?

- A:-No.12
 - B:-No.6
 - C:-No.8
 - D:-All the above
- Correct Answer:- Option-B

Question28:-Study deals with the identification of drug substances is

- A:-Pharmaconomy
- B:-Pharmacopraxy
- C:-Pharmacopallaxy
- D:-Pharmacognosy

Correct Answer:- Option-D

Question29:-The chief chemical Source of Ethyl alcohol is -----

- A:-Propylene
- B:-Ethylene
- C:-Methanol
- D:-Methylene

Correct Answer:- Option-B

Question30:-The base used in the preparation of Plasters is

- A:-Spermaceti
- B:-Cataplaams
- C:-Isinglass
- D:-Soft soap

Correct Answer:- Option-C

Question31:-The mode of preparation of ointment in which the drug is in liquid form is -----

- A:-mechanical incorporation method
- B:-Plussing method
- C:-Fusion method
- D:-Succussion

Correct Answer:- Option-C

Question32:-The % of alcohol which can be used as antiseptic is

- A:-70%
- B:-7%
- C:-10%
- D:-20%

Correct Answer:- Option-C

Question33:-Number of succussions used in centesimal scale

- A:-100
- B:-10
- C:-50
- D:-30

Correct Answer:- Option-B

Question34:-Select the wrong combination

- A:-Cinchona---bark
- B:-Thuja---Whole plant
- C:-Rhustox---Leaves
- D:-Bryonia---Root

Correct Answer:- Option-B

Question35:-The drug prepared from spores is ---

- A:-Bovista
- B:-Lycopodium
- C:-Secalecor
- D:-Ustilago

Correct Answer:- Option-B

Question36:-Sugar of milk is purified by using

- A:-Strong alcohol
- B:-Absolute alcohol
- C:-Rectified spirit
- D:-Dilute alcohol

Correct Answer:- Option-B

Question37:-1 ml is approximately equivalent to

- A:-1 minim
- B:-3 minim
- C:-6 minim
- D:-16 minim

Correct Answer:- Option-D

Question38:-The most common impurity in sugar of milk -----

- A:-Chlorides
- B:-Alum
- C:-Iodine

D:-Starch

Correct Answer:- Option-D

Question39:-Olive oil is used in the preparation of

A:-Ointment

B:-Lotion

C:-Liniment

D:-None of the above

Correct Answer:- Option-C

Question40:-Presses are used in the preparation of ----

A:-Ointment

B:-Mother tincture

C:-Lotion

D:-none of the above

Correct Answer:- Option-B

Question41:----- Mortars are used for Mercurial preparations

A:-Porcelain

B:-Glass

C:-Wedge wood

D:-Stainless steel

Correct Answer:- Option-B

Question42:-Mother tincture drug strength in class IV

A:-1/6

B:-1/2

C:-1/100

D:-1/10

Correct Answer:- Option-D

Question43:-In Homoeopathy crystallisation is applied in the purification of

A:-Globule

B:-Cane sugar

C:-Camphor

D:-Sugar of milk

Correct Answer:- Option-D

Question44:-The drug strength of mother tinctures prepared as per new method is

A:-1/10

B:-1/100

C:-1/2

D:-1/50

Correct Answer:- Option-A

Question45:-'Pharmacopraxy is ----

A:-Study of repetition of drugs

B:-Study of application of drugs

C:-Conversion of crude drugs into real material

D:-Study of genetically determined variations in response to drugs

Correct Answer:- Option-C

Question46:-The time taken for Maceration is

A:-3 days

B:-24 hours

C:-2- 4 weeks

D:-2-4 days

Correct Answer:- Option-C

Question47:-The scale used in Trituration is

A:-Centesimal scale

B:-Decimal scale

C:-50 millimal scale

D:-A and B

Correct Answer:- Option-D

Question48:-'Pharmacopallaxy is ----

A:-Study of repetition of drugs

B:-Study of application of drugs

C:-Conversion of crude drugs in to real material

D:-Study of genetically determined variations in response to drugs

Correct Answer:- Option-A

Question49:-The type of drug substances used in class IV of mother tincture preparation is

A:-Most juicy

B:-Medium juicy

C:-Least juicy

D:-Dried vegetable & animal, fresh animal

Correct Answer:- Option-D

Question50:-The liquid capable of penetrating the tissues of plant or animal substance and is capable to extract the active principle

A:-Menstrum

B:-Magma

C:-Merc

D:-Solvent

Correct Answer:- Option-A

Question51:-The standard rate of percolation is -----

A:-10 - 30 drops / minute

B:-10 - 20 drops / minute

C:-5 - 10 drops / minute

D:-30 - 40 drops / minute

Correct Answer:- Option-A

Question52:-Ointments are commercially prepared by

A:-Mechanical incorporation method

B:-Fusion method

C:-Decantation

D:-Fluxion method

Correct Answer:- Option-B

Question53:-For preserving Fluoric acid ----- bottle is used.

A:-Gutta purcha

B:-Actinic bottles

C:-Amber bottles

D:-Caustic bottles

Correct Answer:- Option-A

Question54:-The Alkaloid in Nuxvomica is

A:-Strichnine

B:-Morphine

C:-Codiene

D:-All the above

Correct Answer:- Option-A

Question55:-Belladonna belongs to the family-----

A:-Rubiaceae

B:-Solanaceae

C:-Scrophularaceae

D:-Compositae

Correct Answer:- Option-B

Question56:-Lac caninum is ---

A:-Dog's milk

B:-Cat's milk

C:-Human milk

D:-cow's milk

Correct Answer:- Option-A

Question57:-Simply mixing of a liquid with water or any other liquid.

A:-Decantation

B:-Dilution

C:-Dynamisation

D:-Filtration

Correct Answer:- Option-B

Question58:-Tautopathy is -----

A:-Study of synthetic source of medicines

B:-Allopathy

C:-Study of plant sources

D:-None of the above

Correct Answer:- Option-A

Question59:-Part IX A of Drug And Cosmetic Act 1940 relates to

A:-Manufacture of Homoeopathic drugs

B:-Sale of Homoeopathic drugs

C:-Labelling of Homoeopathic drugs

D:-Both A and B

Correct Answer:- Option-C

Question60:-Number of monographs in volume II of HPI

A:-180

B:-104

C:-100

D:-105

Correct Answer:- Option-C

Question61:-Name of first Homoeopathic Pharmacopoea is -----

A:-Pharmacopoea of American institute of Homoeopathy

B:-Pharmacopoea Homoeopathic polyglottica

C:- Pharmaceutics manuel

D:-Dispensatorium Homoeopathicum

Correct Answer:- Option-D

Question62:-Objectionable advertisements are prohibited under

A:-Dangerous drug Act

B:-Drug and Cosmetic Act

C:-Drug and Magic Remedy Act

D:-Medicinal and Toilet Preparation Act

Correct Answer:- Option-C

Question63:-Doctrine of signature was recommended by

A:-Hahnemann

B:-Paracelsus

C:-Hippocrates

D:-Galen

Correct Answer:- Option-B

Question64:-The process of boiling water to produce water vapour which then condenses onto a cool surface is called

A:-Condensation

B:-Sublimation

C:-Distillation

D:-Evaporation

Correct Answer:- Option-C

Question65:-Part used in Apis mellifica is

A:-Live Honey bee

B:-Dead honey bee

C:-Poison of bee

D:-Extract from the honey comb

Correct Answer:- Option-A

Question66:-Homoeopathic Pharmacy is based on -----

A:-Monopharmacy

B:-Pharmacodynamics

C:-Potentisation

D:-All the above

Correct Answer:- Option-D

Question67:-Abnormal tendency to take medicines

A:-Pharmacomania

B:-Pharmacophobia

C:-Pharmaconemia

D:-Pharmacophilia

Correct Answer:- Option-A

Question68:-Source of cones is -----

- A:-Cane sugar
- B:-Egg albumin
- C:-Both
- D:-None

Correct Answer:- Option-C

Question69:-The drug that is prepared from whole plant is

- A:-Belladonna
- B:-Calendula
- C:-Bryonia
- D:-All the above

Correct Answer:- Option-A

Question70:-Ratio between drug juice and alcohol in class II is -----

- A:-3:2
- B:-2:3
- C:-1:2
- D:-none

Correct Answer:- Option-A

Question71:-Maceration done in hot liquid is called ----

- A:-Sublimation
- B:-Digestion
- C:-Dilution
- D:-Both A and B

Correct Answer:- Option-B

Question72:-Tincture of soap is used in the preparation of

- A:-Liniment
- B:-Lotion
- C:-Ointment
- D:-Spermaceti

Correct Answer:- Option-A

Question73:-lachesis should be preserved in

- A:-Glycerine
- B:-Ethylene
- C:-Both A and B
- D:-Sugar of milk

Correct Answer:- Option-A

Question74:-The mixture of water and ethyl alcohol weighing 12/13th of equal volume of purified water is Vital

- A:-Denatured spirit
- B:-Proof spirit
- C:-Rectified spirit
- D:-spirit

Correct Answer:- Option-B

Question75:-The prover records the changes of health in

- A:-Day book
- B:-Case record
- C:-Symptom register
- D:-All the above

Correct Answer:- Option-A

Question76:-A Homoeopathic dose means -----

- A:-Infinitesimal dose
- B:-Fractional dose
- C:-Booster dose
- D:-Either of A and C

Correct Answer:- Option-A

Question77:------ is derived by the process of dynamisation

- A:-Medicine
- B:-Drug
- C:-Potency
- D:-all the above

Correct Answer:- Option-C

Question78:-The potency used in organic disease is

A:-Medium

B:-Low

C:-Minimum

D:-High

Correct Answer:- Option-B

Question79:-Sugar of milk should not be medicated with medicines prepared with -----

A:-Alcohol

B:-Purified water

C:-Both

D:-None

Correct Answer:- Option-B

Question80:-The first edition of Organon of medicine was published in the year

A:-1717

B:-1710

C:-1817

D:-1810

Correct Answer:- Option-D

Question81:-Drug proving is mentioned in ----- aphorism of Organon of Medicine

A:-72-84

B:-105-145

C:-85-100

D:-100-105

Correct Answer:- Option-B

Question82:-Extemporaneous pharmacy is the ----- part

A:-Practical

B:-Unofficial

C:-Official

D:-Theoretical

Correct Answer:- Option-A

Question83:-The apparatus used for heating at low temperature is

A:-Hot air oven

B:-Water bath

C:-Spirit lamp

D:-Tripod stand

Correct Answer:- Option-B

Question84:-The directions to the patient is given under

A:-Superscription

B:-Subscription

C:-Inscription

D:-Signature

Correct Answer:- Option-D

Question85:-Olive oil is ----- oil

A:-Volatile

B:-fixed

C:-A and C

D:-None

Correct Answer:- Option-B

Question86:-Mullein oil is indicated in -

A:-Conjunctivitis

B:-Otitis

C:-Diarrhoea

D:-Urethritis

Correct Answer:- Option-B

Question87:-Fundamental rule for class VIA of mother tincture preparation is given in----

A:-Thuja

B:-Arsenicum

C:-Silicea

D:-Guaicum

Correct Answer:- Option-D

Question88:-Class VIII includes -----

A:-Those chemical drugs which are soluble in purified water

B:-Those chemical drugs which are soluble in Alcohol

C:-Fresh animal and vegetable drugs

D:-Liquid insoluble drug substances

Correct Answer:- Option-D

Question89:-An obstruction made up of a porous material Placed in or above the neck and below the powdered drug substance in a percolator is called

A:-Merc

B:-Magma

C:-Taw

D:-Menstrum

Correct Answer:- Option-C

Question90:-Ration between medicinal substance and Sugar of milk in class IX is -----

A:-2:9/2:99

B:-1:9/1:99

C:-1:10/1:100

D:-None of the above

Correct Answer:- Option-A

Question91:-In Maceration ----- should be done prior to filtration.

A:-Decantation

B:-Sedimentation

C:-Precipitation

D:-Distillation

Correct Answer:- Option-A

Question92:-A drop is abbreviated as

A:-dt

B:-gtt

C:-dtt

D:-All the above

Correct Answer:- Option-B

Question93:-The chemical substance which is responsible for the therapeutic effect in a drug is.

A:-Active principle

B:-Glycoside

C:-Alkaloid

D:-Tannin

Correct Answer:- Option-A

Question94:-Nosodes are medicines obtained from

A:-Products of disease

B:-Healthy animal tissues & secretions

C:-Invisible energy sources

D:-None

Correct Answer:- Option-A

Question95:-50 Millisimal potencies are designated as

A:-0/1, 0/2, 0/3

B:-LM1, LM2, LM3

C:-1/0, 2/0, 3/0

D:-All the above

Correct Answer:- Option-D

Question96:-In class IV the whole mass of mixture of crud drug & vehicle should be kept for ----- days

A:-7 days

B:-15 days

C:-3 weeks

D:-none of the above

Correct Answer:- Option-B

Question97:-Which one is a medicine prepared from inky juice

A:-Sepia

B:-Buforana

C:-Secalecor

D:-Agaricus

Correct Answer:- Option-A

Question98:-The word Homoeopathy has derived from

A:-French

B:-Latin

C:-German

D:-Greek

Correct Answer:- Option-D

Question99:-Class I to Class IV are

A:-Mother substance class

B:-Mother solution class

C:-Mother tincture class

D:-All the above

Correct Answer:- Option-C

Question100:-Medicine prepared from the moon

A:-Sol

B:-Skatol

C:-Luna

D:-Pollis umbo

Correct Answer:- Option-C