FINAL ANSWER KEY

Question Paper Code: 50/2019/OL Category Code: 089/2018 Exam: Pharmacist Gr II (Homoeo) Medium of Question: English Date of Test 11-10-2019 Department Homoeopathy Alphacode А Question1:-Dynamisation of liquid drug substances by A:-Trituration **B:-Succussion** C:-Mother solution D:-None of the above Correct Answer:- Option-B Question2:-Common name of Asterias Rubens is A:-Star fish **B:-Jelly fish** C:-Cuttle fish D:-River fish Correct Answer:- Option-A Question3:-The body of the prescription is A:-Superscription **B:-Inscription** C:-Subscription D:-Signatura Correct Answer:- Option-B Question4:-The time taken for second potency trituration in decimal scale is A:-10 mts B:-30 mts C:-20 mts D:-60 mts Correct Answer:- Option-D Question5:-Glycerol is used for the preservation of A:-Apismellifica **B:-Tarentula** C:-Lachesis D:-Buforana Correct Answer:- Option-C Question6:-The branch of pharmacology deals with physical characteristics and botanical sources of crude drugs A:-Pharmacodynamics **B:-Pharmaconomy** C:-Pharmacognosy D:-Pharmachopolaxy Correct Answer:- Option-C Question7:-Dispencing alcohol contains----percent alcohol A:-80 B:-77 C:-66 D:-88 Correct Answer:- Option-D Question8:-Drugs prepared from diseased products A:-Nosodes **B:-Sarcodes** C:-Imponderabilia **D:**-Biotherapeutic preparations Correct Answer:-Question Cancelled Question9:-Drug strength of Phosphorus tincture is

A:-1/20 B:-1/10 C:-1/100 D:-1/667 Correct Answer:- Option-D Question10:-The dose of the drug which causes death of living being A:-Lethal dose B:-Booster dose C:-infinitesimal D:-physiological dose Correct Answer:- Option-A Question11:-When a particular medicine is prescribed for a particular disease condition it is called A:-Drug **B:-Medicine** C:-Remedy D:-Potency Correct Answer:- Option-C Question12:-The synonym of absolute alcohol is A:-Alcoholfortis **B:-Anhydrous alcohol** C:-Alcoholofficionalis D:-Rectified spirit Correct Answer:- Option-B Question13:-Written direction for the preparation of medicine is known as A:-Subscription **B:-Superscription** C:-Inscription D:-prescription Correct Answer:- Option-D Question14:-Synonym of Solvent Ether is A:-Ethyl Oxide **B:-Butane** C:-Methyl Oxide D:-Sulphur Oxide Correct Answer:- Option-A Question15:-The method of removing moisture from any substance is called A:-Decantation **B:-Distillation** C:-Dessication D:-De-ionisation Correct Answer:- Option-C Question16:-No. of volumes of Homoeopathic Pharmacopoeia India A:-8 B:-9 C:-10 D:-7 Correct Answer:- Option-C Question17:-Remedy with a wide range of symptoms in provings and it helps to treat a wide range of problem is called A:-Genuine remedy B:-Long acting remedy C:-complimentary remedy D:-Polychrest remedy Correct Answer:- Option-D Question18:-Medicine which is prepared from dry leaf A:-Tabacum **B:-Aegale folia** C:-Ficusreligiosa D:-Justiciaadathoda Correct Answer:- Option-A

Question19:-For recording of symptoms of narcotics while proving------symptoms are selected A:-Primary **B:-Secondary** C:-Alternating D:-Pharmacological Correct Answer:- Option-B Question20:-Lanolin is A:-wool fat B:-Pig fat C:-whale fat D:-none of the above Correct Answer:- Option-A Question21:-Homoeopathic Pharmacopoea committee was constituted by Government of India in A:-1972 B:-1971 C:-1962 D:-1984 Correct Answer:- Option-C Question22:-Branch of Pharmacy deals with the preparation of crude drugs is A:-Official pharmacy B:-Extemporaneous pharmacy C:-Galenical pharmacy D:-None Correct Answer:- Option-C Question23:-What is Homoeopathic alcohol? A:-66% B:-88% C:-87% D:-100% Correct Answer:- Option-C Question24:-Which one is not a synonym of placebo A:-saccharum **B:**-lactopen C:-Nihilinum D:-Phytum Correct Answer:- Option-A Question25:-To be taken at bed time is designated as A:-B.D B:-H.D C:-H.S D:-B and C Correct Answer:- Option-D Question26:-Proved drug is a A:-Medicine **B:-Remedy** C:-Potency D:-Both B and C Correct Answer:- Option-A Question27:-What is the commonly used size of cones? A:-No.12 B:-No.6 C:-No.8 D:-All the above Correct Answer:- Option-B Question28:-Study deals with the identification of drug substances is A:-Pharmaconomy **B:-Pharmacopraxy** C:-Pharmacopallaxy D:-Pharmacognosy

Correct Answer:- Option-D Question29:-The chief chemical Source of Ethyl alcohol is ------A:-Propylene **B:-Ethylene** C:-Methanol D:-Methylene Correct Answer:- Option-B Question30:-The base used in the preparation of Plasters is A:-Spermaceti **B:-Cataplaams** C:-Isinglass D:-Soft soap Correct Answer:- Option-C Question31:-The mode of preparation of ointment in which the drug is in liquid form is ------A:-mechanical incorporation method **B:-Plussing method** C:-Fusion method D:-Succussion Correct Answer:- Option-C Question32:-The % of alcohol which can be used as antiseptic is A:-70% B:-7% C:-10% D:-20% Correct Answer:-Question Cancelled Question33:-Number of succussions used in centesimal scale A:-100 B:-10 C:-50 D:-30 Correct Answer:- Option-B Question34:-Select the wrong combination A:-Cinchona---bark B:-Thuja---Whole plant C:-Rhustox---Leaves D:-Bryonia---Root Correct Answer:- Option-B Question35:-The drug prepared from spores is ---A:-Bovista B:-Lycopodium C:-Secalecor D:-Ustilago Correct Answer:- Option-B Question36:-Sugar of milk is purified by using A:-Strong alcohol **B:-Absolute alcohol** C:-Rectified spirit D:-Dilute alcohol Correct Answer:- Option-B Question37:-I ml is approximately equivalent to A:-1 minim B:-3 minim C:-6 minim D:-16 minim Correct Answer:- Option-D Question38:-The most common impurity in sugar of milk -------A:-Chlorides B:-Alum C:-lodine

D:-Starch Correct Answer:- Option-D Question39:-Olive oil is used in the preparation of A:-Ointment **B:-Lotion** C:-Liniment D:-None of the above Correct Answer:- Option-C Question40:-Pressess are used in the preparation of ----A:-Ointment B:-Mother tincture C:-Lotion D:-none of the above Correct Answer:- Option-B Question41:----- Mortars are used for Mercurial preparations A:-Porcelain **B:-Glass** C:-Wedge wood D:-Stainless steel Correct Answer:- Option-B Question42:-Mother tincture drug strength in class IV A:-1/6 B:-1/2 C:-1/100 D:-1/10 Correct Answer:- Option-D Question43:-In Homoeopathy crystallisation is applied in the purification of A:-Globule **B:-Cane sugar** C:-Camphor D:-Sugar of milk Correct Answer:- Option-D Question44:-The drug strength of mother tinctures prepared as per new method is A:-1/10 B:-1/100 C:-1/2 D:-1/50 Correct Answer:- Option-A Question45:-'Pharmacopraxy is ----A:-Study of repetition of drugs B:-Study of application of drugs C:-Convertion of crude drugs in to real material D:-Study of genetically determined variations in response to drugs Correct Answer:- Option-C Question46:-The time taken for Maceration is A:-3 days B:-24 hours C:-2-4 weeks D:-2-4 days Correct Answer:- Option-C Question47:-The scale used in Trituration is A:-Centesimal scale **B:-Decimal scale** C:-50 millisimal scale D:-A and B Correct Answer:- Option-D Question48:-'Pharmacopallaxy is ----A:-Study of repetition of drugs B:-Study of application of drugs

C:-Convertion of crude drugs in to real material D:-Study of genetically determined variations in response to drugs Correct Answer:- Option-A Question49:-The type of drug substances used in class IV of mother tincture preparation is A:-Most juicy **B:-Medium juicy** C:-Least juicy D:-Dried vegetable & animal, fresh animal Correct Answer:- Option-D Question 50:-The liquid capable of penetrating the tissues of plant or animal substance and is capable to extract the active principle A:-Menstrum **B:-Magma** C:-Merc D:-Solvent Correct Answer:- Option-A Question51:-The standard rate of percolation is ------A:-10 - 30 drops / minute B:-10 - 20 drops / minute C:-5 - 10 drops / minute D:-30 - 40 drops / minute Correct Answer:- Option-A Question52:-Ointments are commercially prepared by A:-Mechanical incorporation method **B:-Fusion method** C:-Decantation D:-Fluxion method Correct Answer:- Option-B Question53:-For preserving Flouric acid ------ bottle is used. A:-Gutta purcha **B:-Actinic bottles** C:-Amber bottles D:-Caustic bottles Correct Answer:- Option-A Question54:-The Alkaloid in Nuxvomica is A:-Strichnine **B:-Morphine** C:-Codiene D:-All the above Correct Answer:- Option-A Question55:-Belladonna belongs to the family-----A:-Rubiaceae **B:-Solanaceae** C:-Scrophularaceae D:-Compositae Correct Answer:- Option-B Question56:-Lac caninum is ---A:-Dog's milk B:-Cat's milk C:-Human milk D:-cow's milk Correct Answer:- Option-A Question57:-Simply mixing of a liquid with water or any other liquid. A:-Decantation **B:-Dilution** C:-Dynamisation D:-Filtration Correct Answer:- Option-B Question58:-Tautopathy is ------

A:-Study of synthetic source of medicines **B:-Allopathy** C:-Study of plant sources D:-None of the above Correct Answer:- Option-A Question59:-Part IX A of Drug And Cosmetic Act 1940 relates to A:-Manufacture of Homoeopathic drugs B:-Sale of Homoeopathic drugs C:-Labelling of Homoeopathic drugs D:-Both A and B Correct Answer:- Option-C Question60:-Number of monographs in volume II of HPI A:-180 B:-104 C:-100 D:-105 Correct Answer:- Option-C Question61:-Name of first Homoeopathic Pharmacopoea is ------A:-Pharmocopoea of American institute of Homoeopathy B:-Pharmacopoea Homoeopathic polyglottica C:- Pharmaceutics manuel D:-Dispensatorium Homoeopathicum Correct Answer:- Option-D Question62:-Objectionable advertisements are prohibited under A:-Dangerous drug Act B:-Drug and Cosmetic Act C:-Drug and Magic Remedy Act D:-Medicinal and Toilet Preparation Act Correct Answer:- Option-C Question63:-Doctrine of signature was recommended by A:-Hahnemann **B:-Paracelsus** C:-Hippocrates D:-Galen Correct Answer:- Option-B Question64:-The process of boiling water to produce water vapour which then condenses onto a cool surface is called A:-Condensation **B:-Sublimation** C:-Distillation **D:-Evaporation** Correct Answer:- Option-C Question65:-Part used in Apis mellifica is A:-Live Honey bee B:-Dead honey bee C:-Poison of bee D:-Extract from the honey comb Correct Answer:- Option-A Question66:-Homoeopathic Pharmacy is based on ------A:-Monopharmacy **B:-Pharmacodynamics** C:-Potentisation D:-All the above Correct Answer:- Option-D Question67:-Abnormal tendency to take medicines A:-Pharmacomania **B:-Pharmacophobia** C:-Pharmaconemia D:-Pharmacophelia Correct Answer:- Option-A

Question68:-Source of cones is ------A:-Cane sugar B:-Egg albumin C:-Both D:-None Correct Answer:- Option-C Question69:-The drug that is prepared from whole plant is A:-Belladonna **B:-Calendula** C:-Bryonia D:-All the above Correct Answer:- Option-A Question70:-Ratio between drug juice and alcohol in class II is -------A:-3:2 B:-2:3 C:-1:2 D:-none Correct Answer:- Option-A Question71:-Maceration done in hot liquid is called ----A:-Sublimation **B:-Digestion** C:-Dilution D:-Both A and B Correct Answer:- Option-B Question72:-Tincture of soap is used in the preparation of A:-Liniment **B:-Lotion** C:-Ointment D:-Spermaceti Correct Answer:- Option-A Question73:-lachesis should be preserved in A:-Glycerine **B:-Ethylene** C:-Both A and B D:-Sugar of milk Correct Answer:- Option-A Question74:-The mixture of water and ethyl alcohol weighing 12/13th of equal volume of purified water is Vital A:-Denatured spirit **B:-Proof spirit** C:-Rectified spirit D:-spirit Correct Answer:- Option-B Question75:-The prover records the changes of health in A:-Day book B:-Case record C:-Symptom register D:-All the above Correct Answer:- Option-A Question76:-A Homoepathic dose means ------A:-Infinitesimal dose **B:-Fractional dose** C:-Booster dose D:-Either of A and C Correct Answer:- Option-A Question77:----- is derived by the process of dynamisation A:-Medicine B:-Drug C:-Potency D:-all the above

Correct Answer:- Option-C Question78:-The potency used in organic disease is A:-Medium B:-Low C:-Minimum D:-High Correct Answer:- Option-B Question79:-Sugar of milk should not be medicated with medicines prepared with -------A:-Alchohol **B:-Purified water** C:-Both D:-None Correct Answer:- Option-B Question80:-The first edition of Organon of medicine was published in the year A:-1717 B:-1710 C:-1817 D:-1810 Correct Answer:- Option-D Question81:-Drug proving is mentioned in ------ aphorism of Organon of Medicine A:-72-84 B:-105-145 C:-85-100 D:-100-105 Correct Answer:- Option-B Question82:-Extemporaneous pharmacy is the ----- part A:-Practical **B:-Unofficial** C:-Official **D:-Theoretical** Correct Answer:- Option-A Question83:-The apparatus used for heating at low temperature is A:-Hot air oven **B:-Water bath** C:-Spirit lamp D:-Tripod stand Correct Answer:- Option-B Question84:-The directions to the patient is given under A:-Superscription **B:-Subscription** C:-Inscription D:-Signature Correct Answer:- Option-D Question85:-Olive oil is ------ oil A:-Volatile **B:-fixed** C:-A and C D:-None Correct Answer:- Option-B Question86:-Mullein oil is indicated in -A:-Conjuctivitis **B:-Otitis** C:-Diarrhoea D:-Urethritis Correct Answer:- Option-B Question87:-Fundamental rule for class VIA of mother tincture preparation is given in----A:-Thuja **B:-Arsenicum** C:-Silicea

D:-Guaicum Correct Answer:- Option-D Question88:-Class VIII includes ------A:-Those chemical drugs which are soluble in purified water B:-Those chemical drugs which are soluble in Alcohol C:-Fresh animal and vegetable drugs D:-Liquid insoluble drug substances Correct Answer:- Option-D Question89:-An obstruction made up of a porous material Placed in or above the neck and below the powdered drug substance in a percolator is called A:-Merc B:-Magma C:-Taw D:-Menstrum Correct Answer:- Option-C Question90:-Ration between medicinal substance and Sugar of milk in class IX is ------A:-2:9/2:99 B:-1:9/1:99 C:-1:10/1:100 D:-None of the above Correct Answer:- Option-A Question91:-In Maceration ------ should be done prior to filtration. A:-Decantation **B:-Sedimentation** C:-Precipitation D:-Distillation Correct Answer:- Option-A Question92:-A drop is abbreviated as A:-dt B:-gtt C:-dtt D:-All the above Correct Answer:- Option-B Question93:-The chemical substance which is responsible for the therapeutic effect in a drug is. A:-Active principle **B:-Glycoside** C:-Alkaloid D:-Tannim Correct Answer:- Option-A Question94:-Nosodes are medicines obtained from A:-Products of disease B:-Healthy animal tissues & secretions C:-Invisible energy sources D:-None Correct Answer:- Option-A Question95:-50 Millisimal potencies are designated as A:-0/1,0/2,0/3 B:-LM1, LM2, LM3 C:-1/0, 2/0, 3/0 D:-All the above Correct Answer:- Option-D Question96:-In class IV the whole mass of mixture of crud drug & vehicle should be kept for ----- days A:-7 days B:-15 days C:-3 weeks D:-none of the above Correct Answer:- Option-B Question97:-Which one is a medicine prepared from inky juice A:-Sepia

B:-Buforana C:-Secalecor D:-Agaricus Correct Answer:- Option-A Question98:-The word Homoeopathy has derived from A:-French B:-Latin C:-German D:-Greek Correct Answer:- Option-D Question99:-Class I to Class IV are A:-Mother substance class **B:-Mother solution class** C:-Mother tincture class D:-All the above Correct Answer:- Option-C Question100:-Medicine prepared from the moon A:-Sol B:-Skatol C:-Luna D:-Pollis umbo Correct Answer:- Option-C