

FINAL ANSWER KEY

Paper: Kerala State Electricity Duty Act and Rules ...(Paper II)
Date of Test 01-11-2020

Question1:-Which rule in Kerala Cinemas (Regulation) Rules, 1988 insists that a minimum of two earth electrodes shall be provided for a theatre
A:-43
B:-67
C:-110
D:-118

Correct Answer:- Option-C

Question2:-Which rule in Kerala Cinemas (Regulation) Rules, 1988 insists that stand by power supply of adequate capacity shall be installed in Air Conditioned Theatres to ensure adequate circulation of cooled fresh air` `

A:-98
B:-116
C:-75
D:-112

Correct Answer:- Option-D

Question3:-The Section in Kerala Duty Act, 1963 which requires the licensee to maintain books of account in the prescribed form

A:-3
B:-6
C:-5
D:-28

Correct Answer:- Option-B

Question4:-As per Kerala duty Act,1963 the rate at which Electricity duty is to be paid by consumers who generate and consume energy for their own purpose is

A:-5 paisa/unit
B:-1 paisa/unit
C:-2.5 paisa/unit
D:-1.2 paisa/unit

Correct Answer:- Option-D

Question5:-Which Rule in KSELB Rules requires the Contractor to counter sign the test report signed by the Supervisor after completion of work

A:-43
B:-17
C:-51
D:-29

Correct Answer:-**Question Cancelled**

Question6:-The rule in Kerala Cinemas (Regulation) Rules, 1988 which states that air conditioning units shall run throughout the show time, including the interval, in an air conditioned theatre is

A:-112
B:-118
C:-114
D:-72

Correct Answer:- Option-A

Question7:-Which Rule in KSELB Rules permits the cancellation of Permits issued if the Permit holder is found guilty of malpractice

A:-31
B:-16
C:-25
D:-33

Correct Answer:-**Question Cancelled**

Question8:-The Rule in KSELB Rules which requires the Contractor to maintain an up to date register in the prescribed form of all Supervisors, Wiremen and Apprentices

A:-23
B:-12
C:-47
D:-38

Correct Answer:-**Question Cancelled**

Question9:-The Rule in KSELB Rules which states that the Supervisor and Wiremen will be jointly or severally responsible for the quality of workmanship

A:-49
B:-9
C:-25
D:-23

Correct Answer:-**Question Cancelled**

Question10:-Which Rule in KSELB Rules states that every contract for electrical installation work under taken by licensed Electrical Contractor shall be in writing

A:-49
B:-33
C:-51
D:-28

Correct Answer:-**Question Cancelled**

Question11:-Which Rule in Kerala Cinema (Regulation) Rules, 1988 requires that the fire bucket shall be painted red with the word 'Fire' painted on them in large block letters in English and in Regional Language

A:-82
B:-112
C:-108
D:-107

Correct Answer:- Option-D

Question12:-The higher limit of variation in voltage at the point of supply that is normally permitted for Low Tension Supply prescribed in Kerala Electricity Supply Code, 2014 is

A:-10%
B:-7.5%
C:-6%
D:-5%

Correct Answer:- Option-C

Question13:-As per Kerala Lift and Escalators Rules, 2012 an owner intending to erect a lift in his place has to submit his application in

- A:-Form A
- B:-Form C
- C:-Form B
- D:-Form D

Correct Answer:- Option-A

Question14:-Which Rule in Kerala Lift and Escalators Rules, 2012 stipulates that the maintenance of lift/escalator shall be done by an authorised manufacture of lifts or escalators

- A:-3
- B:-7
- C:-5
- D:-8

Correct Answer:- Option-B

Question15:-As per Kerala Electricity Supply Code, 2014 a laboratory approved by the Commission for testing and calibration of energy meter and associated equipment is called

- A:-Accredited laboratory
- B:-Meter testing laboratory
- C:-Approved laboratory
- D:-Standards laboratory

Correct Answer:- Option-C

Question16:-Which Rule in KSELB Rules enables the Board to pay remuneration to the examiner

- A:-27
- B:-67
- C:-35
- D:-58

Correct Answer:-**Question Cancelled**

Question17:-The Section in Kerala Duty Act, 1963 that empowers the Government to make Rules to carry out the purpose of the Act

- A:-13
- B:-6
- C:-5
- D:-12

Correct Answer:- Option-A

Question18:-As per Kerala Life and Escalators Rules, 2012 details of accidents has to be submitted by

- A:-Owner of the place
- B:-Supplier
- C:-Authorised manufacturer
- D:-Local body

Correct Answer:- Option-A

Question19:-The Section in Kerala Duty Act, 1963 which requires a person consuming energy generated by himself to install and maintain meters as may be prescribed

- A:-3
- B:-6
- C:-5A
- D:-9A

Correct Answer:- Option-C

Question20:-The Section in Kerala Lifts and Escalators Act which describes the penalties that can be imposed on whoever contravenes the provisions of the Act or the Rules made thereunder

- A:-3
- B:-12
- C:-15
- D:-4

Correct Answer:- Option-C

Question21:-The Section in Kerala Lifts and Escalators Act that empowers the Government to make Rules to carry out the purpose of the Act

- A:-13
- B:-22
- C:-5
- D:-8

Correct Answer:- Option-B

Question22:-Which Rule in Kerala Cinemas (Regulation) Rules, 1988 prescribes the minimum age of a person for obtaining a licence or permit

- A:-3
- B:-16
- C:-5
- D:-28

Correct Answer:- Option-A

Question23:-As per the Kerala Cinemas (Regulation) Rules, 1988 how many water closets is to be provided in an auditorium having 300 seats

- A:-2
- B:-5
- C:-3
- D:-6

Correct Answer:- Option-A

Question24:-As per Kerala Lift and Escalators Rules, 2012 details of accidents has to be submitted in

- A:-Form H
- B:-Form I
- C:-Form C
- D:-Form G

Correct Answer:- Option-B

Question25:-The application for renewal of license to work a lift/escalator has to be made to the Inspector _____ prior to the date of expiry of the license.

- A:-Three weeks
- B:-Three months
- C:-One month
- D:-15 days

Correct Answer:- Option-B

Question26:-As per the Kerala Cinemas (Regulation) Rules, 1988 how many urinals is to be provided in an auditorium having 300 seats

- A:-10
- B:-15

C:-6

D:-12

Correct Answer:- Option-C

Question27:-The number of portable fire extinguishers required in the auditorium as per Kerala Cinemas (Regulation) Rules, 1988 is

A:-6

B:-10

C:-5

D:-4

Correct Answer:- Option-D

Question28:-As per the Kerala Cinemas (Regulation) Rules, 1988 the Executive Engineer issues the structural soundness certificate in

A:-Form B

B:-Form C

C:-Form A

D:-Form D

Correct Answer:- Option-B

Question29:-As per the Kerala Cinemas (Regulation) Rules, 1988 who issues the certificate in respect of fire protection measures in case of multi-storied and air-conditioned theatres

A:-The Licensing Authority

B:-The Electrical Inspector

C:-The Executive Engineer

D:-The Divisional Officer, Fire Force

Correct Answer:- Option-D

Question30:-The Rule in KSELB Rules which requires the Contractor to maintain registers and records as prescribed by the Board in the form prescribed for the purpose

A:-43

B:-26

C:-51

D:-28

Correct Answer:- Question Cancelled

Question31:-As per Kerala Cinemas (Regulation) Rules, 1988 what is the maximum height of the raisers of a staircase

A:-30 cm

B:-10 cm

C:-25 cm

D:-15 cm

Correct Answer:- Option-D

Question32:-As per Kerala Cinemas (Regulation) Rule, 1988 what is the maximum flight of a staircase

A:-10 steps

B:-12 steps

C:-15 steps

D:-20 steps

Correct Answer:- Option-C

Question33:-Which Rule in Kerala Cinemas (Regulation) Rules, 1988 requires the licensee to provide adequate drinking water supply at places prescribed by the Licensing Authority?

A:-104

B:-96

C:-214

D:-118

Correct Answer:- Option-A

Question34:-Which Rule in Kerala Cinemas (Regulation) Rule, 1988 specifies the conditions to be satisfied when ramps are provided

A:-73

B:-61

C:-81

D:-48

Correct Answer:- Option-C

Question35:-As per Kerala Cinemas (Regulation) Rules, 1988 what is the maximum permissible distance from a seat to the aisle

A:-2.75 m

B:-3 m

C:-2.5 m

D:-3.8 m

Correct Answer:- Option-D

Question36:-As per Kerala Cinemas (Regulation) Rules, 1988 what is the maximum width of seats

A:-35 cm

B:-66 cm

C:-56 cm

D:-50 cm

Correct Answer:- Option-C

Question37:-Which regulation in Kerala Electricity Supply Code, 2014 requires the licensee to make available on its website a list of makes and specifications of meters and associated equipment approved by the licensee

A:-105

B:-67

C:-112

D:-59

Correct Answer:- Option-A

Question38:-As per Kerala Cinemas (Regulation) Rules, 1988 what is the minimum height of the auditorium

A:-4 m

B:-6 m

C:-5 m

D:-7.5 m

Correct Answer:- Option-B

Question39:-Which regulation in Kerala Electricity Supply Code, 2014 states that any electrical accident within the installation of a consumer shall immediately be reported to the Electrical Inspector

A:-37

B:-46

C:-65

D:-98

Correct Answer:- Option-C

Question40:-Which regulation in Kerala Electricity Supply Code, 2014 states that the consumer shall be responsible for the safe custody of the equipment of the licensee and the seals on the meter

- A:-23
- B:-66
- C:-57
- D:-48

Correct Answer:- Option-B

Question41:-As per Kerala Cinemas (Regulation) Rules, 1988 the minimum distance to be maintained from the screen to the front edge of the first row of seating is

- A:-3.1 m
- B:-2.5 m
- C:-5 m
- D:-4 m

Correct Answer:- Option-D

Question42:-Which Rule in Kerala Cinemas (Regulation) Rules, 1988 state that suitable shelters for protection against sun, rain and other atmospheric agencies shall be provided for the would be purchasers of ticket

- A:-23
- B:-101
- C:-58
- D:-93

Correct Answer:- Option-B

Question43:-As per the Kerala Cinemas (Regulation) Rules, 1988 how many urinals is to be provided in an auditorium having 275 seats

- A:-3
- B:-6
- C:-5
- D:-8

Correct Answer:- Option-B

Question44:-As per Kerala Electricity Supply Code, 2014 security for the electricity supplied is collected from consumers with bi-monthly billing at the rate of

- A:-3 times the average monthly bill
- B:-2 times the average monthly bill
- C:-1.5 times the average monthly bill
- D:-2.5 times the average monthly bill

Correct Answer:- Option-A

Question45:-Which Rule in Kerala Cinemas (Regulation) Rules, 1988 insists that sufficient number of emergency lights shall be provided in the auditorium

- A:-97
- B:-65
- C:-58
- D:-109

Correct Answer:- Option-D

Question46:-The section in Kerala Cinemas (Regulation) Act, 1958 which empowers the Government to issue direction to any licensee to exhibit films having special value to the public

- A:-3
- B:-7
- C:-5
- D:-9

Correct Answer:- Option-B

Question47:-Which regulation in Kerala Electricity Supply Code, 2014 states that the licensee is responsible for ensuring that its distribution system is upgraded, extended and strengthened to meet the demand for electricity in its area of supply

- A:-3
- B:-12
- C:-15
- D:-4

Correct Answer:- Option-D

Question48:-As per Kerala Electricity Supply Code, 2014 at what voltage will electric supply be given to a consumer with a contract demand of 7.5 MVA

- A:-33 kV
- B:-66 kV
- C:-110 kV
- D:-22 kV

Correct Answer:- Option-A

Question49:-The Section in Kerala Cinemas (Regulation) Act, 1958 which empowers the Government or District Collector to suspend exhibition of films

- A:-7
- B:-6
- C:-9
- D:-8

Correct Answer:- Option-C

Question50:-As per Kerala Cinemas (Regulation) Rules, 1988 what is the maximum flight of a staircase

- A:-10 steps
- B:-12 steps
- C:-15 steps
- D:-20 steps

Correct Answer:- Option-C

Question51:-As per Kerala Cinemas (Regulation) Rules, 1988 an application for permission shall be submitted to the licensing authority

- A:-Form A
- B:-Form C
- C:-Form B
- D:-Form D

Correct Answer:- Option-A

Question52:-As per Kerala Electricity Supply Code, 2014 the licensee estimates the load of domestic consumers at

- A:-1000 watt per 10 square metre
- B:-1000 watt per 15 square metre

C:-1000 watt per 20 square metre

D:-500 watt per 10 square metre

Correct Answer:- Option-D

Question53:-As per Kerala Cinemas (Regulation) Rules, 1988 what is the height of the doors for the exists from the auditorium

A:-2.1 m

B:-1.75 m

C:-2.5 m

D:-2 m

Correct Answer:- Option-A

Question54:-As per Kerala Electricity Supply Code, 2014 the supply voltage level for a consumer with a contract demand of 25 MVA is

A:-110 kV

B:-220 kV

C:-66 kV

D:-33 kV

Correct Answer:- Option-A

Question55:-Which Rule in Kerala Cinemas (Regulation) Rules, 1988 specifies that all exit doors shall open outwards and shall flush with outside of the walls

A:-37

B:-68

C:-65

D:-88

Correct Answer:- Option-C

Question56:-The lower limit of variation in voltage at the point of supply that is normally permitted for Extra High Tension supply prescribed in Kerala Electricity Supply Code, 2014 is

A:-7.5%

B:-10%

C:-5%

D:-12.5%

Correct Answer:- Option-D

Question57:-Which regulation in Kerala Electricity Supply Code, 2014 states that the materials used for wiring shall be of the standards laid down by the Bureau of Indian Standards

A:-31

B:-64

C:-15

D:-78

Correct Answer:- Option-C

Question58:-As per Kerala Cinemas (Regulation) Rules, 1988 the maximum height form the ground level of first row of accommodation to the bottom of the screen is

A:-3 m

B:-2.5

C:-2.1 m

D:-4 m

Correct Answer:- Option-C

Question59:-Which Regulation in Kerala Electricity Supply Code, 2014 requires all consumers except single phase consumers to balance their loads?

A:-21

B:-14

C:-51

D:-48

Correct Answer:- Option-B

Question60:-Which regulation in Kerala Electricity Supply Code, 2014 requires consumers to install shunt capacitors to maintain average monthly power factor

A:-39

B:-16

C:-57

D:-23

Correct Answer:- Option-B

Question61:-Which regulation in Kerala Electricity Supply Code, 2014 states that supply shall be given only at one point for same purpose at the same voltage level in a single premise

A:-34

B:-61

C:-52

D:-27

Correct Answer:- Option-C

Question62:-Which regulation in Kerala Electricity Supply Code, 2014 states that it is the duty of every consumer to stop wastage and inefficient usage of electricity

A:-36

B:-61

C:-59

D:-74

Correct Answer:- Option-B

Question63:-As per Kerala Electricity Supply Code, 2014 security for the electricity supplied is collected from consumers with monthly billing at the rate of

A:-1.5 times the average monthly bill

B:-5 times the average monthly bill

C:-2 times the average monthly bill

D:-2.5 times the average monthly bill

Correct Answer:- Option-C

Question64:-Which regulation in Kerala Electricity Supply Code, 2014 specifies the accuracy class of consumer meter

A:-101

B:-26

C:-107

D:-98

Correct Answer:- Option-C

Question65:-Which regulation in Kerala Electricity Supply Code, 2014 state that in the case of multi-storied buildings, the meters shall be fixed preferably on the ground floor

- A:-73
- B:-53
- C:-109
- D:-118

Correct Answer:- Option-C

Question66:-Which regulation in Kerala Electricity Supply Chain, 2014 empowers the licensee to disconnect supply if the wiring at the premise of the consumer is found to be defective or unsafe

- A:-39
- B:-57
- C:-138
- D:-128

Correct Answer:- Option-C

Question67:-As per the Kerala Cinemas (Regulation) Rules, 1988 what is the minimum age a person should attain to be entitled to obtain any permit or licence

- A:-25
- B:-10
- C:-21
- D:-18

Correct Answer:- Option-D

Question68:-Which Rule in KSELB Rules prohibits unauthorised entries, mutilation and defacement of certificates, permits or licence

- A:-57
- B:-47
- C:-48
- D:-60

Correct Answer:-**Question Cancelled**

Question69:-As per the Kerala Cinemas (Regulation) Rules, 1988 the scale of the site plan showing the position of cinema premise in relation to any adjacent premises and to the public thorough fare is

- A:-1 cm to 4 m
- B:-1 cm to 2.5 m
- C:-1 cm to 1 m
- D:-1 cm to 5 m

Correct Answer:- Option-A

Question70:-As per Kerala Electricity Supply Code, 2014 the date on which the Licensee energises the consumer installation by connecting to the distribution mains is termed as

- A:-Date of energisation
- B:-Date of connection
- C:-Date of commencement of supply
- D:-Date of charging

Correct Answer:- Option-C

Question71:-As per the Kerala Cinemas (Regulation) Rules, 1988 the Licensee of a temporary cinema has to intimate his intention to do maintenance work in writing to the Licensing Authority in advance by

- A:-1 month
- B:-3 months
- C:-2 months
- D:-2 weeks

Correct Answer:- Option-C

Question72:-As per the Kerala Cinemas (Regulation) Rules, 1988 the application for renewal of the licence shall be submitted

- A:-1 month before the expiry of Licence
- B:-15 days before the expiry of Licence
- C:-2 months before the expiry of Licence
- D:-3 months before the expiry of Licence

Correct Answer:- Option-A

Question73:-As per the Kerala Cinemas (Regulation) Rules, 1988 what is the maximum distance, measured in the line of seating, that a seat can be from an aisle

- A:-4 m
- B:-2.75 m
- C:-3.8 m
- D:-3.5 m

Correct Answer:- Option-C

Question74:-As per the Kerala Cinemas (Regulation) Rules, 1988 what is the minimum width of aisles

- A:-2 m
- B:-3 m
- C:-1.5 m
- D:-1.2 m

Correct Answer:- Option-D

Question75:-Which regulation in Kerala Electricity Supply Code, 2014 states that the all consumers, irrespective of connected load, shall install a suitable device approved by the Electrical Inspector, for earth leakage protection

- A:-22
- B:-53
- C:-15
- D:-12

Correct Answer:- Option-C

Question76:-Which Rule in Kerala Cinemas (Regulation) Rules, 1988 imposes restrictions in respect of distance between cinemas

- A:-13
- B:-64
- C:-51
- D:-28

Correct Answer:- Option-D

Question77:-Which Rule in Kerala Cinemas (Regulation) Rules, 1988 specifies the number of exits required from the auditorium

- A:-34
- B:-61
- C:-57
- D:-28

Correct Answer:- Option-B

Question78:-Whose has the authority to conduct examinations for Wiremen and Supervisors

- A:-Government of Kerala
- B:-Licensing Authority
- C:-Chief Electricity Inspector
- D:-Kerala State Electricity Licensing Board

Correct Answer:- Option-D

Question79:-What is the maximum penalty, in Rupees, that can be imposed for breach of rules under Kerala Electricity Duty Rules, 1963

- A:-1000
- B:-250
- C:-500
- D:-10000

Correct Answer:- Option-A

Question80:-What is the minimum period of experience required by a Licensed Wireman with ITI certificate to be eligible to apply for C Class Electrical Contractor License

- A:-1 year
- B:-2 years
- C:-5 years
- D:-3 years

Correct Answer:- Option-D

Question81:-Whose has the authority to make rules under Kerala Electricity Duty Act, 1963

- A:-Government of Kerala
- B:-Licensing Authority
- C:-Chief Electrical Inspector
- D:-Kerala State Electricity Licensing Board

Correct Answer:- Option-A

Question82:-Which Rule in Kerala Cinemas (Regulation) Rules, 1988 prohibits placing loud speakers outside the auditorium in areas other than Panchayath areas

- A:-111
- B:-113
- C:-112
- D:-100

Correct Answer:- Option-C

Question83:-As per the Kerala Cinemas (Regulation) Rules, 1988 what is the capacity of soda acid type fire extinguishers to be provided in the auditorium

- A:-10 litre
- B:-3 litre
- C:-1 litre
- D:-5 litre

Correct Answer:- Option-A

Question84:-Which Rule in KSELB Rules requires the consumer or contractor to render necessary facilities at all reasonable times to any Inspector to make such examination and tests on the electrical installation

- A:-32
- B:-46
- C:-51
- D:-58

Correct Answer:- Question Cancelled

Question85:-The higher limit of variation in voltage at the point of supply that is normally permitted for High Tension supply prescribed in Kerala Electricity Supply Code, 2014 is

- A:-10%
- B:-7.5%
- C:-6%
- D:-5%

Correct Answer:- Option-C

Question86:-Which Rule in Kerala Cinema (Regulation) Rules, 1988 states that the floor, roof, ceiling, partition, corridor and passage intended for the use of the public shall be constructed of fire resistant materials

- A:-82
- B:-112
- C:-78
- D:-108

Correct Answer:- Option-D

Question87:-What is minimum number of staircases required to be provided for exit in gallery and upper floor of the building

- A:-3
- B:-2
- C:-5
- D:-1

Correct Answer:- Option-B

Question88:-As per Kerala Cinemas (Regulation) Rules, 1988 what is the minimum width of the treads of a staircase

- A:-25 cm
- B:-30 cm
- C:-15 cm
- D:-35 cm

Correct Answer:- Option-B

Question89:-As per KSELB Rules who has the powers to prescribe forms or registers for various purposes for proper implementation of the rules

- A:-The Board
- B:-The Government
- C:-The Secretary
- D:-The Chief Electrical Inspector

Correct Answer:- Option-A

Question90:-As per Kerala Cinemas (Regulation) Rules, 1988 what is the maximum height at which fire extinguishers can be installed

- A:-1.2 metre
- B:-1.5 metre
- C:-1 metre
- D:-1.75 metre

Correct Answer:- Option-B

Question91:-As per the Kerala Cinemas (Regulation) Rules, 1988 what is the maximum period of validity of the D Certificate issued to a temporary theatre

- A:-2 years
- B:-3 years
- C:-1 year
- D:-5 years

Correct Answer:- Option-C

Question92:-The higher limit of variation in voltage at the point of supply that is normally permitted for Extra High Tension supply prescribed in Kerala Electricity Supply Code, 2014 is

- A:-8%
- B:-7.5%
- C:-10%
- D:-5%

Correct Answer:- Option-C

Question93:-Which Rule in Kerala Cinema (Regulation) Rules, 1988 requires that the area of the ventilation ducts of the enclosure shall not be less than one percent of its floor area

- A:-38
- B:-92
- C:-53
- D:-49

Correct Answer:- Option-A

Question94:-Which Rule in Kerala Cinema (Regulation) Rules, 1988 prohibits smoking within the enclosure of a cinema theatre

- A:-35
- B:-52
- C:-77
- D:-42

Correct Answer:- Option-D

Question95:-As per Kerala Electricity supply Code, 2014 loads not subjected to scheduled load shedding are defined as

- A:-Protected load
- B:-Critical load
- C:-Essential load
- D:-Emergency load

Correct Answer:- Option-A

Question96:-Which Rule in KSELB Rules empowers the Board to take up for settlement disputes arising out of the terms and conditions of written agreement between consumer and contractor?

- A:-37
- B:-22
- C:-55
- D:-18

Correct Answer:-**Question Cancelled**

Question97:-Which Rule in KSELB Rules requires the permit or licence holder to furnish the particulars called for by the Electrical Inspector in connection with the investigation conducted by him regarding the violation of Rules

- A:-23
- B:-59
- C:-45
- D:-18

Correct Answer:-**Question Cancelled**

Question98:-As per Kerala Cinemas (Regulation) Rules, 1988 what is the minimum width of seats

- A:-35 cm
- B:-45 cm
- C:-50 cm
- D:-55 cm

Correct Answer:- Option-B

Question99:-The Section in Kerala Cinemas (Regulation) Act, 1958 which empowers the licensing authority to issue direction to any licensee to exhibit slides public interest supplied by that authority

- A:-3
- B:-5
- C:-8
- D:-7

Correct Answer:- Option-D

Question100:-Which Rule in Kerala Cinema (Regulation) Rules, 1988 requires that the ventilator ducts provided for the enclosure and rewinding room shall not communicate direct with the auditorium?

- A:-38
- B:-92
- C:-53
- D:-49

Correct Answer:- Option-A