## PROVISIONAL ANSWER KEY

		Question Paper Code:	7/2022/OL					
		Category Code:	112/2021					
		Exam:	Assistant Professor in Kaumarabhritya					
		Date of Test	23-03-2022					
		Department	Ayurveda Medical Education					
		Alphacode	A					
Que	estion1:-A child become	es four times his birth weigh	nt by					
	A:-1 year							
	B:-2 years							
	C:-3 years							
	D:-4 years							
	•	on-B						
Correct Answer:- Option-B  Question2:-Congenital cyanotic heart disease with single $S_2$ occurs in								
400		mode neare albeade man sin	gie b <sub>1</sub> decais iii					
	A:-ASD Eisenmenger							
	B:-VSD Eisenmenger							
	C:-Ebsteins anomaly							
	D:-TOF	_						
_	Correct Answer:- Opti							
Que	estion3:-Cleft palate is							
	A:-Pierre Robbin synd							
	B:-Rubinstein Taybi sy							
	C:-Holt Oram syndron	ne						
	D:-Marfan syndrome							
	Correct Answer:- Opti							
Que		ots are associated with						
	A:-Hartnup disease							
	B:-Xeroderma pigmentosa							
	C:-Tuberous sclerosis							
	D:-Acanthosis nigrans							
	Correct Answer:- Opti	on-C						
Que	stion5:-Tender nodules	in the pulp of fingers and t	oes					
	A:-Roth spots							
B:-Janeway lesions								
	C:-Osler's nodes							
	D:-Splinter haemorrha	ages						
	Correct Answer:- Opti	on-C						
Que	estion6:-Which of the fo	llowing nystagmus is a non	mal phenomenon ?					
	A:-Optokinetic nystag	ımus						
	B:-Horizontal nystagn	nus						
	C:-Vertical nystagmus	5						
	D:-Rotatory nystagmu	ıs						
	Correct Answer:- Opti	on-A						
Question7:-Blue nebula is associated with								
A:-Hypoalbunaemia								
	B:-Renal failure							
	C:-Anaemia							
	D:-Wilson disease							
	Correct Answer:- Opti	on-D						

Question8:-Hypothermia in newborns is axillary temperature in degree celsius less than
A:-35.5
B:-36.5
C:-37.5
D:-None of the above
Correct Answer:- Option-B
Question9:-Which of the following is not an intestinal nematode ?
A:-Strongyloides stercoralis
B:-Ancylostoma duodenale
C:-Clonorchis sinensis
D:-Necator americanus
Correct Answer:- Option-C
Question10:-Gordon's sign is an alternative method to elicit
A:-Abdominal reflex
B:-Plantar reflex
C:-Cremasteric reflex
D:-Anal reflex
Correct Answer:- Option-B
Question11:-Which of the following age classification is not accepted by Acharya Kashyapa?
A:-Kseerapa
B:-Ksheeraannaada
C:-Annada
D:-All of the above
Correct Answer:- Option-B
Question12:-'Thena pranam cha labhathe yaati rogaischa muchyate' which disease is mentioned here ?
A:-Rajayakshma
B:-Dhathri
B:-Dhathri C:-Phakka
C:-Phakka
C:-Phakka D:-Balagraha
C:-Phakka D:-Balagraha Correct Answer:- Option-C
C:-Phakka  D:-Balagraha  Correct Answer:- Option-C  Question13:-The dose of inactivated polio vaccine
C:-Phakka  D:-Balagraha  Correct Answer:- Option-C  Question13:-The dose of inactivated polio vaccine  A:-0.05 ml
C:-Phakka  D:-Balagraha  Correct Answer:- Option-C  Question13:-The dose of inactivated polio vaccine  A:-0.05 ml  B:-0.5 ml
C:-Phakka  D:-Balagraha  Correct Answer:- Option-C  Question13:-The dose of inactivated polio vaccine  A:-0.05 ml  B:-0.5 ml  C:-0.1 ml
C:-Phakka D:-Balagraha Correct Answer:- Option-C Question13:-The dose of inactivated polio vaccine A:-0.05 ml B:-0.5 ml C:-0.1 ml D:-0.01 ml
C:-Phakka D:-Balagraha Correct Answer:- Option-C Question13:-The dose of inactivated polio vaccine A:-0.05 ml B:-0.5 ml C:-0.1 ml D:-0.01 ml Correct Answer:- Option-B
C:-Phakka D:-Balagraha Correct Answer:- Option-C Question13:-The dose of inactivated polio vaccine A:-0.05 ml B:-0.5 ml C:-0.1 ml D:-0.01 ml Correct Answer:- Option-B Question14:-Which of the following age classification is not seen in Arogyakalpadruma?
C:-Phakka D:-Balagraha Correct Answer:- Option-C Question13:-The dose of inactivated polio vaccine A:-0.05 ml B:-0.5 ml C:-0.1 ml D:-0.01 ml Correct Answer:- Option-B Question14:-Which of the following age classification is not seen in Arogyakalpadruma? A:-15 days
C:-Phakka D:-Balagraha Correct Answer:- Option-C Question13:-The dose of inactivated polio vaccine A:-0.05 ml B:-0.5 ml C:-0.1 ml D:-0.01 ml Correct Answer:- Option-B Question14:-Which of the following age classification is not seen in Arogyakalpadruma? A:-15 days B:-2 months
C:-Phakka D:-Balagraha Correct Answer:- Option-C Question13:-The dose of inactivated polio vaccine A:-0.05 ml B:-0.5 ml C:-0.1 ml D:-0.01 ml Correct Answer:- Option-B Question14:-Which of the following age classification is not seen in Arogyakalpadruma? A:-15 days B:-2 months C:-3 months
C:-Phakka  D:-Balagraha  Correct Answer:- Option-C  Question13:-The dose of inactivated polio vaccine  A:-0.05 ml  B:-0.5 ml  C:-0.1 ml  D:-0.01 ml  Correct Answer:- Option-B  Question14:-Which of the following age classification is not seen in Arogyakalpadruma?  A:-15 days  B:-2 months  C:-3 months  D:-6 months
C:-Phakka D:-Balagraha Correct Answer:- Option-C Question13:-The dose of inactivated polio vaccine A:-0.05 ml B:-0.5 ml C:-0.1 ml D:-0.01 ml Correct Answer:- Option-B Question14:-Which of the following age classification is not seen in Arogyakalpadruma ? A:-15 days B:-2 months C:-3 months D:-6 months Correct Answer:- Option-B
C:-Phakka D:-Balagraha Correct Answer:- Option-C Question13:-The dose of inactivated polio vaccine A:-0.05 ml B:-0.5 ml C:-0.1 ml D:-0.01 ml Correct Answer:- Option-B Question14:-Which of the following age classification is not seen in Arogyakalpadruma? A:-15 days B:-2 months C:-3 months D:-6 months Correct Answer:- Option-B Question15:-A child is considered obese when weight for height is
C:-Phakka  D:-Balagraha  Correct Answer:- Option-C  Question13:-The dose of inactivated polio vaccine  A:-0.05 ml  B:-0.5 ml  C:-0.1 ml  D:-0.01 ml  Correct Answer:- Option-B  Question14:-Which of the following age classification is not seen in Arogyakalpadruma?  A:-15 days  B:-2 months  C:-3 months  D:-6 months  Correct Answer:- Option-B  Question15:-A child is considered obese when weight for height is  A:->120%
C:-Phakka  D:-Balagraha  Correct Answer:- Option-C  Question13:-The dose of inactivated polio vaccine  A:-0.05 ml  B:-0.5 ml  C:-0.1 ml  D:-0.01 ml  Correct Answer:- Option-B  Question14:-Which of the following age classification is not seen in Arogyakalpadruma?  A:-15 days  B:-2 months  C:-3 months  D:-6 months  Correct Answer:- Option-B  Question15:-A child is considered obese when weight for height is  A:->120%  B:->95%
C:-Phakka D:-Balagraha Correct Answer:- Option-C Question13:-The dose of inactivated polio vaccine A:-0.05 ml B:-0.5 ml C:-0.1 ml D:-0.01 ml Correct Answer:- Option-B Question14:-Which of the following age classification is not seen in Arogyakalpadruma? A:-15 days B:-2 months C:-3 months D:-6 months Correct Answer:- Option-B Question15:-A child is considered obese when weight for height is A:->120% B:->95% C:->90%
C:-Phakka D:-Balagraha Correct Answer:- Option-C Question13:-The dose of inactivated polio vaccine A:-0.05 ml B:-0.5 ml C:-0.1 ml D:-0.01 ml Correct Answer:- Option-B Question14:-Which of the following age classification is not seen in Arogyakalpadruma? A:-15 days B:-2 months C:-3 months D:-6 months Correct Answer:- Option-B Question15:-A child is considered obese when weight for height is A:->120% B:->95% C:->90% D:->80%

```
B:-16 years
    C:-12 years
    D:-All of the above
     Correct Answer:- Option-C
Question17:-'Mudga' is the female as per Haritha Samhitha
    A:-Upto 17 years
    B:-Upto 18 years
    C:-Upto 19 years
    D:-Upto 20 years
     Correct Answer:- Option-C
Question18:-According to Acharya Kashyapa, garbha becomes 'sthira' by
    A:-3 months
     B:-4 months
    C:-5 months
    D:-6 months
     Correct Answer:- Option-B
Question19:-'Garbhopakramam' is included under the definition of Kaumarabhritya by
    A:-Vagbhata
    B:-Susrutha
    C:-Charaka
    D:-Haritha
     Correct Answer:- Option-D
Question20:-Which one of the following is not garbha vridhikara Bhava?
    A:-Matruta Achaara soushtavam
    B:-Matrutaschaiva upasneha
     C:-Swabhava Samsidhi
    D:-Avighatam
    Correct Answer:- Option-D
Question21:-Which taila is indicated in jatamatra for sechana?
    A:-Lakshadi taila
     B:-Nalpamaradi taila
    C:-Bala taila
    D:-All of the above
     Correct Answer:- Option-C
Question22:-According to Acharya Charaka, nabhinaadichedana should be done from nabhi at
    A:-4 angulas
    B:-6 angulas
    C:-8 angulas
    D:-None of the above
     Correct Answer:- Option-C
Question23:-Which yoga is indicated for abhyanga in mastulunga kshaya?
    A:-Kalyanaka ghrita
     B:-Madhuroushada sidha ghrita
    C:-Lakshadi taila
    D:-Thungadrumadi taila
     Correct Answer:- Option-B
Question24:-Apatanaka is a complication to injury to
    A:-Lohitika
    B:-Marmarika
     C:-Kalika
```

Correct Answer:- Option-A
Question25:-Which kwatha is used in paithika sthanya dushti ?
A:-Patmakaadi
B:-Dasamoolam
C:-Yashtyahwadi
D:-None of the above
Correct Answer:- Option-A
Question26:-'Tatraasu dhathrim baalam cha vamanena upapaadhayeth' which disease is mentioned here ?
A:-Kshiraja phakka
B:-Kshiralasaka
C:-Kumarasosha
D:-Taalukantaka
Correct Answer:- Option-B
Question27:-Which of the following disease is not caused by Danthotpathi ?
A:-Athisara
B:-Chardi
C:-Kasa
D:-Swasa
Correct Answer:- Option-D
Question28:-Which is not an indication of rejanyaadi choornam ?
A:-Pandu
B:-Sopha
C:-Kamala
D:-Jwara
Correct Answer:- Option-B
Question29:-Which is not a clinical manifestation of kumarasosha?
A:-Jwara
B:-Pratisyaya
C:-Swasa
D:-Kasa
Correct Answer:- Option-C
Question30:-Which is srotosodhana ?
A:-Sthiraadi ghrita
B:-Samangaadi ghrita
C:-Rejanyaadi choorna
D:-Both 1 and 2
Correct Answer:- Option-A
Question31:-According to Acharya Susrutha, garbha attains Pancha pindaka by
$A{:} ext{-}3^{rd}month$
B:-4 <sup>th</sup> month
C:-5 <sup>th</sup> month
D:-6 <sup>th</sup> month
Correct Answer:- Option-A
Question32:-Parasternal lift along with epigastric pulsation is invariably due to
A:-Left ventricular hypertrophy
B:-Right ventricular hypertrophy
C:-Aortic stenosis
D:-Aortic regurgitation

D:-All of the above

```
Correct Answer:- Option-B
Question33:-Silver beaten appearance on skull X ray
     A:-Febrile seizure
     B:-Cerebral palsy
     C:-Hydrocephalus
     D:-Transverse myelitis
     Correct Answer:- Option-C
Question34:-'Chakshurnimeelanam' is a clinical feature of
     A:-Pithru graha
     B:-Swa graha
     C:-Skanda graha
     D:-Naigamesha graha
     Correct Answer:- Option-B
Question35:-Chardi is not a clinical manifestation of
     A:-Putana
     B:-Seetha putana
     C:-Anda putana
     D:-Sakuni graha
     Correct Answer:- Option-B
Question36:-Bastha gandha is seen in
     A:-Sushka revati
     B:-Revati
     C:-Putana
     D:-Anda putana
     Correct Answer:- Option-B
Question37:-Joint inflammation is associated with
     A:-Sakuni
     B:-Putana
     C:-Sheeta putana
     D:-Anda putana
     Correct Answer:- Option-A
Question38:-According to Haritha, the fetus becomes 'sujiva' by
     A:-4<sup>th</sup> month
     B:-5<sup>th</sup> month
     C:-6<sup>th</sup> month
    D:-7<sup>th</sup> month
     Correct Answer:- Option-B
{\it Question 39:-Which\ among\ the\ following\ is\ 'aatmaja\ bhaava'\ according\ to\ Acharya\ Charaka\ ?}
     A:-Varna sampath
     B:-Indriya prasada
     C:-Smruthi
     D:-Alolupatwa
     Correct Answer:- Option-C
Question40:-'Vaartha' is
     A:-Sthree vyapath
     B:-Purusha vyapath
     C:-Napumsaka
     D:-None of the above
     Correct Answer:- Option-A
```

Question41:-The expected weight of fetus at 28 weeks of gestation	
A:-800 gm	
B:-1000 gm	
C:-1200 gm	
D:-1400 gm	
Correct Answer:- Option-B	
$Question 42; -'Budhimedhaas mrutikaram\ baalaanaam\ cha\ anga\ vardhanam'\ which\ formulation\ is\ mentioned\ here\ ?$	
A:-Brahmi ghritam	
B:-Kalyanaka ghritam	
C:-Mahapaisaachika ghritam	
D:-Rejanyaadi choornam	
Correct Answer:- Option-C	
Question43:-Which is not an indication of panchagavya ghritam ?	
A:-Unmadam	
B:-Apasmaram	
C:-Kasam	
D:-Kamila	
Correct Answer:- Option-C	
Question44:-Hyperpigmentation of knukles is a characteristic feature of	
A:-Sideroblastic anaemia	
B:-Megaloblastic anaemia	
C:-Hemolytic anaemia	
D:-Thalassaemia	
Correct Answer:- Option-B	
Question45:-The anupana of Samvardhana ghrita	
A:-Milk	
B:-Honey	
C:-Sugar	
D:-All of the above	
Correct Answer:- Option-B	
Question46:-'Api sushka sthaneenaam tat ksheeropajananam param' which yoga is mentioned here ?	
A:-Sathaavaryaadi kwata	
B:-Guloochyaadi kwata	
C:-Vadaadi kwata	
D:-All of the above	
Correct Answer:- Option-C	
Question47:-How many days of fasting is indicated in jwara of Antarvathni?	
A:-Half day	
B:-One day	
C:-Two days	
D:-Fasting contraindicated	
Correct Answer:- Option-B	
Question48:-Which of the following procedure is contraindicated in pregnant woman as per Acharya Kashyapa?	
A:-Vireka	
B:-Nasya	
C:-Anuvasana	
D:-Vasthi	
Correct Answer:- Option-B	

 ${\it Question 49:-Which seka is mentioned by Acharya Kashyapa for Akshi \, roga?}$ 

```
A:-Those mentioned in sthana keelaka
     B:-Those mentioned in Gudakuttaka
     C:-Those mentioned in Dantajanma
    D:-All of the above
     Correct Answer:- Option-C
Question50:-The Madhya matra for verechana kashaya according to Acharya Kashyapa
    A:-2.5 Anjali
    B:-2 Anjali
    C:-1.5 Anjali
    D:-1 Anjali
    Correct Answer:- Option-C
Question51:-The year in which 'Expanded programme on immunization' is launched by WHO?
    A:-1971
    B:-1972
    C:-1973
    D:-1974
    Correct Answer:- Option-D
Question52:-The route of administration of Varicella vaccine
    A:-Intramuscular
     B:-Intradermal
    C:-Subcutaneous
    D:-Intravenous
     Correct Answer:- Option-C
Question53:-Antenatal findings such as increased serum alpha protein, human chorionic gonadotropin and thick nuchal fold are associated with
    A:-Down syndrome
     B:-Turner syndrome
    C:-Cridu-chat syndrome
    D:-Both 1 and 2
     Correct Answer:- Option-D
Question54:-The usual investigation that should be done in a child of more than 5 years with first episode of UTI
    A:-Ultrasonogram
    B:-Micturating cystourethrogram
    C:-DMSA scan
    D:-All of the above
    Correct Answer:- Option-A
Question55:-Which of the following feature is ideal for prajangha (lower shank) as per Acharya Kashyapa?
    A:-Sthoola
    B:-Tanu
    C:-Ghoota
    D:-Alpa
    Correct Answer:- Option-B
Question56:-Which of the following Jatahaarini is asadhya?
    A:-Yakshi
    B:-Maatangi
    C:-Roudri
    D:-Samdamsi
     Correct Answer:- Option-D
Question57:-The jaatahaarini where neonatal deaths happens on 5 th day
    A:-Vaaruni
```

```
B:-Kali
    C:-Aasuri
    D:-Yakshi
    Correct Answer:- Option-A
Question58:-The expected weight for a child aged 7 years
    A:-22 kg
    B:-23 kg
    C:-24 kg
    D:-20 kg
    Correct Answer:- Option-A
Question59:-Which among the following is an autosomal recessive trait?
    A:-Huntington's chorea
    B:-Marfan syndrome
    C:-Hurler syndrome
    D:-Tuberous sclerosis
     Correct Answer:- Option-C
Question60:-The interval of binge eating in bulimia nervosa
    A:-Twice a week for 2 consecutive months
    B:-Twice a week for 3 consecutive months
    C:-Thrice a week for 2 consecutive months
    D:-Thrice a week for 3 consecutive months
    Correct Answer:- Option-B
Question61:-Stem stature index at birth
    B:-75
    C:-70
    D:-65
    Correct Answer:- Option-C
Question62:-High gradient ascites is Serum Albumin Ascites Gradient (SAAG)
    A:->2g/dl
    B:->1.5 g/dl
    C:->1.1 g/dl
    D:-None of the above
    Correct Answer:- Option-C
Question63:-The number of swaroota dantha in upper jaw
    A:-8
    B:-6
    C:-4
    D:-3
    Correct Answer:- Option-C
Question64:-The number of hanavya dantha in lower jaw
    A:-8
    B:-6
    C:-4
    D:-3
    Correct Answer:- Option-B
Question65:-The diagnosis of AFP is unlikely to be polio if the patient is
    A:-> 18 years
    B:-> 10 years
    C:-> 15 years
```

```
D:-> 5 years
     Correct Answer:- Option-C
Question66:-Seizures precipitated by hyperventilation
     A:-Typical absence
     B:-Atypical absence
     C:-Myoclonic
     D:-Tonic clonic
     Correct Answer:- Option-A
Question67:-Which one of the following is a complication of prolonged Upaveshana?
     B:-Swasam
     C:-Jwaram
     D:-Sosham
     Correct Answer:- Option-C
Question68:-According to Piaget's theory of cognition, concrete operations stage is between
    A:-2 to 6 years
    B:-7 to 11 years
     C:-12 to 15 years
     D:-Above 15 years
     Correct Answer:- Option-B
Question69:-Which of the following is a neonatal reflex ?
     A:-Abdominal reflex
     B:-Cremasteic reflex
     C:-Palmomental reflex
     D:-Gag reflex
     Correct Answer:- Option-C
Question70:-Jangala mamsarasa is included in samsarjana by Acharya Kashyapa on
     A:-5^{th} and 6^{th} day
    B:-6<sup>th</sup> and 7<sup>th</sup> day
     C:-7^{th} and 8^{th} day
    D:-8^{th} and 9^{th} day
     Correct Answer:- Option-D
Question71:-Ghrita indicated in dhathri chikitsa
     A:-Shadpala ghrita
     B:-Sukumara ghritam
     C:-Satavari ghritam
     D:-All of the above
     Correct Answer:- Option-A
Question72:-Height velocity in the second year of life
     A:-25 cm
     B:-12.5 cm
     C:-6 cm
     D:-None of the above
     Correct Answer:- Option-B
Question73:-Annaprasana samskara according to Acharya Susruta
     A:-6<sup>th</sup> month
     B:-10<sup>th</sup> month
     C:-After teeth eruption
     D:-All of the above
```

```
Correct Answer:- Option-A
Question 74:- According to Acharya Kashyapa, in 4^{th} month ghrita can be given in a dose equal to
    A:-Kola
    B:-2 kola
    C:-Ardra amalaka
    D:-None of the above
     Correct Answer:- Option-D
Question75:-The remnants of notochord persist at the region of notochord
    A:-Primitive knot
    B:-Blastopore
    C:-Nucleus pulposus
    D:-Prochordal plate
     Correct Answer:- Option-C
Question76:-Which breast milk responsible for constipation and anuria?
    A:-Madura rasa
    B:-Amla rasa
    C:-Lavana rasa
    D:-Kashaya rasa
     Correct Answer:- Option-D
Question77:-The cerebellum develops from
    A:-Telencephalon
    B:-Diencephalon
    C:-Metencephalon
    D:-Prosencephalon
     Correct Answer:- Option-C
Question78:-Pentalogy of fallot when tetralogy is associated with
    A:-ASD
    B:-PDA
    C:-ALCAPA
    D:-ARCAPA
     Correct Answer:- Option-A
Question79:-Reverse coarctation is seen in
    A:-Polyarteritis nodosa
    B:-Kawasaki disease
    C:-Takayasu disease
    D:-Henoch Scholein purpura
     Correct Answer:- Option-C
Question80:-Abnormal extension in deep coma
    A:-Decerebrate posture
    B:-Decorticate posture
    C:-Stupor
    D:-Obtundation
     Correct Answer:- Option-A
Question81:-Alkaptonuria is due to deficiency of
    A:-Phenylalanine hydroxylase
    B:-Phenylalanine oxydase
     C:-Homogentisic acid hydroxylase
    D:-Homogentisic acid oxydase
     Correct Answer:- Option-D
```

Ques	tion82:-In Kwashiorkor, oedema of chest and paraspinal areas indicate
	A:-Grade 1
	B:-Grade 2
	C:-Grade 3
	D:-Grade 4
	Correct Answer:- Option-C
Ques	tion83:-Hand-Foot-Mouth disease is caused by virus belonging to family
	A:-Paramyxovirus
	B:-Herpus virus
	C:-Picornaviridae
	D:-Parvovirus
	Correct Answer:- Option-C
Ques	tion84:-According to Acharya Charaka, daily use of katu rasa in pregnant woman will lead to
	A:-Abala
	B:-Durbala
	C:-Soshi
	D:-All of the above
	Correct Answer:- Option-B
	tion85:-Number of krimi according to Acharya Kashyapa
	A:-20
	B:-12
	C:-10
	D:-8
	Correct Answer:- Option-A
	tion86:-Number of graha rogas according to Acharya Kashyapa
	A:-20
	B:-12
	C:-10
	D:-8
	Correct Answer:- Option-C
	tion87:-Status marmoratus is the hypermyelination of
	A:-Cerebrum
	B:-Cerebellum
	C:-Internal capsule
	D:-Basal ganglia
	Correct Answer:- Option-D
	tion88:-The defective gene in Spinal Muscular Atrophy is mapped to
	A:-Chromosome 3
	B:-Chromosome 4
	C:-Chromosome 5
	D:-Chromosome 6
	Correct Answer:- Option-C
	tion89:-Maha Ahbhayaarishtam is mentioned in
	A:-Arsa
	B:-Kushta
	C:-Rajayakshma
	D:-Gulma
	Correct Answer:- Option-C
	tion90:-Patau syndrome
	A:-Trisomy 13

	B:-Trisomy 18
	C:-Trisomy 21
	D:-None of the above
	Correct Answer:- Option-A
Que	stion91:-Normal karyotyping with physical features of Turner syndrome
	A:-Fragile X syndrome
	B:-Noonan syndrome
	C:-G. Deletion syndrome
	D:-None of the above
	Correct Answer:- Option-B
Que	stion92:-'Visaala Sthabda nayana' which roga is explained by Acharya Kashyapa ?
	A:-Chakshuraamaya
	B:-Kukunaka
	C:-Aanaaha
	D:-Adhijihwika
	Correct Answer:- Option-C
Que	stion93:-Graha associated with madhura sthanya
	A:-Sakuni
	B:-Skanda
	C:-Shashti
	D:-Putana
	Correct Answer:- Option-D
Que	stion94:-Maheswara dhoopa is indicated in
	A:-Unmade
	B:-Apasmara
	C:-Graha
	D:-All of the above
	Correct Answer:- Option-C
Que	stion95:-'Amruthotbhutam Amrutham' which rasayana is mentioned here ?
	A:-Vacha
	B:-Lasuna
	C:-Yashti
	D:-Amalaki
	Correct Answer:- Option-B
Que	stion96:-The prakarana in which Paanchabhouthika taila is mentioned
	A:-Katutaila kalpa
	B:-Sathapushpa sathavari kalpa
	C:-Shad kalpa
	D:-Revati kalpa
	Correct Answer:- Option-C
Que	stion97:-Ebstein Anomaly is due to abnormality of
	A:-Bicuspid valve
	B:-Tricuspid valve
	C:-Aortic valve
	D:-Semilunar valve
	Correct Answer:- Option-B
Que	stion98:-Khila sthana of Kashyapa samhita contains
	A:-80 chapters
	B:-30 chapters
	C:-12 chapters

D:-8 chapters	
Correct Answer:- Option-A	
Question99:-According to Acharya Susruta, which of the following is not a complication produced if a little quantity of breast milk is not ejected out before initiation of breast feeding?	
A:-Kasa	
B:-Swasa	
C:-Chardi	
D:-Swarabheda	
Correct Answer:- Option-D	
Question100:-Which of the following is not an asadhya lakshana of Charmadala ?	
A:-Swasa	
B:-Kasa	
C:-Swayadu	
D:-Swarabheda	
Correct Answer:- Option-B	