

**PROVISIONAL ANSWER KEY**

Paper: Kerala State Electricity Duty Act and Rules ...(Paper II)  
Date of Test 17-10-2022

- Question1:-Section 3 of KEDutyAct, 1963 provides the electricity duty for \_\_\_\_\_  
A:-Sale of energy by licensee  
B:-Consumption of energy by consumer  
C:-Sale of energy by consumer  
D:-Self generation by consumer  
Correct Answer:- Option-A
- Question2:-What is the rate of electricity duty to be paid by a domestic consumer for his consumption?  
A:-10 paise per unit of consumption  
B:-10 percent of the price of energy  
C:-6 percent of consumption  
D:-No duty  
Correct Answer:- Option-B
- Question3:-The electricity duty on consumption by a consumer is payable to  
A:-KSEB  
B:-Licensee  
C:-Electrical Inspectorate  
D:-Government  
Correct Answer:- Option-D
- Question4:-Which Section of the KEDutyAct, 1963 empowers the Government to exempt any Licensee from payment of electricity duty.  
A:-Section 3  
B:-Section 16  
C:-Section 11  
D:-Section 5A  
Correct Answer:- Option-C
- Question5:-Who has the power to make Rules under KEDutyAct, 1963?  
A:-Government  
B:-KSEB  
C:-Electrical Inspectorate  
D:-Licensee  
Correct Answer:- Option-A
- Question6:-Which Section of KEDutyAct, 1963 provides not to impose duty on consumption by Government of India?  
A:-Section 4  
B:-Section 12  
C:-Section 5A  
D:-Section 11  
Correct Answer:- Option-B
- Question7:-Under which Section of KEDuty Act, 1963 the Government appoints inspecting office  
A:-Section 12  
B:-Section 11  
C:-Section 7  
D:-Section 5A  
Correct Answer:- Option-C
- Question8:-Who is responsible under KEDutyRules, 1963 for reading the meter and recording the energy consumed by a consumer?  
A:-Government  
B:-Consumer  
C:-Electrical Inspectorate  
D:-Licensee  
Correct Answer:- Option-D
- Question9:-What is the rate of duty to be paid for consuming energy generated by himself?  
A:-10 percent of energy  
B:-1.2 paise per unit  
C:-10 paise per unit  
D:-6 percent of energy  
Correct Answer:- Option-B
- Question10:-Which Section of KEDutyAct, 1963 empowers the licensee to cut off supply of energy to a consumer who fails to pay the duty?  
A:-Section 5(2)  
B:-Section 8  
C:-Section 9  
D:-Section 10  
Correct Answer:- Option-A
- Question11:-What is the rate of electricity duty for consumption by a consumer who avails 66kV supply?  
A:-10 percent of price of energy  
B:- 6 percent of price of energy  
C:-10 paise per unit  
D:-1.2 paise per unit  
Correct Answer:- Option-C
- Question12:-What is the rate of electricity duty for the energy sold by KSEB to another Licensee?  
A:-6 percent of sold energy  
B:-6 paise per unit  
C:-10 paise per unit  
D:-No duty  
Correct Answer:- Option-D
- Question13:-Which Rule of KEDutyRules, 1963 impose penalty for breach of rules?  
A:-Rule 12  
B:-Rule 11  
C:-Rule 8  
D:-Rule 6  
Correct Answer:- Option-B
- Question14:-What is the penalty if a licensee fails to keep books of accounts?  
A:-Rupees Ten thousand

- B:-Rupees Five thousand
- C:-Rupees One thousand
- D:-Nil

Correct Answer:- Option-C

Question15:-Which Rule of KEDutyRules, 1963 wants the licensee to keep separate books of accounts for electricity duty of energy generated by themselves?

- A:-Rule 4
- B:-Rule 6
- C:-Rule 9
- D:-Rule 5A

Correct Answer:- Option-D

Question16:-Which Section of the KC(R)Act, 1958 insists licence for cinematograph exhibitions?

- A:-Section 6
- B:-Section 9
- C:-Section 3
- D:-Section 8

Correct Answer:- Option-C

Question17:-Which Section of the KC(R) Act, 1958 empowers the Licensing Authority to revoke a licence?

- A:-Section 11
- B:-Section 13
- C:-Section 14
- D:-Section 8

Correct Answer:- Option-A

Question18:-Which Section of the KC(R) Act, 1958 empowers the Licensing Authority to issue directions to any licensee to show slides of public interest?

- A:-Section 11
- B:-Section 8
- C:-Section 13
- D:-Section 14

Correct Answer:- Option-B

Question19:-Which Section of the KC(R) Act, 1958 empowers Government to issue orders and directions to licensing authorities on any matter relating to licence?

- A:-Section 9
- B:-Section 8
- C:-Section 13
- D:-Section 5(4)

Correct Answer:- Option-D

Question20:-The Licensing Authority to grant a licence under KC(R)Act, 1958 is \_\_\_\_\_

- A:-Executive of Local Authority
- B:-President of Local Authority
- C:-Electrical Inspector
- D:-Executive Engineer PWD

Correct Answer:- Option-A

Question21:-Which Section of the KC(R) Act, 1958 empowers Government to exempt from provisions of the Act and Rules in certain cases?

- A:-Section 8
- B:-Section 12
- C:-Section 14
- D:-Section 13

Correct Answer:- Option-C

Question22:-What is the minimum age of a person to obtain licence for cinematograph?

- A:-18 years
- B:-21 years
- C:-36 years
- D:-No age restriction

Correct Answer:- Option-A

Question23:-What is the time limit to communicate the remarks on a design of cinematograph to the Licensing Authority?

- A:-No time limit
- B:-60 days
- C:-30 days
- D:-15 days

Correct Answer:- Option-C

Question24:-Which Rule in the KC(R) Rules, 1988 insists that no licence shall be issued in the absence of 'D' certificate?

- A:-Rule 12
- B:-Rule 19
- C:-Rule 17
- D:-Rule 15

Correct Answer:- Option-D

Question25:-Which Rule in the KC(R) Rules, 1988 stipulates that no fresh licence for temporary cinemas shall be issued in Municipal Corporations?

- A:-Rule 15
- B:-Rule 17(b)
- C:-Rule 12
- D:-Rule 14

Correct Answer:- Option-B

Question26:-Which Rule in the KC(R) Rules, 1988 provides that the licensee, his servants and agents shall comply with the orders issued by the Chief Electrical Inspector?

- A:-Rule 27
- B:-Rule 17
- C:-Rule 12
- D:-Rule 14

Correct Answer:- Option-A

Question27:-What is the distance restriction between two permanent theatres?

- A:-800m
- B:-100m
- C:-No distance restriction
- D:-1km

Correct Answer:- Option-C

Question28:-What is the maximum size of opening permitted in front of the enclosure?

- A:-0.5 square metre
- B:-0.3 square metre
- C:-1 square metre
- D:-0.75 square metre

Correct Answer:- Option-B

Question29:-Which Rule in the KC(R) Rules, 1988 insists that the enclosure shall be in charge of an operator holding licence?

- A:-Rule 35
- B:-Rule 3
- C:-Rule 61
- D:-Rule 50(1)

Correct Answer:- Option-D

Question30:-What is the minimum number of stair cases required for upper floor auditorium in a cinema?

- A:-2 Nos
- B:-3 Nos
- C:-1 No
- D:-4 Nos

Correct Answer:- Option-A

Question31:-Which Rule in the KC(R) Rules, 1988 stipulates that all exit doors shall open outwards?

- A:-Rule 68
- B:-Rule 62
- C:-Rule 65
- D:-Rule 69

Correct Answer:- Option-C

Question32:-Which Rule in the KC(R) Rules, 1988 insists the A/C plants in permanent A/C theatres shall be kept running till the shown are over?

- A:-Rule 106
- B:-Rule 50
- C:-Rule 104
- D:-Rule 107

Correct Answer:- Option-A

Question33:-Which Rule in the KC(R) Rules, 1988 stipulates minimum age of an operator in a cinema?

- A:-Rule 41
- B:-Rule 15
- C:-Rule 50(1)
- D:-Rule 35

Correct Answer:- Option-C

Question34:-How much quantity of water to be stored in buckets inside the auditorium having an area of 300 square metre?

- A:-250 litres
- B:-20 litres
- C:-300 litres
- D:-10 litres

Correct Answer:- Option-A

Question35:-What is the size of soda acid type fire extinguisher to be kept in the auditorium of a cinema?

- A:-5 litres
- B:-15 litres
- C:-20 litres
- D:-10 litres

Correct Answer:- Option-D

Question36:-Which Rule in the KC(R) Rules, 1988 insists emergency lighting system with batteries should be provided in projector room and auditorium?

- A:-Rule 111
- B:-Rule 112(1)
- C:-Rule 110
- D:-Rule 109

Correct Answer:- Option-B

Question37:-How many ceiling fans are required in an auditorium having 700 seats?

- A:-10 Nos
- B:-20 Nos
- C:-14 Nos
- D:-5 Nos

Correct Answer:- Option-C

Question38:-What is the minimum requirement of exhaust fans in an auditorium?

- A:-One fan for 50 sq.m area
- B:-2 Nos
- C:-One for 50 seats
- D:-No requirement

Correct Answer:- Option-A

Question39:-Which Rule in the KC(R) Rules, 1988 insists separate metering for air conditioning system in A/C cinema?

- A:-Rule 114
- B:-Rule 111
- C:-Rule 112(9)
- D:-Rule 113

Correct Answer:- Option-C

Question40:-Which Rule in the KC(R) Rules, 1988 insists standby power supply in all air conditioned theatres?

- A:-Rule 113
- B:-Rule 112(8)
- C:-Rule 106
- D:-Rule 107

Correct Answer:- Option-B

Question41:-Which Section of the Kerala Lifts and Escalators Act, 2013 insists permission to erect lift/escalator?

- A:-Section 5
- B:-Section 2
- C:-Section 4

D:-Section 3

Correct Answer:- Option-D

Question42:-The permission to erect a lift is valid for a period of \_\_\_\_\_

A:-Three years

B:-One year

C:-Five years

D:-Two years

Correct Answer:- Option-B

Question43:-What is the validity of a license for working of a lift when granting first time?

A:-One year

B:-Five years

C:-Two years

D:-Three years

Correct Answer:- Option-D

Question44:-What is the periodicity of renewal of a license for escalator?

A:-Annually

B:-Once in 3 years

C:-Once in 2 years

D:-Once in 5 years

Correct Answer:- Option-A

Question45:-Which Section of the Kerala Lifts and Escalators Act, 2013 empowers Electrical Inspector to conduct inspection every year?

A:-Section 3

B:-Section 4

C:-Section 5(A)

D:-Section 7

Correct Answer:- Option-C

Question46:-Which Section of the Kerala Lifts and Escalators Act, 2013 empowers the inspector to cancel or suspend license?

A:-Section 7

B:-Section 5

C:-Section 4

D:-Section 2

Correct Answer:- Option-A

Question47:-Who shall be entrusted with the work of erection of a lift?

A:-Electrical Supervisor

B:-Electrical Contractor

C:-Any person

D:-Lift manufacturer

Correct Answer:- Option-D

Question48:-Who have the power to make rules under Kerala Lifts and Escalators Act, 2013?

A:-Inspector

B:-Government

C:-Lift manufacturer

D:-CEA

Correct Answer:- Option-B

Question49:-a

A:-a

B:-a

C:-a

D:-a

Correct Answer:- Option-B

Question50:-What is the time limit prescribed for the grant of permission for lift?

A:-Three months

B:-15 days

C:-One month

D:-Six months

Correct Answer:- Option-C

Question51:-The form in which the license to work a lift/escalator is granted

A:-Form F

B:-Form D

C:-Form C

D:-Form G

Correct Answer:- Option-A

Question52:-Which is the form to apply for renewal of a lift license?

A:-Form F

B:-Form D

C:-Form G

D:-Form H

Correct Answer:- Option-D

Question53:-Which Rule of the Kerala Lifts and Escalators Rules, 2012 insists that the material and apparatus shall conform to specifications of BIS?

A:-Rule 4

B:-Rule 7(10)

C:-Rule 3

D:-Rule 9

Correct Answer:- Option-B

Question54:-Which is the Form containing the test certificate of a lift by the Lift Manufacturer?

A:-Form E

B:-Form F

C:-Form G

D:-Form D

Correct Answer:- Option-D

Question55:-Who is responsible for submitting the Completion report in Form E?

A:-Lift Manufacturer

B:-Electrical Contractor

C:-Inspector

D:-Localbody

Correct Answer:- Option-B

Question56:-Which Rule of the Kerala Lifts and Escalators Rules, 2012 insists insurance policy covering insurance for persons using the lift?

A:-Rule 3

B:-Rule 5

C:-Rule 6

D:-Rule 4(1)(d)

Correct Answer:- Option-D

Question57:-The Kerala State Electricity Licensing Board is constituted by \_\_\_\_\_

A:-CEA

B:-The Government

C:-Chief Electrical Inspector

D:-State Regulatory Commission

Correct Answer:- Option-B

Question58:-Who is the Chairman of the Sub Committee of the Licensing Board?

A:-Chief Electrical Inspector to Govt. of Kerala

B:-Secretary licensing Board

C:-Secretary to Government

D:-Electrical Inspector

Correct Answer:- Option-B

Question59:-What is the experience required for a Degree holder to obtain A Class Supervisor Certificate of Competency?

A:-Three Years

B:-Two years

C:-One year

D:-No experience

Correct Answer:- Option-C

Question60:-What is the experience required for a Diploma holder to obtain B Class Supervisor Certificate of Competency?

A:-No experience

B:-Two years

C:-Three years

D:-One year

Correct Answer:- Option-D

Question61:-Which Rule of the KSELB Rules prescribes Certificate of Competency for Electrical supervisor (Mines)?

A:-Rule 13(1)

B:-Rule 11

C:-Rule 12

D:-Rule 10

Correct Answer:- Option-A

Question62:-What is the minimum age limit to obtain a Competency Certificate for A Grade Supervisor?

A:-21 years

B:-25 years

C:-18 years

D:-No age limit

Correct Answer:- Option-C

Question63:-Which Rule of the KSELB Rules prescribes Permit to Electricity Worker?

A:-Rule 19

B:-Rule 18

C:-Rule 20

D:-Rule 21

Correct Answer:- Option-A

Question64:-What is the period of a permit to Supervisor issued by the Licensing Board?

A:-5 years

B:-3 years

C:-One year

D:-10 years

Correct Answer:- Option-D

Question65:-Which Rule of the KSELB Rules insists testing of instruments possessed by Electrical Contractors?

A:-Rule 28

B:-Rule 29(7)

C:-Rule 11

D:-Rule 30

Correct Answer:- Option-B

Question66:-Which Rule of the KSELB Rules insists that scheme of electrical installation of a High Voltage installation shall be got approved by Chief Electrical Inspector or his nominee?

A:-Rule 28

B:-Rule 27

C:-Rule 30(3)

D:-Rule 11

Correct Answer:- Option-C

Question67:-Which is the Form of Test report/Completion report prescribed in the KSELB Rules?

A:-Annexure 38

B:-Annexure 35

C:-Annexure 23

D:-Assexure 25

Correct Answer:- Option-A

Question68:-A contractor License shall lapse if the application for renewal is not received with in a period of \_\_\_\_\_ from the date of expiry.

A:-One month

B:-6 months

C:-One year

D:-3 months

Correct Answer:- Option-D

Question69:-Which Rule of the KSELB Rules empowers the Secretary to investigate into complaints?

A:-Rule 30

B:-Rule 35(1)

C:-Rule 29

D:-Rule 31

Correct Answer:- Option-B

Question70:-Who is empowered to cancel a certificate of competency?

A:-The Licensing Board

B:-Electrical Inspector

C:-Chief Electrical Inspector

D:-Deputy Chief Electrical Inspector

Correct Answer:- Option-A

Question71:-What is the fine to be imposed if a Contractor fails to maintain the Work Register?

A:-Rs. 10,000

B:-Rs. 5,000

C:-Rs. 2,000 at a time

D:-Rs. 1,000

Correct Answer:- Option-C

Question72:-Which Rule of the KSELB Rules prohibits a licensee to carry out the work in a consumer's premises beyond the point of commencement of supply?

A:-Rule 37

B:-Rule 35

C:-Rule 29

D:-Rule 38

Correct Answer:- Option-D

Question73:-What is the fine at a time prescribed for a contractor for commencing the work without getting the scheme approval?

A:-Rs. 5,000

B:-Rs. 10,000

C:-Rs. 2,500

D:-Rs. 1,000

Correct Answer:- Option-B

Question74:-The application for renewal of a Wireman permit shall be submitted \_\_\_\_\_ before the date of expiry.

A:-Six months

B:-Three months

C:-Two months

D:-One month

Correct Answer:- Option-D

Question75:-The holder of a certificate of competency for Designated Person can carry out \_\_\_\_\_

A:-Operation and maintenance

B:-All electrical works upto 250 kW

C:-All wiring works

D:-All electrical works

Correct Answer:- Option-A

Question76:-What is the upper age limit prescribed for holding a Supervisor permit?

A:-58 years

B:-60 years

C:-65 years

D:-None of these

Correct Answer:- Option-C

Question77:-Which Rule of the KSELB Rules empowers the Electrical Inspector to enter a place and conduct inspection of electrical installations?

A:-Rule 30

B:-Rule 29

C:-Rule 25

D:-Rule 34(1)

Correct Answer:- Option-D

Question78:-Who have the power to exempt any rule or relax the requirement under KSELB Rules?

A:-Secretary Licensing Board

B:-Government

C:-Chief Electrical Inspector

D:-Electrical Inspector

Correct Answer:- Option-B

Question79:-The Wireman Apprentice can do the works \_\_\_\_\_

A:-Under the supervision of Supervisor/Wireman

B:-All wiring works upto 250 kW

C:-All low voltage works

D:-All wiring works upto 10kW

Correct Answer:- Option-A

Question80:-How many Wireman Apprentices can be engaged by a Contractor Grade C?

A:-One

B:-Three

C:-Two

D:-None of these

Correct Answer:- Option-C

Question81:-What is the recommended supply voltage under KESupply Code, 2014 for a consumer having a demand of 1500 kVA?

A:-11kV

B:-33kV

C:-415V

D:-None of these

Correct Answer:- Option-A

Question82:-Who has to pay low voltage supply surcharge?

A:-Consumer availing 240V supply

B:-Consumer availing 415V supply

C:-Consumer availing supply at lower than specified

D:-None of the above

Correct Answer:- Option-C

Question83:-What is the limit of contract demand for availing LT supply for an industrial consumer in Industrial Part subject to low voltage surcharge?

A:-150 kVA

- B:-100 kVA
- C:-75 kVA
- D:-None of the above

Correct Answer:- Option-A

Question84:-Which regulation in KESupply Code, 2014 insists that the step down transformer for a consumer availing HT supply shall be delta-star

- A:-Regulation 8
- B:-Regulation 10
- C:-Regulation 11
- D:-Regulation 20(1)

Correct Answer:- Option-D

Question85:-Which regulation in KESupply Code, 2014 stipulates the conditions regarding harmonics dumping by a consumer?

- A:-Regulation 20
- B:-Regulation 23
- C:-Regulation 22
- D:-Regulation 26

Correct Answer:- Option-B

Question86:-The category of consumers can be created by the \_\_\_\_\_

- A:-Licensee
- B:-Government
- C:-Regulatory Commission
- D:-KSEB

Correct Answer:- Option-C

Question87:-Which regulation in KESupply Code, 2014 permits the licensee to provide the meter unless the consumer elects to purchase the meter?

- A:-Regulation 34
- B:-Regulation 36
- C:-Regulation 31
- D:-Regulation 32

Correct Answer:- Option-A

Question88:-Which regulation in KESupply Code, 2014 provides the conditions for supply to a high rise building?

- A:-Regulation 34
- B:-Regulation 48
- C:-Regulation 50
- D:-Regulation 49

Correct Answer:- Option-D

Question89:-Which regulation in KESupply Code, 2014 restricts are sale of electricity supplied to a person by the licensee?

- A:-Regulation 49
- B:-Regulation 55
- C:-Regulation 56
- D:-Regulation 51

Correct Answer:- Option-B

Question90:-Which regulation in KESupply Code, 2014 provides the conditions for distribution of electricity through franchisee?

- A:-Regulation 56
- B:-Regulation 55
- C:-Regulation 51
- D:-Regulation 57

Correct Answer:- Option-D

Question91:-Which regulation in KESupply Code, 2014 permits licensee to demand security deposit and rent for meter from the consumer?

- A:-Regulation 68
- B:-Regulation 67
- C:-Regulation 70
- D:-Regulation 73

Correct Answer:- Option-A

Question92:-Which regulation in KESupply Code, 2014 stipulates the procedure for providing temporary connection?

- A:-Regulation 86
- B:-Regulation 68
- C:-Regulation 88
- D:-Regulation 89

Correct Answer:- Option-C

Question93:-What is the period limit for supply of seasonal loads?

- A:-One month
- B:-Six months
- C:-One year
- D:-Three months

Correct Answer:- Option-B

Question94:-Which regulation in KESupply Code, 2014 provides constitution of Electricity Supply Code Review Panel?

- A:-Regulation 165
- B:-Regulation 162
- C:-Regulation 164
- D:-Regulation 166(1)

Correct Answer:- Option-D

Question95:-Among these, who is not a member of the Electricity Supply Code Review Panel

- A:-District Collector
- B:-Chief Electrical Inspector
- C:-Representative of HT/EHT consumer
- D:-Representative of agricultural consumers

Correct Answer:- Option-A

Question96:-Which regulation in KESupply Code, 2014 provides any consumer to send proposal to Review Panel?

- A:-Regulation 171
- B:-Regulation 166
- C:-Regulation 170(1)
- D:-Regulation 169

Correct Answer:- Option-C

Question97:-Which regulation in KESupply Code, 2014 empowers the licensee to allow a consumer to undertake the works of electric line?

- A:-Regulation 37

- B:-Regulation 38
- C:-Regulation 39
- D:-Regulation 37A

Correct Answer:- Option-D

Question98:-Which regulation in KESupply Code, 2014 insists the consumer to provide space for installation of transformer, meter etc?

- A:-Regulation 53
- B:-Regulation 54
- C:-Regulation 52
- D:-Regulation 51

Correct Answer:- Option-B

Question99:-Which regulation in KESupply Code, 2014 insists single point supply and sharing of electricity charges at multi-storeyed buildings?

- A:-Regulation 53
- B:-Regulation 54
- C:-Regulation 49
- D:-Regulation 56

Correct Answer:- Option-D

Question100:-Which regulation in KESupply Code, 2014 insists single point supply for same purpose at the same voltage level in a single premises?

- A:-Regulation 52
- B:-Regulation 54
- C:-Regulation 55
- D:-Regulation 56

Correct Answer:- Option-A