

FINAL ANSWER KEY

Question Paper Code:	50/2023/OL
Category Code:	120/2021
Exam:	Assistant Professor in Kayachikitsa (for DA Reservation)
Medium of Question:	English
Date of Test	17-03-2023
Department	Ayurveda Medical Education
Alphacode	A

Question1:-Which one is not a cause for Nail clubbing ?

- A:-Pulmonary TB
- B:-Atrial myxoma
- C:-COPD
- D:-Interstitial lung disease

Correct Answer:- Option-C

Question2:-The number days tuvaraka taila to be given in tuvaraka rasayana prayoga.

- A:-5 days
- B:-7 days
- C:-14 days
- D:-15 days

Correct Answer:- Option-A

Question3:-Hridroga chikitsa is advised for

- A:-Hritgata vata
- B:-Pakshaghata
- C:-Apatantraka
- D:-Siragraha

Correct Answer:- Option-C

Question4:-Arushkara taila for vasti is indicated in

- A:-Grandhi chikitsa
- B:-Krimi chikitsa
- C:-Urustambha chikitsa
- D:-Switra chikitsa

Correct Answer:- Option-B

Question5:-"Gruddhirabyavahareshu tallabhe chavamanitha" is a feature in

- A:-Madatyaya
- B:-Atatwabhinivesa
- C:-Vatika unmada
- D:-Dwishtarthyayogaja chardhi

Correct Answer:- Option-C

Question6:-Thrombocytopenia is associated with

- A:-Iron deficiency anemia
- B:-Hemolytic anemia
- C:-Anemia with chronic diseases
- D:-Aplastic anemia

Correct Answer:- Option-B

Question7:-Yavagu prepared with gomutrabhavita shashtika and ksheera is indicated in

- A:-Gulma
- B:-Udara
- C:-Sopha
- D:-Asmari

Correct Answer:- Option-B

Question8:-Buktamatrasya sahasa mukhe seethambu sechanam is samana prayoga in

- A:-Moorcha
- B:-Chardhi
- C:-Vathika apasmara
- D:-Madatyaya

Correct Answer:- Option-B

Question9:-Recurrent episodes of jaundice is a feature in

- A:-Hemolytic jaundice
- B:-Malignancy
- C:-Liver cirrhosis
- D:-Infective hepatitis

Correct Answer:- Option-A

Question10:-The quantity of bhallathaka in Madukasava mentioned in Grahani chikitsa

- A:-Ardhadaka
- B:-Adaka
- C:-Dronam
- D:-Ardha drona

Correct Answer:- Option-B

Question11:-Green sputum is a feature in

- A:-Pulmonary TB
- B:-Chronic infection
- C:-COPD
- D:-Pneumonia

Correct Answer:- Option-B

Question12:-Duration of Sahasrabhallataka rasayana according to Charaka

- A:-19 days
- B:-28 days
- C:-100 days
- D:-48 days

Correct Answer:- Option-D

Question13:-According to Ashtanga hridaya, during Sodana in Pramehachikitsa, the apatarpana may lead to

- A:-Sukrakshaya
- B:-Vitbandha
- C:-Mootragraha
- D:-Bramam

Correct Answer:- Option-C

Question14:-Vyaghreevasa himgusaindhavasama nasyam is indicated in

- A:-Vishama jwara
- B:-Vatika apasmara
- C:-Akshepaka
- D:-Vatika sirasoola

Correct Answer:- Option-A

Question15:-"Kushtam ghrishtam cha nashtam cha" is an indication for the yoga

- A:-Vajraka taila
- B:-Guggulumarichadi taila
- C:-Maricham tamalaptradi lepam
- D:-Mayooraka kshara taila

Correct Answer:- Option-B

Question16:-The discomfort in Pericarditis will be at

- A:-Restosternal
- B:-Substernal
- C:-Left costochondral
- D:-Left subclavicular

Correct Answer:- Option-B

Question17:-The joint disease which is not more prevalent in females

- A:-Rheumatoid arthritis
- B:-Osteoarthritis
- C:-SLE
- D:-Reactive arthritis

Correct Answer:- Option-D

Question18:-Number of Hareetaki in Vasishta rasayana

- A:-100
- B:-1000
- C:-1100
- D:-1001

Correct Answer:- Option-C

Question19:-"Pranada panduroginam" which drug ?

- A:-Navayasam
- B:-Punarnavamanduram
- C:-Manduravatakam
- D:-Koutajatriphala

Correct Answer:- Option-C

Question20:-SARS virus first identified in

- A:-1999
- B:-2003
- C:-2018
- D:-2020

Correct Answer:- Option-B

Question21:-Jatajavyadi according to Vaghbata is correlated with _____ by Susruta.

- A:-Janmabala pravrutta
- B:-Adibala pravrutta
- C:-Doshabala pravrutta
- D:-Sanghatabala pravrutta

Correct Answer:- Option-C

Question22:-Dadhi salavanam is contra indicated in

- A:-Grahani
- B:-Sopha
- C:-Kamala
- D:-TamakaSwasa

Correct Answer:- Option-B

Question23:-"Sudhaschobayato lihyan pathyan madugritapluthan" in which disease ?

- A:-Vatasonita
- B:-Kaphajwara
- C:-Swasam
- D:-Pandu

Correct Answer:- Option-D

Question24:-The quantity of CSF taken for investigation purpose in Lumbar puncture

- A:-20-30 ml
- B:-30-40 ml
- C:-50-60 ml
- D:-60-70 ml

Correct Answer:- Option-B

Question25:-Asterixis is not a feature in

- A:-GB syndrome
- B:-Hepatic encephalopathy
- C:-Wilsons disease
- D:-Carbon dioxide poisoning

Correct Answer:- Option-A

Question26:-Madusigrubeeja danyamla lepam is indicated in

- A:-Pleehodaram
- B:-Vatakapha Vatasonita
- C:-Kroshtukaseershams
- D:-Sannipathika sopha

Correct Answer:- Option-B

Question27:-Status epileptics is defined as a seizure more than

- A:-20 minutes
- B:-30 minutes
- C:-3 minutes
- D:-5 minutes

Correct Answer:- Option-D

Question28:-"Mahamoola mahasabda mahavega mahabala" which is the disease that Ashtanga sangraha mentions

- A:-Mahaswasa
- B:-Vatika apasmara
- C:-Akshepaka

D:-Mahahidma

Correct Answer:- Option-D

Question29:-Carcino Embryonic antigen is used to identify

A:-B cell lymphoma

B:-Colorectal carcinoma

C:-Non-Hodkin lymphoma

D:-Multiple myloma

Correct Answer:- Option-B

Question30:-Quantity of Jatamanchi in Maduyashtyadi taila

A:-Ardhapala

B:-Dwipala

C:-Eka pala

D:-Chatushpala

Correct Answer:- Option-C

Question31:-"Twakmamsasnayusamkledo rektakledadhi jayate" which disease ?

A:-Vidradi

B:-Visarpa

C:-Kushta

D:-Pramehapitaka

Correct Answer:- Option-B

Question32:-Carey Coombs murmur is a clinical sign in

A:-Rheumatic fever

B:-Pericarditis

C:-Cronic Myocardial infarction

D:-Vasculitis

Correct Answer:- Option-A

Question33:-"Akriyayam druvo mrityu, kriyayam samsayo bhavet" is a consent format advised to follow in

A:-Raktaja vidradi

B:-Kardhamavisarpam

C:-Badhodaram

D:-Asmari

Correct Answer:- Option-D

Question34:-Which is the highest quantity ingredient, used in Ksharagudika mentioned in Grahani ?

A:-Arkka

B:-Chitraka

C:-Suddha silajit

D:-Sudakanda

Correct Answer:- Option-A

Question35:-Which ingredient is not a part of Ooshakadi gana ?

A:-Tutha

B:-Silajit

C:-Kaseesa

D:-Gaireeka

Correct Answer:- Option-D

Question36:-'Taistakrapishte pradamam sareeram Tailakthamudwarthayidhum yateta' which is the medicine ?

A:-Mustamrutadi Churna

B:-Nimbadi Churna

C:-Guggulumarichadi taila

D:-Eladi churna

Correct Answer:- Option-B

Question37:-Normal percentage of Radioactive Iodine uptake (RAIV)

A:-5-30

B:-10-40

C:-0-25

D:-15-45

Correct Answer:- Option-A

Question38:-Roheetaka shatpalam grita is indicated for

A:-Gulma

B:-Vishamajwara

C:-Haleemaka

D:-Plehodara

Correct Answer:- Option-D

Question39:-Pratyaya is a synonym of

A:-Rupa

B:-Samprapti

C:-Poorvaroopa

D:-Nidana

Correct Answer:- Option-D

Question40:-Incubation period for Nipah

A:-5-14 days

B:-8-10 days

C:-10-20 days

D:-12-24 days

Correct Answer:- Option-A

Question41:-Normal value of serum chloride

A:-3.5-4.5

B:-136-146

C:-96-106

D:-128-136

Correct Answer:- Option-C

Question42:-Which one is not an indication of Danwantharam gritha mentioned in Prameha ?

A:-Kushta

B:-Jwara

C:-Pandu

D:-Apasmara

Correct Answer:- Option-B

Question43:-Takra is indicated in

A:-Vatika Mootrakrichra

B:-Paithika Mootrakrichra

C:-Kaphaja Mootrakrichra

D:-None of the above

Correct Answer:- Option-C

Question44:-Bell's phenomena is absent in

A:-Bilateral UMN palsy

B:-Bilateral LMN palsy

C:-Ramsay hunt syndrome

D:-None of the above

Correct Answer:- Option-A

Question45:-Which one is not a positive symptom in Schizophrenia ?

A:-Hallucination

B:-Delusion

C:-Alogia

D:-Bizarre behaviour

Correct Answer:- Option-C

Question46:-Dasamoolakwatha bhavitaPuranava with alpapatusneha is a diet advised in

A:-Prameha

B:-Urustambha

C:-Swayathu

D:-Kamala

Correct Answer:- Option-C

Question47:-Podagra is manifested in

A:-SLE

B:-Reactive arthritis

C:-Ankylosing spondylitis

D:-Gout

Correct Answer:- Option-D

Question48:-"Krule koshte snehanam rechanam cha" which is the medicine ?

A:-Neelini grita

B:-Mahavajraka grita

C:-Sukumara grita

D:-Misraka sneha

Correct Answer:- Option-B

Question49:-Nisuntee shadanga panam mentioned in Ashtanga hridaya for

A:-Dahadi jwara

B:-Trishna

C:-Urdwaga rektapitha

D:-Dwishtarthyogaja chardi

Correct Answer:- Option-C

Question50:-Triphaldi ayapatra vidhi is indicated for

A:-Urustambha

B:-Vatasonita

C:-Vidradi

D:-Vatakantaka

Correct Answer:- Option-B

Question51:-Which one is not a cause for polynuropathy ?

A:-Guillain Barre syndrome

B:-Diabetes Mellites

C:-Vit B12 deficiency

D:-Carpal tunnel syndrome

Correct Answer:- Option-D

Question52:-Argwadamula Sathapaka gritha is mentioned in Ashtanga hridaya

A:-Haleemaka chikitsa

B:-Kushta chikitsa

C:-Madumeha chikitsa

D:-Kaphaja vatasonita

Correct Answer:- Option-B

Question53:-Ipsilateral Hemiplegia is found in lesion at

A:-Internal capsule

B:-Cortex

C:-Midbrain

D:-Spinal cord

Correct Answer:- Option-D

Question54:-Korandabeejachurna with honey and Aviksheera for 7 days is advised in

A:-Grandhi

B:-Arsas

C:-Asmari

D:-Prameha

Correct Answer:- Option-C

Question55:-Pichavasti is not indicated in

A:-Athisara

B:-Grahani

C:-Jwaram

D:-Rektarsas

Correct Answer:- Option-D

Question56:-Which one is not a feature for the diagnosis of SLE as per ACR criteria ?

A:-Serositis

B:-Discoid rash

C:-Non erosive arthritis

D:-Conjunctivitis

Correct Answer:- Option-D

Question57:-Which one is not type of Doppler study ?

A:-Power doppler

B:-Spectral doppler

C:-Duplex doppler

D:-Shockwave doppler

Correct Answer:- Option-D

Question58:-Lepa with Karanjaphala and Sarshapa in Gomutra is advised in

A:-Vatakapha Vatasonita

B:-Urustambha

C:-Kaphaja sopha

D:-Kapala kushta

Correct Answer:- Option-B

Question59:-Jaccoud's arthritis is a feature found in

A:-Rheumatic fever

B:-SLE

C:-Both of the above

D:-None of the above

Correct Answer:- Option-A

Question60:-Anjana with Nisagairikadatri advised in

A:-Kamala

B:-Rektapitha

C:-Dahadi jwara

D:-Vishamajwara

Correct Answer:- Option-A

Question61:-Aphasia seen in the lesion at

A:-Midbrain

B:-Internal capsule

C:-Pons

D:-Cortex

Correct Answer:- Option-D

Question62:-Taila mentioned in Ashtanga sangraha for anuvasana in pakshaghata

A:-Ksheerabala

B:-Balataila

C:-Anutaila

D:-Sahacharadi

Correct Answer:- Option-B

Question63:-The quantity of ksheera in Pinyaka taila is

A:-160 pala

B:-256 pala

C:-80 pala

D:-24 pala

Correct Answer:- Option-B

Question64:-Netrasopha is a poorvaroopa according to Ashtanga hridaya

A:-Krimi

B:-Udara

C:-Arsas

D:-Hridroga

Correct Answer:- Option-C

Question65:-Vyanjanam is a synonym of

A:-Samprapti

B:-Lakshana

C:-Purvarupa

D:-None of the above

Correct Answer:- Option-B

Question66:-The first treatment in Krimichikitsa is

A:-Vasti

B:-Virechana

C:-Vamana

D:-Anuvasana

Correct Answer:- Option-A

Question67:-Abyanga and Nivata is indicated in

A:-Majjagata vata

B:-Sirogata vata

C:-Twakgata vata

D:-Hritgata vata

Correct Answer:- Option-C

Question68:-The Gana which is not an ingredient of Ayaskriti

- A:-Lodradi gana
- B:-Asanadi gana
- C:-Vatsakadi gana
- D:-All the above

Correct Answer:- Option-A

Question69:-Chest pain radiating to Trapezeus muscle is characteristic in

- A:-Angina pectoris
- B:-Pericarditis
- C:-Myocardial infarction
- D:-Non cardiac cause

Correct Answer:- Option-B

Question70:-Bruce protocol used to conduct

- A:-Echocardiogram
- B:-TMT
- C:-Angiography
- D:-Holter electrocardiography

Correct Answer:- Option-B

Question71:-Grita indicated as "Balanam cha angavardhanam"

- A:-Mahapaisachika grita
- B:-Lakshadi grita
- C:-Brahmigrita
- D:-Rasnadasamoolam grita

Correct Answer:- Option-A

Question72:-"Panam tailasya madysya tayoreva cha mehanam" is the poorvaroopa mentioned in

- A:-Ikshumeha
- B:-Somaroga
- C:-Apasmara
- D:-Sannipatajwara

Correct Answer:- Option-C

Question73:-Chinnothbhavotbhava kwata with pippalichurna is advised in

- A:-Paithika jwara
- B:-Vatapitha jwara
- C:-Kaphavata jwara
- D:-Sannipata jwara

Correct Answer:- Option-C

Question74:-Erandatalam is advised for Anuvasana in

- A:-Vatika Udara
- B:-Udavarata
- C:-Urustambha
- D:-Sannipata Sopha

Correct Answer:- Option-A

Question75:-'Ethanyeva cha varjyani hridrogeshu chaturswapi' which is varjya ?

- A:-Arishta
- B:-Ksheera
- C:-Mamsa
- D:-Seethajala

Correct Answer:- Option-B

Question76:-Madwarishta is indicated in

- A:-Navajwara
- B:-Paitika rajayakshma
- C:-Prameha
- D:-Gulma

Correct Answer:- Option-B

Question77:-Tailavimisrita ksheeradara is indicated by Ashtanga hridaya in

- A:-Sarvangadaha
- B:-Vatakantaka
- C:-Kroshtukaseersha
- D:-Vatasonita

Correct Answer:- Option-D

Question78:-Rohini siraveda is advised by Vaghbhata in

- A:-Dahadi jwara
- B:-Madatyaya
- C:-Udaram
- D:-Kidibakushta

Correct Answer:- Option-B

Question79:-Tissue plasminogen activator is used to manage

- A:-Acute Multiple sclerosis
- B:-Acute Myocardial infarction
- C:-Acute ischemic stroke
- D:-Acute hemophelia

Correct Answer:- Option-C

Question80:-National Ayush Mission by Central Government was launched in

- A:-2011
- B:-2012
- C:-2013
- D:-2014

Correct Answer:- Option-D

Question81:-Widespread Pain Index Scoring (WPIS) for fibromyalgia as per ACR criteria is positive if

- A:-> 5
- B:-> 7
- C:-> 11
- D:-> 13

Correct Answer:- Option-B

Question82:-Quantity of putapakarasa used in Pichavasti in athisara as per Ashtanga hrdaya

- A:-1 pala
- B:-2 pala
- C:-3 pala
- D:-4 pala

Correct Answer:- Option-A

Question83:-Grita is contraindicated in

- A:-Krimi
- B:-Visarpa
- C:-Urustambha
- D:-All the above

Correct Answer:- Option-D

Question84:-"Payasa suddhaguggulo" is rasayana mentioned by Ashtanga sangraha in

- A:-Pitha avarana
- B:-Kapha avarana
- C:-Medo avarana
- D:-All the above

Correct Answer:- Option-D

Question85:-Lasunaswarasa in Nareeksheera for Nasya is advised by Ashtanga sangraha in

- A:-Vatika unmada
- B:-Madatyaya
- C:-Apasmara
- D:-Swasa

Correct Answer:- Option-D

Question86:-The quantity of Amruth in Balataila is

- A:-10 pala
- B:-25 pala
- C:-50 pala
- D:-100 pala

Correct Answer:- Option-B

Question87:-Ksheeragrita akshitarpana is advised by Ashtanga sangraha in

- A:-Arditha chikitsa
- B:-Sirogatavata chikitsa
- C:-Sirakkamba chikitsa

D:-Vatahata chikitsa

Correct Answer:- Option-A

Question88:-Grita prepared with 100 Pathya and 50 Pathyavrinda is indicated in

A:-Kaphagulma

B:-Kamala

C:-Udara

D:-Sopha

Correct Answer:- Option-B

Question89:-In the sputum smear examination, more than _____ number of bacilli found is declared as Pulmonary TB positive.

A:-3-20

B:-10-100

C:-100-200

D:->200

Correct Answer:- Option-B

Question90:-Mridweekamalarasa for panaka is advised by Ashtanga hridaya in

A:-Rektapitha

B:-Paittika jwara

C:-Amlapitha

D:-Pandu

Correct Answer:- Option-D

Question91:-Nathipishta pralepa is indicated in

A:-Paitika vatasonita

B:-Kidiba kushta

C:-Dahadi jwara

D:-Paitika sopha

Correct Answer:- Option-C

Question92:-Management of Pittanubanda kaphakasa is

A:-Vatakaphahara chikitsa

B:-Pittahara chikitsa

C:-Vatapithahara chikitsa

D:-Kaphahara chikitsa

Correct Answer:- Option-B

Question93:-The funding pattern in between central and state governments is

A:-60 : 40

B:-70 : 30

C:-50 : 50

D:-80 : 20

Correct Answer:- Option-A

Question94:-Rasayana mentioned as Ekadasasitasata in Avarana chikitsa

A:-Narasimha rasayana

B:-Chyavanaprasha

C:-Brahmarasayana

D:-Amalakirasana

Correct Answer:- Option-C

Question95:-Most common gene recognised in MODY (Maturity Onset Diabetes of the Young)

A:-HNF 4 `alpha`

B:-Glucokinase

C:-HNF 1 `alpha`

D:-HNF 1 β

Correct Answer:- Option-C

Question96:-Quantity of Silajatu in Koutajatriphala is

A:-1 pala

B:-8 pala

C:-16 pala

D:-1 Karsha

Correct Answer:- Option-B

Question97:-Normal value of Microalbumin in Urine

A:-0-30 mg/24 hours

B:-0-60 mg/24 hours

C:-0-90 mg/24 hours

D:-0-120 mg/24 hours

Correct Answer:- Option-A

Question98:-Quantity of Ksheera in Ksheerashtpala grita

A:-Equal to grita

B:-4 times than grita

C:-Half part of grita

D:-8 times than grita

Correct Answer:- Option-A

Question99:-SAAG normal gradient in peritonial fluid is

A:-< 1.1

B:-<2.1

C:-<10.1

D:-<20.1

Correct Answer:- Option-A

Question100:-Which is not a symptom in Reiter's syndrome ?

A:-Polyarthropathy

B:-Urithritis

C:-Psoriasiform errupstion

D:-Pneumonia

Correct Answer:- Option-D