

029/2024

Maximum : 100 marks

Time : 1 hour and 30 minutes

1. Which of the following philosophy (*Darshana*) also known as *Tatwasamkhata* as well as *Tatwaganaka*?
 - (A) *Sankhaya Darshana of Kapila*
 - (B) *Vaiseshika Darshana of Kanada*
 - (C) *Nyaya Darshana of Gautam*
 - (D) *Yoga Darshana of Patanjali*
2. Which of the following *Gunas* includes under the additionally added 07 numbers of *Gunas* by *Prashastapada* the commentator of *Vaiseshika Darshana of Kanada* to make the number of *Gunas* 24 as per school of *Vaiseshika Darshana*?
 - (A) *Rupa*
 - (B) *Samjyoga*
 - (C) *Adrishta*
 - (D) *Paratwa*
3. Which of the following scholar considered as oldest preceptor of *Yoga Darshana* in comparison to *Patanjali of Yoga Darshana*?
 - (A) *Yangyabalka*
 - (B) *Hiranyagarbha*
 - (C) *Shivaditya*
 - (D) *Ishwarakrishna*
4. In the opinion Sankhaya Darshana which of the following is a correct statement :
 - (A) *Tanmatras Rupa* are the *Avisesha* in the stage of *Mahabhutas*
 - (B) *Gunas* (qualities) are remains as *Avyakta-awastha* (non-manifested) in the stage of *Mahabhutas*.
 - (C) *Tanmatras Rupa* are the *Visesha* in the stage of *Bhutas*
 - (D) *Gunas* (qualities) are remains as non-manifested (*Avyakta-awastha*) in the stage of *Bhutas*
5. In the opinion of which following commentaries of *Sushruta Samhita Bijactustayah* has been described as *Caturavayavah* :
 - (A) *Bhanumati of Cakrapani*
 - (B) *Nibanddhasamgrah of Dalhana*
 - (C) *Sushrtartha-Sandipan of Haranchandra*
 - (D) *Nyayachandrika of Gayadash*

A

3

[P.T.O.]

6. In which of the following group of chapters the chapter name as *Swasthavritta Addhyayam* has been described in *Sushruta Samhita*?
- (A) *Tantrabhushanaddhyayas*
 (B) *KriyakalpoupkramaAddhyas*
 (C) *Prabhashaniya addhyayopkrama*
 (D) *Hitahitiyaddhyayopkrama*
7. In which of the following principle considered to be comparatively better dietic principles for management for *Atisthaulya*?
- (A) *Laghu Santaropan*
 (B) *Guru aptarpan*
 (C) *Vataghna Shlesma-Medohara*
 (D) *Satatam Santarpanam*
8. According to Charaka kalanthara vipakitva is the quality of :
- (A) Gara visha (B) Dushi visha
 (C) Jangama visha (D) Sthavara visha
9. Tankana is the prathyoushadhi for :
- (A) Karaskara (B) Valsanabha
 (C) Bhallathaka (D) Chitraka
10. Swastheekarothi Anjana pana nasyei is by :
- (A) Dushi vishari gulika (B) Dasangam agadam
 (C) Vilwadi gulika (D) Lodradi yoga
11. A drug that induces and/or maintains sleep, similar to normal arousable sleep :
- (A) Sedative (B) tranquilizer
 (C) Anesthetic (D) Hypnotic
12. Drugs believe to increase bronchial secretion or reduce its viscosity, facilitates its removal by coughing :
- (A) Demulcents (B) Expectorant
 (C) Bronchodilators (D) All of the above

13. Soothing Medicaments act by relieving pain in the stomach and intestine and Expel gas from GI tract by Peristalsis :
- (A) Digestants (B) Antacids
(C) Carminative (D) Antiemetic
14. Pyridoxine is Vitamin :
- (A) B2 (B) B3
(C) B12 (D) B6
15. Quinine is :
- (A) Antimalarial (B) Amoebicidal
(C) Antimicrobial (D) Antifungal
16. Simple Vaccine is given as :
- (A) Anti venom (B) Anti Filarial
(C) Anti rabies (D) Polio myelitis vaccine
17. Coroner Court is a court of :
- (A) Enquiry (B) Trial
(C) Investigation (D) All of the above
18. The following Gana dravyas are contra indicated during Rasoushadhi Sevena kala :
- (A) Kakaradi Gana Dravyas (B) Kshar Gana Dravyas
(C) Lavana Varga Dravyas (D) All of the above
19. According to sharanghadhara the quantity of guggulu in Yogaraj Guggulu formulation is :
- (A) 20 Parts (B) 40 Parts
(C) 60 Parts (D) 80 Parts
20. According to sharanghadhara types of Pratisarana (Manjana) are :
- (A) Kalka, Avalehya, Churna (B) Swarasa, Jala, Gomutra
(C) Kanji, Dhanyasava, Sura (D) None of the above
21. According Sharanghadhara the length of Anjana Shalaka is :
- (A) 2 angula (B) 4 angula
(C) 8 angula (D) 10 angula

22. According to Sushruta the synonyms of Madhutailika basti :
- (A) Yapana basti (B) Siddha basti
(C) Yukta Ratha basti (D) All of the above
23. According to sharanghadhara during the preparation of Paanadikalpana the proportion of drug and water is :
- (A) 1 Pala of crushed drug is boiled with 64 Palas of water and reduced to half ($\frac{1}{2}$) quantity
(B) 1 Pala of crushed drug is boiled with 64 Palas of water and reduced to one eighth ($\frac{1}{8^{\text{th}}}$) quantity
(C) 1 Pala of crushed drug is boiled with 8 Palas of water and reduced to one fourth ($\frac{1}{4^{\text{th}}}$) quantity
(D) 1 Pala of crushed drug is boiled with 16 Palas of water and reduced to half ($\frac{1}{2}$) quantity
24. According to Vaidyak Paribhasa Pradeepa, the collection of animal origin products like Nakha (nail) Roma (Hair) should be collected :
- (A) From Adult Animals (B) From Young Animals
(C) After digestion of food (D) Before food
25. According to Bhaishajya Ratnavali in Urdwajatrugata Vikara (Diseases of Head Neck) the avalehya should be given :
- (A) Early morning (B) Before food
(C) After food (D) Evening time
26. According to Rasa Ratna Samuchchaya the quantity of Katuki churna in Arogyavardhini Vati is :
- (A) Sarvasama (equal) to all other ingredients
(B) Ardhabhaga (half) to all other ingredients
(C) Dwibhagha (Double quantity) to all ingredients
(D) All of the above
27. Bahya Kalpana Chikitsa included in :
- (A) Antarparimarjana Chikitsa
(B) Bahirparimarjana Chikitsa
(C) Shastra Pranidana Chikitsa
(D) All of the above

28. Hetu Chatustaya of Rajyakshma :
- (A) Vegavarodha Kshaya Sahasa Vishamashana
(B) Diwaswapna Vegavarodha Gramyadhrama Avyayama
(C) Ratrijagara Vishamashana Atichankramana Sahasa
(D) Asyasukha Kshaya Vegavarodha Diwaswapna
29. Kasa bheda :
- (A) 5 (B) 6
(C) 11 (D) 7
30. Lohitagandha Nishwasa is Poorvarupa of :
- (A) Swarabheda (B) Krimija Hrudroga
(C) Rajyakshma (D) Raktapitta
31. Prabhuta avila mutrata is samanyalakshana of :
- (A) Mutakruchra (B) Ashmari
(C) Prameha (D) Jwara
32. HbA1c test is done in diagnosing :
- (A) Anaemia (B) Diabetes
(C) Both (A) and (B) (D) None of the above
33. Inverted T wave in ECG indicates :
- (A) Left ventricular hypertrophy (B) Digoxin effect
(C) Coronary ischemia (D) All of the above
34. Adhogha raktapitta is :
- (A) Sadhya (B) Asadhya
(C) Yapya (D) None of the above
35. Vatapura druti Sparsha of joints is lakshana in :
- (A) Amavat (B) Sandhigatavata
(C) Vatarakta (D) None of the above

36. Kapala kusta is ————— dosha pradhana.
- (A) Pitta (B) Kapha
(C) Vata (D) Tridosha
37. Dengue fever is ————— borne infection.
- (A) water (B) mosquito
(C) food (D) none of the above
38. Ama Pravruthi in Urdhwabhaga and Adhobaga is referred as :
- (A) Alasaka (B) Dandalasaka
(C) Amadosha (D) Vishuchika
39. Divaabalam is one of the lakshana of :
- (A) Pittaja shotha (B) Vataja shotha
(C) Kaphaja shotha (D) Both (A) and (B)
40. According to Sushruthacharya Navayasa loha is mentioned in ————— context.
- (A) Prameha Chikitsa (B) Pandu Chikitsa
(C) Gulma Chikitsa (D) Prameha Pidaka Chikitsa
41. “Kanaka Ksheeri Taila” – Rogadhikara according to Charaka Acharya :
- (A) Shwitra (B) Arshas
(C) Gulma (D) Kushta
42. Tar Janam Trasanam Danam Harshanam Santranam Bhayam is the chikitsa for :
- (A) Apasmara (B) Unmada
(C) Atatrabinivashana (D) Hikka
43. Sarpiguda rogadohikara according to Chakarasamhita :
- (A) Shotha (B) Gulma
(C) Kstha Kshneena (D) All of the above

44. Lohaama Gandhi Tiktaamlaudgara is the feature of :
- (A) Raktha pitta (B) Ajeerna
(C) Pandu (D) Grahani
45. In Unmada Chikitsa according to Charaka ————— is mentioned.
- (A) Siddartakadi Kwatha (B) Siddartakadi Ghrita
(C) Siddartakadi Snana (D) None of the above
46. In Jwara Chikitsa of Vishama Jwara by Charaka ————— is stated.
- (A) Rudra Pooja (B) Vishnu Sahasranama
(C) None of the above (D) Both (A) and (B)
47. Number of types of Udavatha according to Sushrutha charya :
- (A) 1 (B) 12
(C) 13 (D) none of the above
48. Baloth̄saha Kshayastandra Mandagnitram mrudu Jwaram is a feature of :
- (A) Pandu (B) Kamala
(C) Kumbakamala (D) Halimaka
49. Indication for upavasa type of Langhana :
- (A) Madhyama bala Roga, Vamyadiviyadhi (वम्यादि व्याधि)
(B) Avara bala Roga Vamyadiviyadhi
(C) Maha bala Roga Vamyadiviyadhi
(D) None of the above
50. Following is Manasa roga Samanya Chikitsa :
- (A) Dhee Dhairya Smruti
(B) Jnana VigJnana Dhee Dhairya Smruti
(C) Jnana VigJnana Smruti Samadhi
(D) None of these

51. Not a type of Hikka according to Charakacharya :
- (A) Maha hikka (B) Vyapeta hikka
(C) Gambira hikka (D) Yamala hikka
52. Paithike Sakaphe kase ————— Sarpisham :
- (A) Vamana (B) Viruchana hitam
(C) Snehanam (D) Anvasanam
53. In Ashtanga Hridayam Medhya rasayana-Sankhupushpi is used in the form of:
- (A) Kashaya prepared with root and flower
(B) Choornam prepared with root and leaf
(C) Kalkam prepared with root and flower
(D) Swarasam prepared with root and leaf
54. Anupana of 'Chithraka rasayanam' in 'Kushta rogam' is:
- (A) Thailam (B) Ksheeram
(C) Gomuthram (D) Dhanyamlam
55. 'Jeerno api gachathi pramada satham' which vajeekarana yoga is this:
- (A) Shwadamshtadi yogam (B) Swayamgupthadi yogam
(C) Payasya vajeekarana yogam (D) Godhoomadi vajeekarana yogam
56. Match the following with respect to rasayanaprayogam according to Ashtanga Hrudayam:
- (1) Bhallathakarasyanam (a) Mudgayoosham
(2) Krishnathiiia rasayanam (b) Padhyanushtanam for 'thrigunitham-kalam'
(3) Thuvaraka thailam (c) Greeshmacharya
(4) Lasunaràsayanam (d) Seetha Udakam
- (A) 1-a, 2-b, 3-d, 4-c
(B) 1-b, 2-d, 3-a, 4-c
(C) 1-a, 2-b, 3-c, 4-d
(D) 1-c, 2-a, 3-b, 4-d

57. Factor which is not causing 'prasravana' of Sukra according to Charaka is:
- (A) Laghuthwam (B) Gurutwam
(C) Paichilyam (D) Sarathwam
58. Vardhamana pippali rasayanam is indicated in which disease:
- (A) Galarogam (B) Pandu
(C) Pleeha rogam (D) All of these
59. Rasayanoushadha according to Sarngadhara is:
- (A) Amruth (B) Gulgulu
(C) Abhaya (D) All of these
60. How fast analysis of semen should be done after collection?
- (A) Within fifteen minutes (B) Within three hour
(C) Within one hour (D) Within the next 24 hours
61. Mention the common kalka used for preparing niroohavasti dravya:
- (A) Sathahwa kalka (B) Sathahwadi kalka
(C) Yavanyadi kalka (D) Erandamooladi kalka
62. According to Ashtanga hridaya, What should be time gap between "vamana and virechana", "virechana and niroohavasti" respectively?
- (A) Paksham, saptadinam (B) Masam, paksham
(C) Paksham, paksham (D) Paksham, masam
63. According to Ashtanga hridaya, nasya using Khapura comes under which type of nasya:
- (A) Virechana (B) Brimhana
(C) Samana (D) Avapeedaka
64. In rasasamsarjanakrama, which combination of rasa should be given, after giving a combination of Amla and lavana rasa ahara?
- (A) Kadu, kashaya (B) Tiktha, swadu
(C) Lavana, swadu (D) Swadu amla

65. According to Charaka, which of the following virechana oushadha is Anapaayi (free from complications)?
- (A) Pragraha (B) Lodra
(C) Koodarana (D) Tikthala
66. Varshanika is an instrument used for performing which of the following karma?
- (A) Avagaham (B) Parishekam
(C) Ksheeradhoomam (D) Sirovasti
67. Which of the following is not a vamanopaga dravya?
- (A) Madhu (B) Nimba
(C) Bimbi (D) Neepa
68. Find out the correct statement:
- (1) Vamana is indicated in Mutraghata
(2) Vamana is contraindicated in mutraghata
(3) Performing vamana in mutraghata causes complete obstruction of urine
(4) Performing vamana in mutraghata causes severe pain
- (A) Only (1) is correct
(B) Both (2) and (3) are correct, and (3) is the explanation for (2)
(C) Both (2) and (4) are correct and (4) is the explanation for (2)
(D) (2), (3) and (4) are correct
69. Administration of alpa matra (low dose) samsodhana oushadha in a person having bahudoshha leads to the occurrence of which of the following complication?
- (A) Parisrava (B) Sthamba
(C) Upadrava (D) Klama
70. Which of the following is not a complication of Yapana vasti?
- (A) Athisara (B) Jwaram
(C) Parisravam (D) Pandu

71. The given features are correct in which of the following condition :
- (i) Sieve like appearance
 - (ii) Infective gangrene of subcutaneous tissue
 - (iii) Results in characteristic induration after healing
 - (iv) Staphylococcal infection is the most common cause
- (A) Cellulitis (B) Carbuncle
(C) Hidradenitis suppurativa (D) None of the above
72. Which of the following statement is/are not true in case of burns?
- (i) Pin prick test is negative in full thickness burn
 - (ii) Pin prick test is negative in partial thickness burn
 - (iii) Focal ischemia resulting in duodenal mucosal changes is a complication
 - (iv) As per rule of nines, in a child of 5 years, head, face and neck represent 1% of body surface
- (A) Both (ii) and (iv) (B) Both (i) and (iii)
(C) Only (i) (D) Only (iii)
73. Which of the following statement is/are not true regarding wound healing?
- (i) Wound contraction starts after lag period
 - (ii) Wound contraction is more on face of young patients
 - (iii) The tensile strength of the wound depends on the amount of collagen present
 - (iv) Proliferation and migration of the marginal basal cells lying close to the wound margin is called cicatrization
- (A) Only (iii) (B) Both (i) and (iii)
(C) Only (ii) (D) Both (ii) and (iv)
74. Which of the following statement is/are true in case of apalapa marma?
- (i) Uromarma, Soumya and agneya, one angula in Pramana
 - (ii) Siramarma, Soumya, kalanthara pranahara
 - (iii) Turns fatal in 15 days or 1 month, half angula in pramana, located in flanks
 - (iv) Uromarma, vykalyakara, snayumarma
- (A) Only (iv) (B) Only (iii)
(C) Only (ii) (D) Both (i) and (iv)

75. Which of the following statement is/are true in case of cold abscess?

- (i) Causative organism is staphylococcus aureus
- (ii) Hilton's method is used for drainage
- (iii) Brawny induration is characteristic
- (iv) Painful abscess

- (A) Only (iv) (B) Both (iii) and (iv)
(C) Only (ii) (D) None of the above

76. Which of the following statement is/are true regarding rakta moksha?

- (i) Satadoutha ghrita application is indicated in Samyak yoga of jalukavacharana
- (ii) Satadoutha ghrita application is indicated in atiyoga of prachanana
- (iii) Dahana karma is contra indicated in bleeding as it vitiates pitta-rakta
- (iv) Gomayachurna virukshana is indicated in sira vyadha vyapat

- (A) Both (ii) and (iv) (B) Only (iii)
(C) Only (i) (D) All of the above

77. Which of the following statement is/are incorrect in case of asmari?

- (i) Jwara is not a purvarupa
- (ii) Pandu gatrata is a lakshana of mutra sarkara
- (iii) Bhinnavasti caused due to extraction of asmari is curable
- (iv) Loss of libido is not a complication of sastrakarma in asmari

- (A) Only (ii)
(B) Both (ii) and (iii)
(C) Both (i) and (iv)
(D) All of the above

78. Which of the following statement is/are true regarding sadyovrana?
- (i) Sita uchwasa is not an asadya lakshana of koshtagata salya
 - (ii) Bhagna vidhi is contraindicated in pichita vrana
 - (iii) Sadyovrana chikitsa should be continued for a period of one paksha in case of chinna vrana
 - (iv) Patient having prishta vrana is advised to lie down in uttana posture
- (A) Only (iii)
(B) Only (iv)
(C) Both (i) and (ii)
(D) Both (ii) and (iii)
79. Which of the following statement is/are true in case of hernia?
- (i) Femoral hernia is not a type of external abdominal hernia
 - (ii) Patient does not complain of pain in case of obstructed hernia
 - (iii) Get above the swelling is the test to differentiate direct hernia from indirect hernia
 - (iv) Shouldice repair is the surgical procedure done in case of incisional hernia
- (A) Both (i) and (iii)
(B) Both (i) and (iv)
(C) Only (ii)
(D) None of the above
80. Which one of the following statement is /are correct regarding guggulupanchapala choornam?
- (i) Guggulupanchapala choornam is said in susruta samhita kushta chikitsa
 - (ii) It has to be taken with honey as anupana
 - (iii) Khadira Kashaya is mentioned as anupana in kushta
 - (iv) It is said in the context of bhagandara prathisheda in ashtanga hridaya
- (A) Only (i)
(B) Both (i) and (iii)
(C) Both (iii) and (iv)
(D) Both (ii) and (iv)

81. According to Acharya Vagbhata, Mahaniladi gutika is indicated in which one of the following disease :
- (A) Akshipakatyaya (B) Abhysyandha
(C) Savrana Sukla (D) Shudda shukra
82. Which one of the following is Bhedya sadhya netra roga?
- (A) Krimigranthi (B) Parvani
(C) Both (A) and (B) (D) Bahala Varthma
83. Which one of the following is Dantamoolagata roga?
- (A) Dantavestaka (B) Vardhana
(C) Both (A) and (B) (D) None of the above
84. According to Acharya Sushruta 'Amalakasthi matra' is referred to describe one of the following :
- (A) Ekavranda (B) Kantashalooka
(C) Gilayu (D) None of the above
85. According to Acharya Vagbhata, which one of the following is Yaapya roga :
- (A) Kuchikarnaka (B) Tantrika
(C) Karna pippali (D) All of the above
86. According to Acharya Sushruta which one of the following is Asadhya roga :
- (A) Swaraghna (B) Valaya
(C) Mamsatana (D) All of the above
87. According to Acharya Sushrutha, Ashwathapatrakhalla taila is indicated in which of the following disease :
- (A) Ardhavabhedaka (B) Dushtapratishyaya
(C) Karnashoola (D) Nasa arshas
88. According to Acharya Sushruta in which of the following disease "Yakruthpindopamam" lakshana is seen :
- (A) Vataja Adhimantha (B) Pittaja Adhimantha
(C) Hathadimantha (D) Raktaja Adhimantha

89. According to Acharya Sushruta, Swara upaghata is a lakshana found in which of the following disease :

- (A) Vataja Adhimantha (B) Vataja Pratishyaya
(C) Pittaja Pratishyaya (D) Talupaka

90. According to Acharya Sushruta total number of Yaapya netra rogas are :

- (A) 07 (B) 06
(C) 09 (D) 08

91. Which of the following statement is/are true about Soothika paricharya?

1. Care like that of foetus
2. Kwathitha seetha thoya panam
3. Balathyla abhyangam
4. Care is like that of pregnant lady
5. Jangala mamsa rasa seva

- (A) 1, 2 and 3
(B) 3, 4 and 5
(C) 2, 3 and 5
(D) All statements are true

92. Read the following statements and choose the wrong statement about Rajaswala / menstruating women :

- (A) Mridu swedana is contra indicated (B) Kshara is contra indicated
(C) Nasya is contra indicated (D) Vamana is contra indicated

93. Dysmenorrhoea, Dyspareunia, Deep seated pelvic pain are classic triad of symptoms and main clinical presentations are pain and infertility in :

- (A) Pelvic Inflammatory diseases (B) Endometriosis
(C) Abnormal uterine bleeding (D) Polycystic diseases

94. Which of the following treatment procedures are incorrect about Raktha gulma?
- (A) Sira vedham
 (B) Ksharavasthi
 (C) Malsyapitha bhavitha pichudharanam
 (D) None of the above
95. What is the height of fundus of uterus at the end of 2nd week of postpartum?
- (A) 24 weeks (B) 18 weeks
 (C) 16 weeks (D) 12 weeks
96. Which one of the following vaccines is not given at birth?
- (A) BCG (B) OPV
 (C) Hep B (D) MMR
97. All the following are features of obstructed labor except :
- (A) Tonic contracted uterus (B) Bandl's ring
 (C) Unruptured membranes (D) None of the above
98. According to Ashtanga Hridaya Untreated Yonirogas can lead to diseases except :
- (A) Arbudam (B) Asrugdharam
 (C) Gulmam (D) Arsas
99. According to Kasyapa which one is contra indicated in Heart burn in pregnancy (Garbha avasthayam garbhadaham) :
- (A) Yusha (B) Gulodakam
 (C) Ushnodakam (D) Ksheeram
100. Which one of the following is given as preenana modaka for bala :
- (A) Priyala majjadi (B) Dhatakpushpadi
 (C) Balavilwadi (D) All of the above

SPACE FOR ROUGH WORK

SPACE FOR ROUGH WORK