

## **APPOINTMENT CHART**

No. R1C (2) 19877/10/GW

Category No. 279/2007

Name of Post : Battery Charger  
Name of Department : Kerala State Water Transport  
Date of receipt of the vacancy : 25.08.2014  
No. of vacancies reported : 1 (One) NJD  
Date of Advice : 08.10.2014

### **PENDING TURNS**

TPO : NA  
NJD : MR I 5 OC on 23.06.2014 (Present NJD)  
NCA : NIL

<i>Sl. No.</i>	<i>Name and Address</i>	<i>Rank No.</i>	<i>Community</i>	<i>Rotation as approved by the Commission</i>	<i>Remarks</i>
1	Rajeevan P Padannayil House Kolakkattu Chali P.O Chelembra (via) Malappuram 673 634	13	Ezhava	NJD compensation to MR I 5 OC on 23.06.2014 now satisfied	

*None interchanged for keeping the seniority in the ranked list.*

### **OC/BC POSITION**

	<b>OC</b>	<b>BC</b>	<b>NJD</b>	<b>TOTAL</b>
Previous	–	–	12	12
Present	–	–	1	1
Total	–	–	13	13

### **LIST OF UNFILLED TURN OF COMMUNITIES**

**NIL**

**for SECRETARY  
KERALA PUBLIC SERVICE COMMISSION**