

FINAL ANSWER KEY

Question Paper Code:	9/2022/OL
Category Code:	114/2021
Exam:	Assistant Professor in Shalakaya Tantra
Date of Test	24-03-2022
Department	Ayurveda Medical Education
Alphacode	A

Question1:-Which of the following is not true regarding the Dosha based classification of Netrarogas according to Susrutha ?

- A:-Sadya Pittharogas are 6
- B:-Sadya Kapharogas are 11
- C:-Asadhya Sannipatha Rogas are 5
- D:-Sadhya Vataja Rogas are 5

Correct Answer:- Option-C

Question2:-Which of the following is not a specific feature of Pitthoklishta as per Vagbhata ?

- A:-Sopha
- B:-Kleda
- C:-Daha
- D:-Toda

Correct Answer:- Option-A

Question3:-Khara and Sookshma Pidaka is a clinical feature of

- A:-Vartma Sharkara
- B:-Arshovartma
- C:-Shushkarsha
- D:-Both 1 and 3

Correct Answer:-**Question Cancelled**

Question4:-Which of the following is not true regarding Lekhana vidhi as per Vagbhata ?

- A:-Mandalagrashastra is used for the procedure
- B:-YavasakthuPindi is advised after the procedure
- C:-Nasya is advised on 4th day
- D:-Bandage should be removed after 7th day

Correct Answer:- Option-D

Question5:-According to Susrutha, both Lekhana and Chedana can be done in

- A:-Utsangini
- B:-Vartmasharkara
- C:-Kumbhika
- D:-All

Correct Answer:- Option-D

Question6:-Which of the following disease appear like 'water drop' ?

- A:-Shuklarma
- B:-Pishtaka
- C:-Balasagradhitha
- D:-Shukthika

Correct Answer:- Option-C

Question7:-Regarding Krishnagatharogas, the following is not true according to Susrutha

- A:-Akshipakatyaya is Rakthaja in origin
- B:-Savranashukla with minimum pain can be treatable
- C:-Akshipakathyaya is caused by Abhishyanda
- D:-Avrana Shukla is of Rakthaja in origin

Correct Answer:- Option-A

Question8:-In which Nasaroga Susrutha advised the specific use of Anutaila for Nasya ?

- A:-Ksavadhu
- B:-Nasanaha
- C:-Nasashosha
- D:-Apeenasa

Correct Answer:- Option-C

Question9:-In Linganashavedhana procedure, when Doshas are static or unsteady, what is the solution advised ?

- A:-Swedana
- B:-Lekhana
- C:-Siravyadha
- D:-Sthanyaseka

Correct Answer:- Option-A

Question10:-Which of the following is not occurs as the complications of Linganashavedana ?

- A:-Redness
- B:-Athimandha
- C:-Adhodristhitwa
- D:-None

Correct Answer:- Option-D

Question11:-Which of the following is not an ingredient of Kokila Varthi ?

- A:-Trikatu
- B:-Shankha
- C:-Triphala
- D:-Saindhava

Correct Answer:- Option-B

Question12:-In pathological myopia, elongation of eye ball mainly occurs

- A:-Anterior to equator
- B:-Posterior to equator
- C:-Whole of eye ball uniformly
- D:-Retina only

Correct Answer:- Option-B

Question13:-Which of the following statement is false in relation to lens ?

- A:-It has only Anterior epithelium
- B:-Weight increases from birth to old age
- C:-Accommodative power increases from birth to old age
- D:-It is avascular

Correct Answer:- Option-C

Question14:-Convex spherical glasses are prescribed in

- A:-Hypermetropia
- B:-Astigmatism
- C:-Presbyopia
- D:-Both 1 and 3

Correct Answer:- Option-D

Question15:-The type of Nasya indicated in Krichronmeelana is

- A:-Brimhana
- B:-Shamana
- C:-Virechana
- D:-Both 1 and 2

Correct Answer:- Option-A

Question16:-Water drinking test is a provocative test for

- A:-Open Angle glaucoma

B:-Closed angle glaucoma

C:-Congenital glaucoma

D:-Absolute glaucoma

Correct Answer:- Option-A

Question17:-Cornea is highly sensitive, because it is having a rich supply from

A:-Lacrimal nerve

B:-Frontal nerve

C:-Nasociliary nerve

D:-All

Correct Answer:- Option-C

Question18:-Satellite lesions are the characteristic feature of

A:-Bacterial corneal ulcer

B:-Viral corneal ulcer

C:-Fungal corneal ulcer

D:-Protozoal corneal ulcer

Correct Answer:- Option-C

Question19:-The corneal endothelium on slit lamp biomicroscopy is examined using

A:-Retro illumination

B:-Sclerotic scatter

C:-Direct illumination

D:-Specular reflection

Correct Answer:- Option-D

Question20:-'b' wave in ERG represents the activity of

A:-Rods and cones

B:-Bipolar cells

C:-Ganglion cells

D:-Retinal pigment epithelium

Correct Answer:- Option-B

Question21:-Stocker's line is seen in

A:-Pterygium

B:-Pterygium

C:-Trachoma

D:-Both 2 and 3

Correct Answer:- Option-B

Question22:-Gunn sign is

A:-Silver wiring of arterioles

B:-Deflection of veins at arteriovenous crossing

C:-Copper wiring of arterioles

D:-Tapering of veins on the either side of the crossings

Correct Answer:- Option-D

Question23:-Which of the following is false about indirect ophthalmoscopy ?

A:-Convex lens is used

B:-Magnification is 4-5 times

C:-Image is virtual and erect

D:-It is very bright and can penetrate the regular haziness of the media

Correct Answer:- Option-C

Question24:-All of the following are used in the treatment of Retinal detachment except

A:-Scleral buckling

B:-Drainage of subretinal fluid

C:-Vitreotomy

D:-Transpupillary thermotherapy

Correct Answer:- Option-D

Question25:-Exposure to cold after Shirovirechana Nasya is a causative factor of

A:-Badhirya

B:-Kamanada

C:-Karnaksveda

D:-Karnasrava

Correct Answer:- Option-C

Question26:-Dosha Predominance of Dukhavardhana is

A:-Vata-Kapha

B:-Vata-Pittha

C:-Kapha-Pittha

D:-Sannipata

Correct Answer:- Option-D

Question27:-Which Panchamoola is used for the preparation of Deepikathaila ?

A:-Brihat Panchamoola

B:-Laghu Panchamoola

C:-Both 1 and 2

D:-Jeevana Panchamoola

Correct Answer:- Option-A

Question28:-Otoacoustic emissions (OAE) are produced by

A:-Inner hair cells

B:-Basilar membrane

C:-Outer hair cells

D:-Utricle

Correct Answer:- Option-C

Question29:-Type A tympanogram is found in

A:-Normal person

B:-Tympanosclerosis

C:-Otosclerosis

D:-Secretory otitis media

Correct Answer:- Option-A

Question30:-Halitosis is a feature of _____ according to Susruta.

A:-Kaphaja Pratishaya

B:-Rakthaja Pratishaya

C:-Dushtra Pratishaya

D:-Both 2 and 3

Correct Answer:- Option-D

Question31:-Which of the following is not true in relation to Vataja Prathishaya chikitsa ?

A:-Ardithachikitsa can be adopted

B:-Panchalavana siddha ghrita is indicated

C:-Gourasarshapalepa is advised

D:-None

Correct Answer:- Option-C

Question32:-Which type of Dhoomapana is indicated in Vata-Kapha diseases ?

A:-Snigdha

B:-Madhya

C:-Theekshana

D:-Both 2 and 3

Correct Answer:- Option-B

Question33:-A healthy 10 year old male child presented to the ENT clinic with right sided nasal obstruction, foul smelling and blood-stained discharge. The most likely diagnosis is

- A:-Nasal polyp
- B:-Rhinolith
- C:-Angiofibroma
- D:-Foreign body

Correct Answer:- Option-D

Question34:-Which is known as Tonsillar lymph nodes ?

- A:-Jugulo digastric
- B:-Jugulo omohyoid
- C:-Deep cervical
- D:-Retro pharyngeal

Correct Answer:- Option-A

Question35:-Which of the following is not true regarding Mucormycosis ?

- A:-It is a fungal infection
- B:-It will appear as a black mass filling the nasal cavity
- C:-Epistaxis is a common feature
- D:-The fatality of the disease is due to the invasion of arteries and endothelium

Correct Answer:- Option-C

Question36:-Dosha predominance of Darunaka is

- A:-Kapha-Vata
- B:-Pittha-Raktha
- C:-Kapha-Pittha
- D:-Sannipatha

Correct Answer:- Option-A

Question37:-According to Susruta Dosha predominance of Ardhavabhedaka is

- A:-Tridosha
- B:-Vata-Pitta
- C:-Vatha-Kapha
- D:-Vata-Raktha

Correct Answer:- Option-A

Question38:-Which of the following is not true regarding Migraine ?

- A:-It is a primary headache
- B:-Characterized by aura
- C:-Common after 50 years
- D:-Vomiting causes relief of pain

Correct Answer:- Option-C

Question39:-Use of Ksheerasarpi for Nasya and Pana is specifically advised in

- A:-Vathika Shirasholola
- B:-Shankhaka
- C:-Ananthavatha
- D:-Sooryavartha

Correct Answer:- Option-B

Question40:-Which of the following is NOT a symptom of hyperthyroidism ?

- A:-Weight loss
- B:-Palpitations
- C:-Heat intolerance
- D:-Decreased cardiac output

Correct Answer:- Option-D

Question41:-Which is known as space of Gillette ?

- A:-Retropharyngeal space

B:-Parapharyngeal space

C:-Peritonsillar space

D:-Vallecula

Correct Answer:- Option-A

Question42:-Which of the following disease is characterized by severe fever and headache ?

A:-Galougha

B:-Gilayu

C:-Shathaghni

D:-Galavidradhi

Correct Answer:- Option-C

Question43:-Which of the following is not a bad prognostic sign of Galaganda ?

A:-Hoarseness of voice

B:-More than one-year chronicity

C:-Having Dyspnea

D:-Xerostomia

Correct Answer:- Option-D

Question44:-Dosha predominance of Jalarbuda is

A:-Vata Kapha

B:-Pittha Kapha

C:-Vata Pittha

D:-Sannipatha

Correct Answer:- Option-A

Question45:-Which Dantharoga will cause loss of natural colour of teeth ?

A:-Dantha Sharkara

B:-Krimidantha

C:-Bhanjanaka

D:-Both 1 and 2

Correct Answer:- Option-D

Question46:-Pittha Vidradhi Chikitsa can be adopted in the management of

A:-Pitthaja Oshtakopa

B:-Sannipathaja Oshtakopa

C:-Abhigataja Oshtakopa

D:-Both Pitthaja and Abhigataja Oshtakopa

Correct Answer:- Option-D

Question47:-Ksharakarma and Agnikarma can be adopted in which Oshtaroga chikitsa ?

A:-Kaphaja Oshtakopa

B:-Jalarbuda

C:-Abhigataja Oshtakopa

D:-Both 1 and 3

Correct Answer:- Option-B

Question48:-Anutaila Nasya is the specific treatment of

A:-Sheetadantha

B:-Danthaharsha

C:-Danthachala

D:-Adhidantha

Correct Answer:- Option-A

Question49:-Which disease is characterized by Hemeralopia ?

A:-Kaphavidagdha

B:-Ushnavidagdha

C:-Pitthavidagdha

D:-Doshandha

Correct Answer:- Option-C

Question50:-"Cold sore" in the mouth is also called as

A:-Cracked lips

B:-Angio-neurotic edema

C:-Herpes labialis

D:-Carcinoma of lips

Correct Answer:- Option-C

Question51:-Number of Karnamoolarogas mentioned in Sharngadhara Samhitha

A:-1

B:-3

C:-5

D:-7

Correct Answer:- Option-C

Question52:-Karnapoorana with Shambookathaila is useful in

A:-Karnashoola

B:-Kamanadi

C:-Karnanada

D:-Karnakandu

Correct Answer:- Option-B

Question53:-Dose of Snehana Aschyotana is

A:-7 Bindu

B:-12 Bindu

C:-10 Bindu

D:-8 Bindu

Correct Answer:- Option-C

Question54:-Duration of Karnapoorana in Kantarogas

A:-100 Matra

B:-500 Matra

C:-1000 Matra

D:-Not indicated

Correct Answer:- Option-B

Question55:-Which of the following is not a clinical feature of Amaja Netraroga ?

A:-Pain

B:-Redness

C:-Edema

D:-Itching

Correct Answer:- Option-D

Question56:-In which disease Panchangi Doomavarthi is indicated ?

A:-Karna roga

B:-Nasa roga

C:-Mukha roga

D:-All

Correct Answer:- Option-C

Question57:-What is the spherical equivalent of spectacle correction of $-4.00+1.00 \times 180^\circ$?

A:--3.00D

B:--3.50D

C:--4.00D

D:--4.50D

Correct Answer:- Option-B

Question58:-What is the transposed power of correction +3.50D Sph/-2.00 Dcyl×140° ?

- A:-+2.50D Sph/+2.00 Dcyl×50°
- B:-+5.50D Sph/-2.00 Dcyl×50°
- C:-+1.50D Sph/-2.00 Dcyl×50°
- D:-+1.50D Sph/+2.00 Dcyl×50°

Correct Answer:- Option-D

Question59:-Typical feature of 'Ink-blot pattern' in FFA is seen in

- A:-Central serous retinopathy
- B:-Cystoid macular edema
- C:-Diabetic retinopathy
- D:-Optic neuritis

Correct Answer:- Option-A

Question60:-For retinoscopy, which is the drug of choice in age group between 5-8 yrs ?

- A:-Atropine
- B:-Homatropine
- C:-Cyclopentolate
- D:-Tropicamide

Correct Answer:- Option-B

Question61:-In right middle ear pathology, Weber's test will be

- A:-Lateralized to right side
- B:-Positive
- C:-Lateralized to left side
- D:-Centralized

Correct Answer:- Option-A

Question62:-Adenoidectomy is indicated in all of the following conditions except

- A:-Chronic otitis media with effusion
- B:-Nasal obstruction due to adenoid hypertrophy
- C:-Allergic rhinitis in children
- D:-Sleep apnoea syndrome

Correct Answer:- Option-C

Question63:-Which of the following is not true in relation with Meniere's disease ?

- A:-Fluctuating hearing loss
- B:-Intolerance to loud sounds
- C:-Vertigo, Hearing loss and headache
- D:-Positive SISI test

Correct Answer:- Option-C

Question64:-Major amount of saliva when salivary glands are not stimulated is contributed by

- A:-Parotid glands
- B:-Submandibular glands
- C:-Sublingual glands
- D:-Minor salivary glands

Correct Answer:- Option-B

Question65:-Tracheostomy improves alveolar ventilation by decreasing the dead space by

- A:-10-15%
- B:-20-25%
- C:-30-50%
- D:-60-70%

Correct Answer:- Option-C

Question66:-Taste buds are seen in all of the following papillae except

- A:-Circumvallate

B:-Fungiform

C:-Filiform

D:-Foliate

Correct Answer:- Option-C

Question67:-Horner's syndrome consists of all of the following features except

A:-Dilated pupil

B:-Ptosis

C:-Anhydrosis

D:-None

Correct Answer:- Option-A

Question68:-Akshipaka chikitsa is advised in the management of

A:-Upanaha

B:-Pooyalasa

C:-Krimigrandhi

D:-Parvani

Correct Answer:- Option-B

Question69:-Which Shiroroga aggravates by doing Nasya ?

A:-Vataja

B:-Rakthaja

C:-Kshayaja

D:-Krimija

Correct Answer:- Option-C

Question70:-Nasya yogas mentioned in Sheetada and Upakusha Chikitsa can be used in the management of

A:-Mukhapaka

B:-Danthaharsha

C:-Krimidantha

D:-Poothyasyata

Correct Answer:- Option-D

Question71:-Number of diseases manifesting in Drishti according to Susrutha are

A:-18

B:-12

C:-27

D:-16

Correct Answer:- Option-B

Question72:-Which of the following is not a Lekya roga according to Susrutha ?

A:-Parvani

B:-Klishtavartma

C:-Kumbhika

D:-Utsangini

Correct Answer:- Option-A

Question73:-Lacrimal passage is originates from _____ Mahabhuta.

A:-Prithvi

B:-Jala

C:-Vayu

D:-Akasha

Correct Answer:- Option-D

Question74:-Which of the following clinical features are not seen in Krimigrandhi according to Vagbhata ?

A:-Pain

B:-Pus discharge

C:-Watering

D:-Swelling

Correct Answer:- Option-C

Question75:-Quantity of Maricha used in the preparation of Danthavarthi is

A:-1 part

B:-½ part

C:-¼ part

D:-1/8 part

Correct Answer:- Option-C

Question76:-Nasya with Ksheerasarpi is indicated in the management of

A:-Sirashukla

B:-Ajaka

C:-Kshatashukla

D:-Sudhashukla

Correct Answer:- Option-B

Question77:-Which dye is used to stain the anterior capsule during cataract surgery ?

A:-Trypan blue

B:-Rose Bengal

C:-Fluorescein

D:-Indocyanine green

Correct Answer:- Option-A

Question78:-'Pseudopapillitis' is a typical feature found in

A:-Myopia

B:-Keratoconus

C:-Hypermetropia

D:-Astigmatism

Correct Answer:- Option-C

Question79:-Which of the following is not an ingredient of Anuthaila ?

A:-Shariba

B:-Vidanga

C:-Devadaru

D:-Shunti

Correct Answer:- Option-D

Question80:-Gandoosha with _____ is beneficial in reducing Halitosis.

A:-Dhanyamla

B:-Sarpi

C:-Madhu

D:-Ksharajala

Correct Answer:- Option-A

Question81:-Fingertip can be used for the application of _____ Anjana.

A:-Lekhana

B:-Ropana

C:-Prasadana

D:-Prathyanjana

Correct Answer:- Option-B

Question82:-According to Charaka the procedure advised in early stage of Netra roga is

A:-Seka

B:-Aschyotana

C:-Pindi

D:-Vidalaka

Correct Answer:- Option-D

Question83:-The vessel used for the preparation of Drishtiprada Varthi mentioned by Charaka is

- A:-Gold
- B:-Silver
- C:-Copper
- D:-Iron

Correct Answer:- Option-C

Question84:-Charaka advised to adopt Visarpa chikitsa in the management of

- A:-Ardhavabhedaka
- B:-Sooryavārtha
- C:-Shankhaka
- D:-Ananthavatha

Correct Answer:- Option-C

Question85:-The surgical management advised in Adhimamsa is

- A:-Chedana
- B:-Lekhana
- C:-Bhedana
- D:-Visravana

Correct Answer:- Option-A

Question86:-Ksharakarma is advised in which Danthamoola roga ?

- A:-Dantha Nadi
- B:-Dantha Vaidarbha
- C:-Dantha Puppata
- D:-Adhimamsa

Correct Answer:-**Question Cancelled**

Question87:-Shirovasthi is specifically indicated in which Shirakapala roga ?

- A:-Aroomshika
- B:-Palitha
- C:-Indraluptha
- D:-Darunaka

Correct Answer:- Option-D

Question88:-When live foreign body is entered in ear, according to Vagbhata, filling should be done with

- A:-Thaila
- B:-Gomootra
- C:-Lavanambu
- D:-Madhu

Correct Answer:- Option-C

Question89:-Which can be considered as the sudden painless loss of vision mentioned in Ayurveda ?

- A:-Kaphaja linganasha
- B:-Gambheera
- C:-Oupasargika linganasha
- D:-Nakulandha

Correct Answer:- Option-C

Question90:-In Bhavaprakasha, the specific action of Nimbapatrakrita Pindi is

- A:-Vatahara
- B:-Vata-Pittha hara
- C:-Vata-Kapha hara
- D:-Pittha-Kapha hara

Correct Answer:- Option-D

Question91:-Intolerance to wind, sunlight and heat is especially seen in

- A:-Pakshmathata

- B:-Pakshmakopa
- C:-Vatabhishyanda
- D:-Both 2 and 3

Correct Answer:- Option-B

Question92:-Most common type of cataract associated with topical and systemic steroids are

- A:-Posterior subcapsular
- B:-Anterior subcapsular
- C:-Diffuse cataract
- D:-Tear drop cataract

Correct Answer:- Option-A

Question93:-Excessive salivation is a feature of

- A:-Adhimamsa
- B:-Sushira
- C:-Danthapuppata
- D:-Both 1 and 2

Correct Answer:- Option-D

Question94:-Which of the following is wrong in relation with Adhrusha ?

- A:-It is a Thalu roga
- B:-It is Pitthaja in origin
- C:-Chedana is indicated
- D:-It is associated with severe pain and fever

Correct Answer:- Option-B

Question95:-Which of the following is not an Asadhya Kantaroga according to Susrutha ?

- A:-Valaya
- B:-Rohini
- C:-Gilayu
- D:-Vidari

Correct Answer:- Option-C

Question96:-Repeated Swedana with Gomayapinda is a specific treatment mentioned in

- A:-Unmandha
- B:-Parilehika
- C:-Utpatha
- D:-Karna vidarika

Correct Answer:- Option-B

Question97:-All of the following field defects are characteristic of Glaucoma except

- A:-Arcuate scotoma
- B:-Ring scotoma
- C:-Baring of blind spot
- D:-Bitemporal hemianopia

Correct Answer:- Option-D

Question98:-'Marcus Gunn Pupil' is a diagnostic feature of

- A:-Optic neuritis
- B:-Toxic amblyopias
- C:-Papilloedema
- D:-All

Correct Answer:- Option-A

Question99:-'Vidian neurectomy' is a surgical procedure performed commonly in

- A:-Atrophic rhinitis
- B:-Antrochoanal polyp
- C:-Vasomotor rhinitis

D:-Ethmoidal polyp

Correct Answer:- Option-C

Question100:-In which condition Mukhalepa is contraindicated ?

A:-Thimira

B:-Hanugraha

C:-Palitha

D:-All

Correct Answer:- Option-B