PROVISIONAL ANSWER KEY

Question 85/2024/OL

Paper Code:

Category 249/2023

Code:

Exam: Pharmacist Grade II

Date of Test 11-07-2024

Department Govt Homoeopathic Medical College

Question1:-Which of the following is/are Multipennate muscle(s)?

- i. Deltoid
- ii. Sternocleidomastoid.
- iii. Rectus abdominis
 - A:-Only iii
 - B:-Only i
 - C:-only i and ii
 - D:-All of the above (i, ii and iii)

Correct Answer:- Option-B

Question2:-Which of the following is/are fibrous joint(s)?

- i. Sagittal suture.
- ii. Middle radio-ulnar joint.
- iii. Manubriosternal joint.
 - A:-Only ii and iii
 - B:-Only i and iii
 - C:-Only i and ii
 - D:-All of the above (i, ii and iii)

Correct Answer:- Option-C

Question3:-Which of the following is/are pneumatic bone(s)?

- i. Maxilla.
- ii. Sphenoid.
- iii. Ethmoid.
 - A:-Only ii and iii
 - B:-Only i and iii
 - C:-Only i and ii
 - D:-All of the above (i, ii and iii)

Correct Answer: - Option-D

Question4:-A plane at right angles to median plane which divides the body into anterior posterior halves is called

- A:-Sagittal plane
- B:-Coronal plane

C:-Transverse plane D:-Horizontal plane Correct Answer:- Option-B Question5:-The Eustachian tube opens into A:-Nasopharynx B:-Oropharynx C:-Laryngopharynx D:-Cricopharynx Correct Answer:- Option-A Question6:-The branches of arch of aorta in order from right to left are A:-Brachiocephalic trunk, Left Subclavian, Left common Carotid B:-Brachiocephalic trunk, Left Common Carotid, Left Subclavian C:-Right Subclavian, Right Common Carotid, Brachiocephalic trunk D:-Right Common Carotid, Right Subclavian, Brachiocephalic trunk Correct Answer:- Option-B Question7:-The Visceral surface of spleen is marked by A:-Stomach, Kidney, Liver B:-Diaphragm, lung, ribs C:-Colon, Stomach, Kidney D:-Liver, Jejunum, ribs Correct Answer:- Option-C Question8:-The average adult spinal cord terminates at the vertebral level A:-L1 B:-L2 C:-L3 D:-L4 Correct Answer:- Option-A Question9:-The least dilatable part of male urethra A:-Prostatic B:-External urethral meatus C:-Spongy D:-Membranous Correct Answer: - Option-D Question 10:- Type of lingual papillae not associated with taste buds A:-Filiform B:-Fungiform

- C:-Foliate
- D:-Circumvallate

Correct Answer:- Option-A

Question11:-The minute respiratory volume equals respiratory rate times

- A:-Residual volume
- **B:-Vital capacity**
- C:-Tidal volume
- D:-Expiratory reserve volume

Correct Answer:- Option-C

Question12:-The quantity of blood pumped in to aorta each minute by the heart

- A:-Cardiac output
- B:-Venous return
- C:-Stroke volume
- D:-Apex beat

Correct Answer:- Option-A

Question13:-Hormone secreted by thyroid gland which regulates the blood calcium level

- A:-Thyroxine
- B:-Parathyroid hormone
- C:-Vitamin D
- D:-Calcitonin

Correct Answer:- Option-D

Question14:-Phase of menstrual cycle which is constant?

- A:-Pre ovulatory phase
- B:-Follicular phase
- C:-Proliferative phase
- D:-Secretory phase

Correct Answer:- Option-D

Question15:-Type of blood cells providing immunity to the body

- A:-Red blood cell
- B:-White blood cells
- C:-Platelets
- D:-Hemoglobin

Correct Answer:- Option-B

Question16:-Which one of the following is not a function of liver?

A:-Detoxification

B:-Storage

C:-Plasma protein synthesis

D:-Secretion of CCK-PZ

Correct Answer:- Option-D

Question17:-Regulation of body temperature is a function of

A:-Basal ganglia

B:-Cerebellum

C:-Hypothalamus

D:-Caudate nucleus

Correct Answer: - Option-C

Question18:-Which statement is correct?

A:-Normal eye with correct refraction is called myopic

B:-Normal eye with correct refraction is called hypermetropic

C:-Normal eye with correct refraction is called emmetropic

D:-Normal eye with correct refraction is called astigmatic

Correct Answer:- Option-C

Question19:-Lobe of cerebral cortex regulating motor functions of the body

A:-Temporal lobe

B:-Frontal lobe

C:-Occipital lobe

D:-Parietal lobe

Correct Answer:- Option-B

Question20:-Normal platelet count in an adult male

A:-10000-12000 cells/mm3

B:-2000-6000 cells/mm3

C:-5 to 6 million/mm3

D:-2-4 lakhs/mm3

Correct Answer: - Option-D

Question21:-Fortification of rice with Iron and folic acid under 'Anemia Mukth Bharath' is an example of

A:-Primordial Prevention

B:-Primary Prevention

C:-Secondary Prevention

D:-Tertiary Prevention

Correct Answer:- Option-B

Question22:-Among the following types of medical wastes, which type of the waste

to be discarded to the 'yellow-coloured non-chlorinated plastic bags'?

- A:-Used needless and syringes
- B:-Used catheters and Urine bags
- C:-Discarded Medicine vials
- D:-Expired antibiotic and cytotoxic drugs

Correct Answer:- Option-D

Question23:-Among the following, which scenario is selected for "Superchlorination"?

- A:-To improve the taste and odour of a filtered water
- B:-For disinfecting well water with low turbidity and low organic content
- C:-for disinfecting an organically contaminated well after a flood
- D:-For routine water treatment in a water purification plant

Correct Answer:- Option-C

Question24:-Arrange the following food substances according to the increasing order of the protein content per 100 g.

- 1. Bengal gram
- 2. Ragi
- 3. Red gram
- 4. Soyabean
 - A:-2, 1, 3, 4
 - B:-1, 2, 3, 4
 - C:-4, 3, 2, 1
 - D:-3, 2, 1, 4

Correct Answer:- Option-A

Question25:-What are all the vaccines given at the time of birth for the neonate according to the national immunization schedule?

A:-DPT, MR, Td

B:-MMR, OPV, JE

C:-BCG, OPV, Hepatitis B

D:-DPT, FIPV, PCV

Correct Answer:- Option-C

Question26:-Cholera was reported in few families of a village. Which is the drug of choice for the chemoprophylaxis for the household contacts?

- A:-Tetracycline
- B:-Ampicillin
- C:-Erythromycin
- D:-Trimethoprim-Sulfamethoxazole Combination

Correct Answer:- Option-A

Question27:-Which chemical substance in Oral Rehydration Solution enhance the passive absorption of sodium chlorides during the treatment of diarrheal diseases?

A:-Tri Sodium citrate

B:-Potassium chloride

C:-Zinc

D:-Glucose

Correct Answer:- Option-D

Question28:-A woman on Oral contraceptive Pill (Combined Pill) forgot to take pills for two consecutive days in the first week of pill cycle. What should be done to maintain the contraception?

A:-Should take it as soon as she remembers and has to take next pill as per schedule and use condom for 1 week

B:-Start a new pack of contraceptive pill and put IUCD

C:-Take one pill in the morning and at bed time and use condom for week

D:-Take two pills together and use condom for 1 week

Correct Answer:- Option-A

Question29:-Elements of Primary Health Care include all except

A:-Education, concerning prevailing health problems

B:-Promotion of food supply and proper nutrition

C:-Provision of essential drugs

D:-Intersectoral coordination

Correct Answer: - Option-D

Question30:-A health care personal found following vaccines in a deep freezer in -25 degree C in a PHC. Out of the following vaccines, which vaccine cannot be used for vaccination?

A:-Oral Polio vaccine

B:-Measles vaccine

C:-DT vaccine

D:-MR vaccine

Correct Answer:- Option-C

Question31:-Chloroxylenol belongs to which class of disinfectants?

A:-Phenol and related compounds

B:-Quaternary ammonium compounds

C:-Alcohol-based disinfectants

D:-Halogens and their compounds

Correct Answer: - Option-A

Question32:-The first action to be taken in a witnessed cardiac arrest is

A:-Activate the emergency response system

B:-Start providing rescue breaths

C:-Start high quality CPR, beginning with chest compressions

D:-Ensure that the scene is safe for you and the victim

Correct Answer:- Option-D

Question33:-Which among the following is not a correct first aid measure in the control of external bleeding?

A:-Apply direct pressure to wound

B:-Raise and support injured part

C:-Keep the injured part lower

D:-Lay casualty down

Correct Answer:- Option-C

Question34:-Choose the correct sequence of activities to be done when an adult develops convulsions:

A:-Protect the casualty from injury, loosen tight clothing, place casualty in recovery position, monitor vital signs

B:-Protect the casualty from injury, monitor vital signs, loosen tight clothing, place casualty in recovery position, monitor vital signs

C:-Place the casualty in recovery position, protect the casualty from injury, loosen tight clothing, monitor vital signs

D:-Monitor vital signs, place casualty in recovery position, loosen tight clothing, protect the casualty from injury

Correct Answer:- Option-A

Question35:-Antidote for organophosphorus positioning is

A:-Acetylcysteine

B:-Calcium carbonate

C:-Protamine sulfate

D:-Atropine

Correct Answer: - Option-D

Question36:-Which one of the following is true about partial thickness burns?

A:-Partial thickness burns involve outermost layer of skin, painless, characterized by redness and swelling

B:-Partial thickness burns involve epidermis and dermis, very painful, characterized by redness and blisters

C:-Partial thickness burns involve epidermis and dermis, painless, characterized by redness and no blisters

D:-Partial thickness burns involve all layers of the skin, painless, characterized by waxy, pale or charred skins

Correct Answer:- Option-B

Question37:-Which among the following is not a rule of bandaging?

- A:-Support the injured part of the body before applying the bandage
- B:-Start bandaging from the front and injured side of the casualty
- C:-Apply the bandage too tightly
- D:-Leave fingers and toes exposed, if possible
- Correct Answer:- Option-C

Question38:-Which among the following is not a method of moist heat sterilization?

- A:-Radiation
- **B:-Boiling**
- C:-Pasteurization
- D:-Steam under pressure (autolaving)
- Correct Answer:- Option-A

Question39:-Which among the following should not be done in a patient presented with swallowed poisons?

- A:-Identify the poison
- B:-Never attempt to induce vomiting
- C:-Induce vomiting
- D:-Monitor the level of response, airway, breathing and circulation
- Correct Answer:- Option-C

Question 40:- The branch of pharmacy that deals with the potency, quantity, form and number of administration of medicine in Homoeopathy is known as

- A:-Pharmaconomy
- B:-Pharmacology
- C:-Posology
- D:-Pharmacognosy
- Correct Answer:- Option-C

Question41:-As per Organon of medicine, the salts and gums should be taken for Drug proving by

- A:-Mixing with alcohol
- B:-In the form of powder
- C:-In the form of infusion
- D:-Dissolving in water
- Correct Answer:- Option-D

Question42:-The method of administration of Homoeopathic Medicine in Idiosyncratic patient is

- A:-Olfaction
- B:-Orally
- C:-Rubbing on skin

Correct Answer: - Option-A Question43:-Which one among the following is considered as the "Best Prover"? A:-Sick person B:-Animal C:-Healthy Human Prover D:-Healthy Unprejudiced Physician Correct Answer:- Option-D Question44:-"Pharmacopollaxy" deals with A:-Repetition of doses B:-Drug proving C:-Medicinal properties of plants D:-None of the above Correct Answer: - Option-A Question45:-The fundamental principle of Homoeopathy "Similia Similibus Curentur" first appeared in which one of the following works of Dr. Hahnemann? A:-Organon of medicine B:-Essay on a New Principle C:-Medicine of Experience D:-None of the above Correct Answer:- Option-B Question 46: The curative power of Medicines depend on their symptoms similar to the disease but ______ to its strength. A:-Similar B:-Inferior C:-Superior D:-Equal Correct Answer:- Option-C Question47:-The only guide to the selection of a remedy is A:-Totality of symptoms B:-Lab reports C:-Common symptoms D:-All the above Correct Answer: - Option-A Question48:-Administration of excessively large doses of medicines produces certain symptoms during the initial stage, this is known as

D:-None of the above

A:-Dynamic Action

- **B:-Primary Action**
- C:-Secondary Action
- D:-Alternating Action

Correct Answer:- Option-B

Question49:-The fundamental causes of natural Chronic Diseases are

- A:-Exciting causes
- **B:-Maintaining Causes**
- C:-Cause occasionalis
- D:-Chronic miasms

Correct Answer:- Option-D

Question50:-For the preparation of Homoeopathic Medicines, fresh leaves are collected from the plants of

- A:-Cephalendra indica, Ficus religiosa, Rhus toxicodendron
- B:-Cephalendra indica, Ficus religiosa, Bryonia alba
- C:-Senega, Ficus religioisa, Rhus toxicodendron
- D:-Cephalendra indica, Cina, Rhus toxicodendron

Correct Answer:- Option-A

Question51:-Whole plants including roots are collected for the Homoeopathic preparation on Medicines from

- A:-Adonis vernalis, Belladonna, Chamomilla
- B:-Avena sativa, Belladonna, Chamomilla
- C:-Adonis vernalis, Cedron, Chamomilla
- D:-Adonis vernalis, Belladonna, Santalum album

Correct Answer: - Option-A

Question52:-All the following statements are correct except

- A:-Solid vehicles cane sugar, cones, pellets
- B:-Semi-solid vehicle Syrup simplex, Beeswax, paraffin
- C:-Liquid vehicle glycerin, solvent ether, coconut oil
- D:-Vehicle for potentization Sugar of milk, alcohol, Distilled water

Correct Answer:- Option-B

Question53:-Cane sugar and egg albumin are used to prepare which vehicle?

- A:-Pellets
- **B:-Tablets**
- C:-Cones
- D:-Globules

Correct Answer:- Option-C

Question54:-Percentage of Ethyl alcohol in Homoeopathic dispensing of alcohol is

A:-99.4% v/v (99% - 100%)

B:-60% v/v (59.5% - 60.5%)

C:-57% v/v and 49.28 w/w

D:-91.4% v/v (91.0% - 92.0%)

Correct Answer:- Option-D

Question55:-During the de-ionization process in the preparation of distilled water, Amberlite IR 400 acts as

A:-Disinfection

B:-Anion exchanger

C:-Cation exchanger

D:-Major impurity

Correct Answer:- Option-B

Question 56:- The chief constituent of Isinglass is

A:-Amylopectin

B:-Collagen

C:-Glycerides

D:-Esters of cholesterol

Correct Answer:- Option-B

Question57:-Lanolin is prepared from

A:-Head and blubber of sperm whale

B:-Internal fat of the abdomen of hog

C:-Air bladder of fishes

D:-Secretions in glands of the skin of sheep

Correct Answer:- Option-D

Question58:-Whole dried Animals are used for Homoeopathic medicine preparation in

A:-Blatta orientalis, Coccus cacti, Lacerta agilis

B:-Apis mellifica, Coccus cacti, Lacerta agilis

C:-Blatta orientalis, Formica rufa, Lacerta agilis

D:-Blatta orientalis, Coccus cacti, Vespa crabro

Correct Answer: - Option-A

Question59:-The Nosode prepared from the serosity of Trepanoma pallidum of syphilitic chancres is

A:-Sanguisuga

B:-Leusinum

C:-Medorrhinum

D:-Gonotoxinum Correct Answer:- Option-B Question60:-The Nosode prepared from eczema capitis is A:-Coqueluchinum B:-Pectinum C:-Morbilinum D:-Melitagrinum Correct Answer:- Option-D Question61:-Who is considered as founder of Isopathy A:-Dr. Hahnemann B:-Dr. Hering C:-Willium Lux D:-Pierre Schmidt Correct Answer:- Option-C Question62:-Homoeopathic medicine Luna belongs to A:-Plant Kingdom **B:-Animal Kingdom** C:-Mineral kingdom D:-Imponderabilia Correct Answer:- Option-D Question63:-The miasmatic background of Magnetis poli ambo is A:-Psora B:-Syphilitic C:-Sycotic D:-Tubercular Correct Answer:- Option-B Question64:-Skookum Chuck belongs to A:-Elements B:-Acids C:-Compounds D:-Mineral Springs Correct Answer:- Option-D Question65:-The Nosode that belongs to the Plant kingdom is A:-Pyrogenium

B:-Hippozaenium

C:-Aviaire

D:-Ustilago maydis
Correct Answer:- Option-D
Question66: is the art and science of collecting, combining, preserving, preparing and standardizing of drugs and medicines derived from natural and synthetic sources.
A:-Pharmacopoeia
B:-Pharmacy
C:-Dynamisation
D:-None of the above
Correct Answer:- Option-B
Question67: includes preparing and distributing medicines according to the prescription of Physician.
A:-Pharmacy proper
B:-Pharmcopoeaia
C:-Extemporanous Pharmacy
D:-None of the above
Correct Answer:- Option-C
Question68:-First Homoeopathic Pharmacopoeia in the world was published in the year:
A:-1805
B:-1815
C:-1825
D:-1800
Correct Answer:- Option-C
Question69:-Homoeopathic Pharmacopoeia committee was appointed is Sept. 1962 under the chairmanship of :
A:-Dr. M. Bhattacharya
B:-Dr. B.K. Sarkar
C:-Dr. Chowdhary
D:-Dr. Saxena
Correct Answer:- Option-B
Question70:-Decimal scale was introduced by
A:-Dr. Hering
B:-Dr. Hahnemann
C:-Dr. Boeninghausen
D:-Dr. S. Close
Correct Answer:- Option-A

Question71:-The potency in centesimal scale is denoted by the letter:
A:-X
B:-M
C:-0/1
D:-C
Correct Answer:- Option-D
Question72:-50 millessimal scale was introduced by
A:-Dr. Hahnemann
B:-Dr. Hering
C:-Dr. Kent
D:-Dr. S. Close
Correct Answer:- Option-A
Question73: is the mechanical process of potentisation of drug substances soluble in liquid vehicle by employing powerful downward strokes.
A:-Trituration
B:-Succession
C:-Olfaction
D:-None of the above
Correct Answer:- Option-B
Question74:-Fluxion potency is also known as
A:-Jumping potency
B:-Straight Potency
C:-Both
D:-None of the above
Correct Answer:- Option-A
Question75:-Potencies prepared with the help of machines are known as
A:-Fluxion potencies
B:-Straight potencies
C:-High fluxion potencies
D:-None of the above
Correct Answer:- Option-C
Question76:-Method of preparing straight potency was suggested by
A:-Dr. Korsakoff
B:-Dr. Burt
C:-Dr. Lehmann
D:-Dr. Finke

Correct Answer:- Option-B Question77:-Theory of Dynamisation was introduced in which edition of Organon of Medicine A:-First B:-Second C:-Fourth D:-Fifth Correct Answer:- Option-D Question 78:-Liquid vehicles used for preparation of external applications A:-Purified water B:-Glycerine C:-Olive oil and Almond oil D:-All of the above Correct Answer:- Option-D Question 79:-Mixtures of solution of mother tinctures in glycerine are called A:-Liniment **B:-Ointments** C:-Glycerols D:-Lotions

Correct Answer:- Option-C

Question80:-Poultices are chiefly used in

A:-Pneumonia, Pleurisy, Bronchitis, lumbago

B:-To mature and facilitate the discharge of matter is abscesses and boils

C:-Both (1) and (2) are correct

D:-Only (1) is correct

Correct Answer:- Option-C

Question81:-Mullein oil is an extremely beneficial remedy for

A:-Earache, dry scaly conditions of meatus

B:-Contusions

C:-Gout

D:-Perfumes and cosmetics

Correct Answer:- Option-A

Question82:-Ising glass is used as base for preparation of

A:-Cerates

B:-Plasters

C:-Poultices

D:-Lotions

Correct Answer:- Option-B

Question83:-Hahnemann mentions about disadvantage of external application from

A:-Aphorism 196 to 203

B:-Aphorism 186 to 203

C:-Aphorism 96 to 103

D:-Aphorism 86 to 103

Correct Answer: - Option-A

Question84:-Opodeldocs are prepared using

A:-Soft soap, purified water, strong alcohol and mother tincture

B:-White curd soap, purified water, strong alcohol and mother tincture

C:-White soft paraffin, purified water, strong alcohol and mother tincture

D:-Wax, white curd soap, strong alcohol and mother tincture

Correct Answer:- Option-B

Question85:-Parts of a praesceiption are

A:-Superscription, Inscription and subscription

B:-Inscription and subscription

C:-Subscription and signature

D:-Superscription Inscription, subscription and signature

Correct Answer:- Option-D

Question86:-English meaning of the abbreviation "B.D."

A:-Twice Daily

B:-At bed Time

C:-Twice

D:-Let him late

Correct Answer:- Option-A

Question87:-English meaning of the abbreviation "Q.L."

A:-Sufficient quantity

B:-As much as required

C:-As much as you wish

D:-As much as you please

Correct Answer:- Option-B

Question88:-Name the Class of preparation of Mother Tincture prepared from the most juicy plants according to the old method

A:-Class 1

B:-Class 2

C:-Class 3

D:-Class 4

Correct Answer:- Option-A

Question89:-To prepare first potency according to centesimal scale under Class 1

A:-2 minims of the Mother Tincture of the drug and 98 minims of dilute alcohol

B:-2 minims of the Mother Tincture of the drug and 99 minims of dilute alcohol

C:-1 minims of the Mother Tincture of the drug and 9 minims of dilute alcohol

D:-2 minims of the Mother Tincture of the drug and 8 minims of dilute alcohol

Correct Answer:- Option-A

Question 90:-Maceration done in hot liquid is known as:

A:-Dilution

B:-Digestion

C:-Diffusion

D:-Decantation

Correct Answer:- Option-B

Question 91:- The liquid capable of penetrating the tissue of plant or animal substance to dissolve the active principle is called:

A:-Magma

B:-Merc

C:-Menstrum

D:-Malt

Correct Answer:- Option-C

Question 92:-By which method can Mother Tincture be prepared in 24 hours?

A:-Maceration

B:-Percolation

C:-Hahnemannian method

D:-Old Method

Correct Answer:- Option-B

Question93:-In which of the classes are the drug strength of Mother Tincture 1/10 according to the old method?

A:-Classes IV, V(A), VI(B)

B:-Classes IV, V(B), VI(B)

C:-Classes IV, V(A), VI(A)

D:-Classes IV, V(B), VI(A)

Correct Answer:- Option-C

Question94:-Quality of Homoeopathic Medicine in India is monitored by which Apex body:

A:-National Institute of Homoeopathy

B:-National Council for Homoeopathy

C:-Central Council of Research in Homoeopathy

D:-Homoeopathic Pharmcopoeia Laboratory

Correct Answer:- Option-D

Question95:-When the total weight of drug sample is less than 10 kg official sample shall be equal to:

A:-At least 100 g

B:-At least 125 g

C:-At least 150 g

D:-At least 200 g

Correct Answer:- Option-B

Question96:-Under Physical Evaluation techniques, the physical constants include the following, except

A:-Solubility

B:-Saponification value

C:-Specific gravity

D:-Moisture Content

Correct Answer:- Option-B

Question 97:- For the renewal of the license, application should be done within

A:-1 month of its expiry

B:-2 months of its expiry

C:-3 months of its expiry

D:-6 months of its expiry

Correct Answer: - Option-D

Question 98:-Advertisement in relation to treatment of correction of menstrual disorders are forbidden according to which of the following acts?

A:-The Drugs and Cosmetics Act, 1940

B:-The Drugs and Cosmetics Rule, 1945

C:-Drug and Magic Remedies Act, 1954

D:-The Pharmacy Act, 1948

Correct Answer:- Option-C

Question99:-Homoeopathy is included in which schedule of the Drugs and Cosmetics Act

A:-I Schedule

B:-II Schedule

C:-III Schedule

D:-IV Schedule

Correct Answer:- Option-B

Question100:-Application for license to manufacture Homoeopathic medicine

A:-Form 20C

B:-Form 20A

C:-Form 24A

D:-Form 24C

Correct Answer:- Option-D