E-MAIL : jsaor.psc@kerala.gov.in Telephone No:0471-2546255



KERALA PUBLIC SERVICE COMMISSION

HEAD OFFICE, PATTOM, THIRUVANANTHAPURAM



APPOINTMENT CHART

| No. R1B-3/6/2023-KPSC | | Dated : 07-11-2024 |
|--------------------------------|---|--|
| Name of Post | : | ASSISTANT ENGINEER |
| Name of Department | : | Kerala Water Authority |
| Date of receipt of the vacancy | : | 29.10.2024 |
| No. of vacancies reported | : | Fresh : 13 Total : 13 |

Active Ranked List - 1

| | 137/2022 (STATEWIDE) - ASSISTANT ENGINEER [Kerala Water Authority] {Direct } | w.e.f. 16-09-2023 |
|--|---|--------------------------|
|--|---|--------------------------|

Vacancy Split-Up

| SI. No | Tappal No. | Date of Receipt | Ref. Letter No. Letter From & & Date PostName | | No. of Vac | Date of Occurance | |
|-----------|---------------------------|--------------------|--|---|----------------------------------|----------------------|--|
| 1. | <mark>e</mark> - 51536 | 29-10-2024 | e-Vacancy - 51536 Dtd:29-10-2024 | Kerala Water Authority Assistant Engineer | 12 (Twelve) Fresh | 15-10-2024 | |
| 2. | <mark>e</mark> - 51537 | 29-10-2024 | e-Vacancy - 51537 Dtd:29-10-2024 | Kerala Water Authority Assistant Engineer | 1 (One) Fresh | 15-09-2024 | |

Total Vacancies : 13 (Thirteen) [13 Fresh]

PENDING TURNS

NJD - Nil

NCA - Nil

TPO - 2 Turns

| 1 | MR 9 - 94 LC/AI TPO on 10-10-2024 |
|---|-----------------------------------|
| 2 | MR 9 - 96 M TPO on 10-10-2024 |

<u>Previous Rotation stands at MR-9 97 OC already advised. To be continued</u> <u>from MR-9 98 E/B/T.</u> But TPO Turns are to be satisfied

But TPO Turns are to be satisfied

DA Serial Number stands at [293]. To be continued from [294]

| SI.No. & DA SI.No. | Name, Address & Community of Candidate | Rank No. | Rotation as approved by the Commission | Post Name, Department & Remarks |
|-----------------------------|--|-------------------|---|---|
| 1 294 | SHIJO CYRUS MAVELITHAYYIL HOUSE PATHIRAPALLY ALAPPUZHA 688521 (LC/AI-LATIN CATHOLICS) | (LC/AI)- 3 | MR 9 - 94 LC/AI TPO on 10-10- 2024 now satisfied | Assistant Engineer [Kerala Water Authority] |

| SI.No. & DA SI.No. | Name, Address & Community of Candidate | Rank No. | Rotation as approved by the Commission | Post Name, Department & Remarks |
|-----------------------------|---|--------------|---|---|
| 2 295 | SIYA M BASHEER MUNDACKAL HOUSE VANNAPPURAM KALIYAR IDUKKI 685607 | 94 | MR 9 - 96 M TPO on 10-10-2024 now satisfied | Assistant Engineer [Kerala Water Authority] |
| | Communication Address MUTHOOT INSTITUTE OF TECHNOLOGY AND SCIENCE VARIKOLI P O PUTHENCRUZ 682308 | | | |
| | (MUSLIM) | | | |
| | MR | 10 - 6 M TPO | to keep 50% rule | |
| *3 296 | JAYAN P K PUTHUKUZHITHARAYIL HOUSE KODUNGA ELAMKADU P O KOTTAYAM PIN 686514 (E/B/T-EZHAVA) | 87 | MR 10 - 7 OC | Assistant Engineer [Kerala Water Authority] |
| | | | | |
| 4 297 | PARVATHY V S MELOOTTU VEEDU THRIKKOVILVATTOM MUKHATHALA KOLLAM - 691577 | 170 | MR 9 - 99 EWS | Assistant Engineer [Kerala Water Authority] |
| | (EWS) | | | |
| 5 298 | RAKESH R MANIYAMTHOTTIL PATTAMBI PALAKKAD 679303 | 97 | MR 9 - 100 V | Assistant Engineer [Kerala Water Authority] |
| | (VISWAKARMA- THATTAN) | | | |
| 6 299 | ANTONY SUNNY ARANATTUKARAKKARAN VEEDU MAPRANAM MADAYIKONAM P O THRISSUR-680712 | 81 | MR 10 - 1 OC | Assistant Engineer [Kerala Water Authority] |
| | (-) | | | |
| *7 300 | GEETHU J PRABHA NILAYAM NEERKKUNNAM ALAPPUZHA 688005 | 101 | MR 9 - 98 E/B/T | Assistant Engineer [Kerala Water Authority] |
| | (E/B/T-EZHAVA) | | | |

| SI.No. & DA SI.No. | Name, Address & Community of Candidate | Rank No. | Rotation as approved by the Commission | Post Name, Department & Remarks |
|-----------------------------|--|-----------------|--|---|
| 8 <i>301</i> | SUDHEESH K KAKKARATH HOUSE KONGAD CHERAYA PALAKKAD | DA-LV- 4 | SI.No-301 - DA-LV | Assistant Engineer [Kerala Water Authority] |
| 9 302 | LAVANYA R CHIRAVILAKATHU VEEDU KOTTUKUNNAM, VAMANAPURAM KOTTUKUNNAM P O THIRUVANANTHAPURAM, PIN 695606 (-) | 83 | MR 10 - 3 OC | Assistant Engineer [Kerala Water Authority] |
| 10 303 | ATHUN C PLAVARTHALA PUTHEN VEEDU NEYYATTINKARA THIRUVANANTHAPURAM 695121 Communication Address CHINMAYAM MOONUKALLINMOODU, | (SC)- 3 | MR 10 - 4 SC | Assistant Engineer [Kerala Water Authority] |
| | NEYYATTINKARA THIRUVANANTHAPURAM 695121 (SC-AYYANAVAR) | | | |
| 11 <i>304</i> | NIMISHA SEBASTIAN NELLUVELIL (H) KADUTHURUTHY(P O) KOTTAYAM 686604 (-) | 86 | MR 10 - 5 OC | Assistant Engineer [Kerala Water Authority] |
| *12 305 | NANDANA RAJ RAGHASREE EDAPPETTY KALPETTA NORTH POST WAYANAD | 103 | MR 10 - 2 E/B/T | Assistant Engineer [Kerala Water Authority] |
| | (E/B/T-THIYYA) | | | |
| | MR 10 | 0 - 8 LC/AI TF | O to keep 50% rule | |
| 13 306 | JEEVAN S MALAYIL MALAYIL VALAKOM KUNNACKAL ERNAKULAM - 682316 | 180 | MR 10 - 9 EWS | Assistant Engineer [Kerala Water Authority] |
| | (EWS) | | | |

*The position of the starred candidates are rearranged for maintaining seniority as per rank order among the respective communities.

OC/BC POSITION

| | ос | EWS | BC | NJD | DA (LV) | DA (HI) | DA (LD) | DA (MD) | DA | Thrn Out | BT/ LPE | Total |
|----------|----|-----|----|-----|------------|------------|------------|------------|----|-------------|------------|-------|
| Previous | 36 | 9 | 45 | 14 | 3 | 2 | 1 | NE | 6 | - | NE | 110 |
| Present | 4 | 2 | 6 | - | 1 | - | - | NE | 1 | - | NE | 13 |
| Total | 40 | 11 | 51 | 14 | 4 | 2 | 1 | NE | 7 | - | NE | 123 |

PENDING TURNS

NJD - Nil

NCA - Nil

TPO - 2 Turns

| 1 | MR 10 - 6 M TPO on 07-11-2024 |
|---|-----------------------------------|
| 2 | MR 10 - 8 LC/AI TPO on 07-11-2024 |

EWS Set-Off - Nil

for SECRETARY KERALA PUBLIC SERVICE COMMISSION

To : 1) Enquiry 2) PRO 3) Website 4) Spare