

FINAL ANSWER KEY

Question Paper Code:	65/2026/OL
Category Code:	348/2025,084/2025, 350/2025,627/2025
Exam:	Pharmacist Grade II (Homoeo)
Date of Test	22-04-2026
Department	Homoeopathy

Question1:-Which type of gland secretes by exocytosis, where secretions are thrown out while cells remain intact?

A:-Apocrine

B:-Endocrine

C:-Merocrine

D:-Holocrine

Correct Answer:- Option-C

Question2:-The following statements are true about sesamoid bones EXCEPT

A:-They do not have a periosteum

B:-They do not have haversian systems

C:-They ossify before birth

D:-They diminish friction

Correct Answer:- Option-C

Question3:-Which of the following is a retroperitoneal organ?

A:-Stomach

B:-Liver

C:-Spleen

D:-Kidney

Correct Answer:- Option-D

Question4:-Which of the following muscle is located in the posterior compartment of thigh?

A:-Quadriceps femoris

B:-Biceps femoris

C:-Tibialis posterior

D:-Soleus

Correct Answer:- Option-B

Question5:-The following statements are true about cerebrospinal fluid EXCEPT

A:-Formed by choroid plexus of ventricles

B:-Provides a fluid cushion which protects the brain

C:-Removes waste products from brain

D:-Fills the subdural and epidural spaces

Correct Answer:- Option-D

Question6:-Intercalated discs are seen in which type of muscle fibre

A:-Smooth muscle

B:-Cardiac muscle

C:-Skeletal muscle

D:-None of the above

Correct Answer:- Option-B

Question7:-The main pancreatic duct and bile duct of liver open into which part of intestine?

A:-Jejunum

B:-Duodenum

C:-Ileum

D:-Caecum

Correct Answer:- Option-B

Question8:-The following are unpaired cartilages of larynx EXCEPT

A:-Cricoid

B:-Thyroid

C:-Arytenoid

D:-Epiglottis

Correct Answer:- Option-C

Question9:-The sinoatrial or SA node which initiates the impulses for contraction of heart is located in which chamber

A:-Left atrium

B:-Left ventricle

C:-Right ventricle

D:-Right atrium

Correct Answer:- Option-D

Question10:-Wrist joint is formed by the articulation of following bones EXCEPT

A:-Radius

B:-Ulna

C:-Scaphoid

D:-Lunate

Correct Answer:- Option-B

Question11:-Which among the following is/are the abnormalities related to improper refraction of eye?

(i) Presbyopia

(ii) Hyperopia

(iii) Myopia

(iv) Astigmatism

A:-Only (i & iv)

B:-Only (ii & iii)

C:-Only (i & ii)

D:-All the above

Correct Answer:- Option-D

Question12:-What is the relation between the duration of a cardiac cycle and the heart rate?

A:-A direct relationship

B:-An inverse relationship

C:-A parallel relationship

D:-No relationship

Correct Answer:- Option-B

Question13:-The enzyme, *Enterokinase* which activate trypsinogenis secreted by the _____.

A:-Intestinal sub mucosa

B:-Intestinal mucosa

C:-Islets of Pancreas

D:-Pancreas acini

Correct Answer:- Option-B

Question14:-During prolonged periods of fasting, kidneys synthesize glucose from amino acids by a process called

A:-Glycolysis

B:-Glucogenesis

C:-Gluconeogenesis

D:-Glycogenolysis

Correct Answer:- Option-C

Question15:-Which among the following clotting factor is known as Factor VIII?

A:-Hageman factor

B:-Antihemophilic factor A

C:-Antihemophilic factor B

D:-Antihemophilic factor C

Correct Answer:- Option-B

Question16:-The glandular yellow body developed from the ruptured graafian follicle after the release of ovum is

A:-Corpus hemorrhagium

B:-Corpus albicans

C:-Corpus luteum

D:-Corpus callosum

Correct Answer:- Option-C

Question17:-Tumors of the somatotropes of the anterior pituitary in adults leads to

A:-Gigantism

B:-Cretinism

C:-Dwarfism

D:-Acromegaly

Correct Answer:- Option-D

Question18:-Heat loss from which of the following can be regulated?

A:-Expired air

B:-Urine

C:-Skin

D:-Faeces

Correct Answer:- Option-C

Question19:-Which of the following does not have a significant direct effect on the respiratory center in controlling respiration?

A:-Oxygen

B:-Hydrogen ions

C:-Carbon dioxide

D:-Temperature

Correct Answer:- Option-A

Question20:-Problems with which part of the brain involves movement and coordination difficulties?

A:-Medulla oblongata

B:-Hypothalamus

C:-Cerebrum

D:-Cerebellum

Correct Answer:- Option-D

Question21:-The disinfecting action of chlorine in water is mainly due to the presence of

A:-Hydrochloric acid

B:-Hydrogen ions

C:-Hypochlorous acid

D:-Chloramines

Correct Answer:- Option-C

Question22:-Aedes aegypti is known to transmit the following diseases except

A:-Dengue fever

B:-Yellow fever

C:-Chikungunya

D:-West Nile fever

Correct Answer:- Option-D

Question23:-The vitamin known as kidney hormone is

A:-Vitamin D

B:-Vitamin C

C:-Vitamin E

D:-Vitamin K

Correct Answer:- Option-A

Question24:-Botulism is caused by the following species of microorganisms

A:-Salmonella

B:-Clostridium

C:-Staphylococcus

D:-Pseudomonas

Correct Answer:- Option-B

Question25:-The usual or expected frequency of the disease within a given geographic area is known as

A:-Epidemic

B:-Endemic

C:-Sporadic

D:-Pandemic

Correct Answer:- Option-B

Question26:-The substance added to a vaccine to enhance the immune response is called

A:-Adjuvant

B:-Stabilizer

C:-Antibiotic

D:-Preservative

Correct Answer:- Option-A

Question27:-Mirena is a contraceptive method belongs to the category of

A:-Vaginal ring

B:-Subdermal implant

C:-Intra uterine device

D:-Injectable contraceptive

Correct Answer:- Option-C

Question28:-The mode of transmission of the following diseases is faecal-oral route except

A:-Ascariasis

B:-Diphtheria

C:-Viral hepatitis

D:-Typhoid fever

Correct Answer:- Option-B

Question29:-The test used for the determination of residual chlorine in water is

A:-Orthotolidine test

B:-Schick test

C:-Shake test

D:-Phosphatase test

Correct Answer:- Option-A

Question30:-The open vial policy is not applicable to the following vaccines except

A:-Measles

B:-Japanese encephalitis

C:-Rota virus

D:-Oral polio

Correct Answer:- Option-D

Question31:-The Oral Rehydration salt contains the following constituents except

A:-Sodium chloride

B:-Potassium chloride

C:-Sodium citrate

D:-Calcium citrate

Correct Answer:- Option-D

Question32:-As per 'rule of nines' what percentage of an adult body is involved if two lower limbs are completely burned?

A:-18%

B:-36%

C:-9%

D:-27%

Correct Answer:- Option-B

Question33:-Which is the antidote used for cyanide poisoning?

A:-Amyl Nitrite

B:-Ethyl Alcohol

C:-Atropine

D:-Activated Charcoal

Correct Answer:- Option-A

Question34:-Which among the following **Not To Be Done** in the management of shock?

A:-Establish an airway

B:-Loosen any tight clothing

C:-Check vital signs

D:-Apply hot water bottle

Correct Answer:- Option-D

Question35:-Adult CPR chest compressions to rescue breath ratio is

A:-15:2

B:-15:1

C:-30:2

D:-30:1

Correct Answer:- Option-C

Question36:-A chemical disinfectant gas used in hospital setting is

A:-Bleaching powder

B:-Potassium permanganate

C:-Phenol

D:-Formaldehyde

Correct Answer:- Option-D

Question37:-Which among the following are the **DoS** of snake bite management?

- (i) Keep the victim quiet
- (ii) Try to remove the venom
- (iii) Gently wash the bitten area with soap and water
- (iv) Apply ice to the bitten area

A:-(i) & (iii)

B:-(i) & (iv)

C:-(iii) & (iv)

D:-(ii) & (iv)

Correct Answer:- Option-A

Question38:-A victim was taken to the emergency department with the following features

Unresponsive, Body temperature 42°C, Hot dry skin

What is the possible diagnosis of the victim?

A:-Heat exhaustion

B:-Heat stroke

C:-Sunburn

D:-Frost Bite

Correct Answer:- Option-B

Question39:-How can you recognize a venous bleeding?

A:-Blood flows with pulses

B:-Blood spurt out from the wound

C:-Blood flows at a steady rate out of the wound

D:-Blood is bright red in colour

Correct Answer:- Option-C

Question40:-The Science of identification of drug is

A:-Pharmacology

B:-Pharmacognosy

C:-Pharmacopollaxy

D:-Pharmacology

Correct Answer:- Option-B

Question41:-It is the fraction of a full dose that is to be taken at short intervals

A:-Fractional dose

B:-Refractive dose

C:-Divided dose

D:-All the above

Correct Answer:- Option-D

Question42:-Which one of the following is not a basic components of drug proving

A:-Methodology

B:-Test Substance

C:-Proving team

D:-Pharmacological advisor

Correct Answer:- Option-D

Question43:-Which of the following is NOT a primary purpose of using a double-blind randomized trial design?

A:-To reduce placebo effect

B:-To minimize researcher bias

C:-to ensure equal sample sizes in each group

D:-To control for participant expectation bias

Correct Answer:- Option-C

Question44:-In Hahnemann's Organon of Medicine, the totality of symptoms is described as the primary basis for selecting a homeopathic remedy. Which of the following does NOT so important to this totality?

A:-The patient's socioeconomic status

B:-Mental symptoms and emotional state

C:-Physical symptoms and their modalities

D:-Past medical history and family history

Correct Answer:- Option-A

Question45:-When is the need to repeat the first prescription?

A:-When improvement comes stand still

B:-When there is aggravation of existing symptom

C:-When a additional new symptoms appear

D:-When amelioration of symptom

Correct Answer:- Option-A

Question46:-The title is used for the preparation of

A:-Glycerol

B:-Ointment

C:-Liniment with paraffin

D:-Glycerin

Correct Answer:- Option-B

Question47:-Which is not correct regarding objective symptom?

A:-Noted by the patient

B:-Noted by the friends

C:-Noted by relatives

D:-Noted by doctor

Correct Answer:- Option-A

Question48:-The Subject on whom drug is proved is called?

A:-Prover

B:-Best prover

C:-Ideal prover

D:-All the above

Correct Answer:- Option-A

Question49:-Which is correct regarding Homoeopathy?

A:-There is no specific remedy

B:-Specific remedy to individual

C:-Specific remedy to the disease

D:-Specific remedy to the case

Correct Answer:- Option-D

Question50:-Which among the following is **wrong** about the homoeopathic Medicine - ***Arnica montana***

A:-Whole plant including root is used for preparation of medicine

B:-Its common name is Leopard's bane

C:-Season for collection is beginning of flowering

D:-Whole plant minus the Root is used for preparation of medicine

Correct Answer:- Option-D

Question51:-Which of the following statement is/are correct about ***Pulsatilla nigricans***

(i) Its common name is Wind flower Rue

(ii) Its season for collection is when in flower

(iii) Whole plant including Root is used for preparation of Medicine

(iv) Stem and Leaves are used for preparation of medicine

A:-Only (i) & (ii)

B:-Only (i) & (iii)

C:-Only (i), (ii), (iv)

D:-Only (i), (ii) & (iii)

Correct Answer:- Option-D

Question52:-Which of the following statement is/are correct?

(i) Leaves are used for preparation of the medicine "*Abrotanum*"

(ii) Bark is used for preparation of the medicine "*Alstonia scholaris*"

(iii) Twigs is used for preparation of the medicine "*Sambucus nigra*"

(iv) Bark is used for preparation of the medicine "Oleander"

A:-Only (i) & (ii)

B:-Only (i) and (iii)

C:-All of the above (i), (ii), (iii) and (iv)

D:-Only (i), (ii), & (iv)

Correct Answer:- Option-A

Question53:-Which among the following statement is/are **correct**?

- (i) *Myristica sebifera* is prepared from juice of the plant
- (ii) *Crataegus oxyacantha* is prepared from fruits (Berries)
- (iii) *Sabal serrulata* is prepared from Fungal (Berries)
- (iv) *Viscum album* - its common name is Mistletoe, and its Berries with Fresh Leave are used for preparation of Medicine.

A:-Only (i) and (ii)

B:-Only (i), (ii) and (iv)

C:-All of the above (i), (ii), (iii) and (iv)

D:-Only (ii) and (iv)

Correct Answer:- Option-B

Question54:-Match the following :

- (i) *Ledum pal* (1) Common worm wood
- (ii) *Avena sativa* (2) Puffball
- (iii) *Bovista* (3) Oat straw
- (iv) *Absinthium* (4) Marsh tea

A:-(a)-(4), (b)-(3), (c)-(2), (d)-(1)

B:-(a)-(4), (b)-(1), (c)-(2), (d)-(3)

C:-(a)-(3), (b)-(1), (c)-(4), (d)-(2)

D:-(a)-(3), (b)-(2), (c)-(1), (d)-(4)

Correct Answer:- Option-A

Question55:-Which of the following statement is/are correct about alkaloids?

- (i) Alkaloids are organic nitrogenous substances, more or less alkaline in action

- (ii) Paper and thin layer chromatography is used for identification, separation, isolation and assay of alkaloids
- (iii) *Emetibe* and *Hyoscymine* are the alkaloid present in *Nux vomica*
- (iv) *Apoatropine* is one of the alkaloid present in *Belladonna*

A:-Only (i) and (ii)

B:-Only (i), (ii) and (iv)

C:-All of the above (i), (ii), (iii) and (iv)

D:-Only (i) and (iv)

Correct Answer:- Option-B

Question56:-Which among the following statement is/are **correct**?

- (i) *Aranea diadema* is Papal cross spider
- (ii) *Asterias rubens* is the Common starfish
- (iii) *Tarentula hispanica* is the hairy spider
- (iv) *Badiaga* is the fresh water sponge

A:-only (i), (ii), (iv)

B:-Only (i), (ii) and (iii)

C:-All of the above (i), (ii), (iii) and (iv)

D:-Only (i), (iii) and (iv)

Correct Answer:- Option-A

Question57:-Which among the following statement about preparation of 'Sarcodes' is/are correct? Sarcodes are prepared from.

- (i) Healthy endocrine glands as a whole
- (ii) Healthy secretions from endocrine glands
- (iii) Normal secretion of animals
- (iv) Healthy organs of animals

A:-Only (i), (ii), (iv)

B:-Only (i), (ii) and (iii)

C:-All of the above (i), (ii), (iii) and (iv)

D:-Only (i), (iii), (iv)

Correct Answer:- Option-C

Question58:-Regarding Nosodes which of the following statement is/are correct?

- (i) *Ambra grisea* is the product of sperm whale
- (ii) *Ustilago* from the plant product-corn smut
- (iii) *Lac caninum* from bitch's milk
- (iv) *Lac vaccinum* from cat's milk

A:-Only (i), (ii), (iv)

B:-Only (i), (ii) and (iii)

C:-All of the above (i), (ii), (iii) and (iv)

D:-Only (i), (iii) and (iv)

Correct Answer:- Option-B

Question59:-Regarding Glycosides, Tannins and Resins, which of the following statement is/are correct

- (i) Glycosides are colourless crystalline or amorphous solid substances
- (ii) Tannins constitute a large group of complex organic, non-nitrogenous, phenolic compounds of high molecular weight
- (iii) Resins are soluble in water and have a astringent taste
- (iv) Resins are amorphous transparent solid, semi-solid or liquid substances insoluble in water

A:-Only (i), (ii), (iii)

B:-Only (ii), (iii) and (iv)

C:-Only (i), (ii) and (iii)

D:-Only (i), (iii) and (iv)

Correct Answer:-**Question Cancelled**

Question60:-Which among the following characteristic about "Sugar of milk" is **wrong?**

A:-Prepared preferably from goat's milk

B:-Its molecular weight is 360.3

C:-Water of crystallisation may be produced at 100°C

D:-Faintly sweet to taste

Correct Answer:- Option-C

Question61:-Which of the following statement about the uses of **sugar of milk** is/ are NOT correct?

- (i) Used for preparation of mother powders.
- (ii) It is devoid of fat and as such be used as a temporary diet for babies who cannot tolerate milk.
- (iii) Has industrial uses in silvering mirrors
- (iv) 1 g of it is soluble in 5 ml of cold water, hence used as external application with mother tincture

A:-Only (iv)

B:-Only (iii) and (iv)

C:-Only (ii), (iii) and (iv)

D:-Only (i), (iii) and (iv)

Correct Answer:- Option-A

Question62:-Which of the following statement is/are correct?

- (i) Aqua distillata - its molecular weight is 18.015 and critical temperature is 374.2°C
- (ii) Ethyl alcohol is commonly obtained by distillation of fermented liquid containing carbohydrates
- (iii) The molecular weight of Ethyl alcohol is 46.07 and boiling point is 78.50°C
- (iv) The molecular weight of Ethyl alcohol is 46.07 and Freezing point is 124°C

A:-Only (i) and (ii)

B:-Only (i) and (iii)

C:-All of the above (i), (ii), (iii) and (iv)

D:-Only (i), (ii) and (iii)

Correct Answer:- Option-D

Question63:-Which of the following statement is NOT correct about Cane sugar?

- (i) Source include Beet root and also pineapple
- (ii) Solution of Cane Sugar is neutral to litmus
- (iii) Molecular weight 342.3
- (iv) Slightly yellowish crystals and easily soluble in alcohol

A:-Only (i)

B:-Only (ii) and (iv)

C:-All of the above (i), (ii), (iii) and (iv)

D:-Only (iv)

Correct Answer:- Option-D

Question64:-Which of the following statement is/are correct about Alcohol fortis?

- (i) Fusel oil is the most common impurity found in it
- (ii) The most suitable concentration of alcohol for External application is 90%
- (iii) Absolute Alcohol contains not less than 99.4% v/v of ethyl alcohol
- (iv) Strong Alcohol contains not less than 94.7 v/v or 92.0% w/w and not more than 95.2% v/v or 92.7% w/w of C₂H₅OH

A:-Only (i) and (ii)

B:-Only (i), (iii) and (iv)

C:-All of the above (i), (ii), (iii) and (iv)

D:-Only (ii) and (iii)

Correct Answer:- Option-B

Question65:-Which of the following statement is NOT correct about semisolid vehicles?

- (i) Yellow soft paraffin is used for the preparation of paraffin ointment and simple ointment
- (ii) Common waxes are Beeswax, Lanolin and Spermaceti
- (iii) Lanolin has no penetrating power within the skin, so it is not extensively used in ointments
- (iv) Isin glass is a component of Calendula and Arnica plasters

A:-Only (i) and (iii)

B:-Only (ii) and (iii)

C:-All of the above (iii) only

D:-Only (iii) and (iv)

Correct Answer:-**Question Cancelled**

Question66:-Father of polypharmacy

A:-Cullen

B:-Paracelsus

C:-Galen

D:-Hippocrates

Correct Answer:- Option-C

Question67:-The first potency prepared from 6x trituration is

A:-8x

B:-4c

C:-Both the above

D:-None of the above

Correct Answer:-**Question Cancelled**

Question68:-According to § 270 in the 6th edition of Organon, Dr. Hahnemann recommends potencies from,

A:-0/1 to 0/30

B:-0/1 to 0/10

C:-0/5 to 0/30

D:-0/3 to 0/10

Correct Answer:- Option-A

Question69:-The companion to the British & American Homoeopathic Pharmacopoea is published by,

A:-Keene and Ashwell

B:-Otis clop and son

C:-Boericke and Tafel

D:-Lawrence T. Ashwell

Correct Answer:- Option-A

Question70:-The preferred designation for Korsakovian centesimal attenuations is

A:-k

B:-ck

C:-CH

D:-CK

Correct Answer:- Option-D

Question71:-Pick out the incorrect sentence

A:-In triturating Ferrum metallicum, the mortar must be kept often warm

B:-Dr. Burt advises the use of a small amount of distilled water for moistening the milk sugar during trituration

C:-In triturating Plumbum, the pestle should be rubbed very softly

D:-In class IX the ratio of drug substance to milk sugar is 2 : 99 (as per centesimal scale)

Correct Answer:- Option-B

Question72:-Globule used in LM scale is such that

A:-poppy-sized globules

B:-100 of them weigh 1 grain

C:-500 poppy seed globules get saturated by absorbing one drop of the medicine

D:-All the above

Correct Answer:- Option-D

Question73:-To prepare 0/1 potency, the drug substance should be triturated till

A:-6X

B:-3C

C:-6C

D:-Both (1) and (2)

Correct Answer:- Option-D

Question74:-Homoeopathic Pharmacopoeia Committee, was appointed by the central government, in

A:-Sept. 1961

B:-Sept. 1962

C:-August 1962

D:-None of these

Correct Answer:- Option-B

Question75:-According to _____, the 7x liquid potency of a requisite medicine can be prepared from its 6x trituration.

A:-Swan

B:-Deshere

C:-Fincke

D:-Dr. Burt

Correct Answer:- Option-D

Question76:-A dilution o $1/10^{24}$ corresponding to potencies of

A:-12c

B:-24x

C:-12X

D:-Both (1) and (2)

Correct Answer:- Option-D

Question77:-India followed _____ pharmacopoea till 1971

A:-HPUS

B:-BHP

C:-AHP

D:-FHP

Correct Answer:- **Question Cancelled**

Question78:-The various routes of administration of homoeopathic similimum were discussed in sixth edition of organon of medicine in

A:-Aphorism 284, 285

B:-Aphorism 267, 270

C:-Aphorism 196, 197

D:-Aphorism 190, 191

Correct Answer:- Option-A

Question79:-External applications of medicine is permitted only in

A:-Fig warts only

B:-Fig warts and Adynamic diseases

C:-Fig warts and Dynamic diseases

D:-All of the above

Correct Answer:- Option-B

Question80:-'Not to be applied on wounds and broken skin'. This label should be mentioned on the preparation of

A:-Glycerol of starch

B:-Liniments

C:-Cerates

D:-Poultices

Correct Answer:- Option-B

Question81:-The standards for Homoeopathic Ophthalmic preparations are mentioned in standard 126-A

A:-Schedule A

B:-Schedule AF

C:-Schedule FF

D:-Schedule M

Correct Answer:- Option-C

Question82:-Which of the following method is used for the preparation of ointment when the medicament is a solid insoluble in the base?

A:-Fusion method

B:-Gravimetric method

C:-Fluxion method

D:-Trituration method

Correct Answer:- Option-D

Question83:-External applications used for dressing of inflamed areas are

A:-Ointments

B:-Creams

C:-Cereates

D:-Opodeldocs

Correct Answer:- Option-C

Question84:-In Homoeopathic Prescriptions, directions regarding the quantity of various vehicles to be used is mentioned in

A:-superscription

B:-subscription

C:-inscription

D:-signature

Correct Answer:- Option-C

Question85:-In Homoeopathic Prescriptions, directions to the patient is given in

A:-Inscription

B:-Subscription

C:-Signature

D:-Superscription

Correct Answer:- Option-C

Question86:-When a direction is to be given to take a medicine on empty stomach it is written in abbreviated form as

A:-i.c.

B:-inter.noct

C:-vac.ven

D:-hodie

Correct Answer:- Option-C

Question87:-When mother tinctures prepared according to Class III are used the ratio of preparation is 1.5 parts by weight of mother tincture and 1 part by weight of _____ are to be mixed

A:-75% ethyl alcohol

B:-45% ethyl alcohol

C:-50% ethyl alcohol

D:-60% ethyl alcohol

Correct Answer:- Option-D

Question88:-The difference in trituration process in class 8 is _____

A:-The 9 gms of sugar of milk is not divided into 3 parts

B:-The ratio between drug substance and sugar of milk is 2 : 9

C:-The ratio between drug substance and sugar of milk is 2 : 8

D:-Both (1) and (2)

Correct Answer:- Option-A

Question89:-The assays on living animals, and on their intact or cut-off organs

A:-Analytical pharmacology

B:-Electrophoretic methods of analysis

C:-Counter-current methods

D:-Biological evaluation

Correct Answer:- Option-D

Question90:-According to the new method of preparation of Homoeopathic drugs, the plant moisture is a part of

A:-Magma

B:-Menstrum

C:-Drug

D:-Both (1) and (2)

Correct Answer:- Option-B

Question91:-Standards of ophthalmic preparations are given in

A:-Schedule M

B:-Schedule FF

C:-Schedule A

D:-Schedule M-1

Correct Answer:- Option-B

Question92:-Any crude mixture of mineral or organic material in a thin pasty state, a doughy pasty mass is

A:-Molasses

B:-Magma

C:-Merc

D:-Decoction

Correct Answer:- Option-B

Question93:-For microscopic evaluation the powdered drug, which must be reduced

A:-to not less than No. 20 powder

B:-to not less than No. 60 powder

C:-to not more than No. 40 powder

D:-to not less than No. 40 powder

Correct Answer:- Option-D

Question94:-Decantation has to be carried out before filtration in,

A:-Maceration

B:-Crystallisation

C:-Percolation

D:-Distillation

Correct Answer:- Option-A

Question95:-The licensee shall maintain an inspection book in _____ to enable an Inspector to record his impression and defects noticed.

A:-Form-35

B:-Form-25-C

C:-Form-26-C

D:-Form-20 C

Correct Answer:- Option-A

Question96:-Moisture is present usually from _____ in all dried drugs.

A:-5% to 10%

B:-10% to 15%

C:-20% to 30%

D:-None of the above

Correct Answer:- Option-A

Question97:-The higher potencies of class V are prepared with

A:-Dispensing alcohol

B:-Rectified spirit 60 O.P.

C:-Both the above

D:-Dilute alcohol

Correct Answer:- Option-D

Question98:-Objectionable Advertisement Act, 1954 is,

A:-Pharmacy Act

B:-The drug and Magic remedies Act

C:-Medicinal and toilet preparation act

D:-All the above

Correct Answer:- Option-B

Question99:-106-A of part IX deals with,

A:-Cancellation and suspension of licences

B:-Duration of licence

C:-Manner of labelling Homoeo-pathic medicine

D:-New homoeopathic medicines

Correct Answer:- Option-C

Question100:-Nuxvomica belongs to _____ class.

A:-Class VII

B:-Class V

C:-Class IV

D:-(1) and (3)

Correct Answer:- Option-D