PROVISIONAL ANSWER KEY

Question Paper Code:	179/2026/OL
Category Code:	034/2026
Exam:	Assistant Surgeon / Casuality Medical Officer (Special Recruitment For SC/ST)
Date of Test	12-11-2026
Department	Health Services

Question1:-Acute jaundice in the presence of SGOT >1000 U/L is highly suggestive of

A:-Alcoholic hepatitis

B:-Hepatic ischemia

C:-Chronic hepatitis B

D:-All of the above

Correct Answer:- Option-B

Question2:-Regarding sickle cell anaemia, All are true except

A:-Sickle cell trait is clinically asymptomatic

B:-Inherited as autosomal recessive

C:-Vaso occlusive crisis is the most common form of crisis

D:-Children with sickle cell trait are more prone to lethal effects of falciparum malaria

Correct Answer:- Option-D

Question3:-All statements about Hemophilia A are true except

A:-It is the most common congenital coagulation factor deficiency

B:-Factor VIII gene is located on x-chromosome

C:-Risk of a female carrier having an affected child is 25% with each pregnancy

D:-Factor is primarily synthesized by bone marrow

Correct Answer:- Option-D

Question4:-Which is the false statement regarding investigation in a suspected patient with pulmonary embolism?

A:-Chest X-ray is most useful to exclude other differential diagnosis

B:-Most common abnormality in ECG is $S_1Q_3T_3$ pattern

C:-Low D-dimer level has high negative predictive value

D:-CT pulmonary angiography is a diagnostic test

Correct Answer:- Option-B

Question5:-Mycotic aneurysms are associated with

A:-Polycystic Kidney Disease

B:-Bacterial Endocarditis

C:-Invasive Fungal Infection

D:-Marfan's Syndrome

Correct Answer:- Option-B

Question6:-Spot the correct statement regarding Varicella Zoster Virus

A:-Chicken Pox has an incubation period of 5-7 days

B:-Chicken Pox may be contracted from a case of Herpes Zoster and vice versa

C:-Ramsay Hunt Syndrome of Facial Palsy is a manifestation of Herpes Zoster

D:-All of the above

Correct Answer:- Option-C

Question7:-As per National Tuberculosis Elimination Programme, which is the correct statement?

A:-Eliminate TB in India by 2025

B:-Daily regimen

C:-Continuation phase consists of 2 drugs for 4 months

D:-Both A and B correct

Correct Answer:- Option-D

Question8:-Regarding viral hepatitis, all are true except

A:-HBeAg reflects active replication of Hepatitis B

B:-Hepatitis A immunisation should be considered in individuals with Chronic Hepatitis B and C

C:-Vertical transmission of Hepatitis B carries less risk of chronic infection

D:-Cholestatic phase of Hepatitis more prominent in Hepatitis A

Correct Answer:- Option-C

Question9:-Regarding angioedema, spot the wrong statement

A:-Steroids are useful for prevention of attack of Hereditary angioedema

B:-ACE inhibitor therapy can precipitate angioedema

C:-Hereditary angioedema is due to C_1 esterase inhibitor deficiency

D:-Angioedema is mediated by histamine, bradykinin

Correct Answer:- Option-A

Question10:-All are true statements regarding organophosphorous poisoning, except

A:-There is accumulation of acetyl choline in cholinergic synapses

B:-Carbonate group of compounds produce less severe form of toxicity

C:-Intermediate syndrome often produces ventilatory failure

D:-None of the above

Correct Answer:- Option-D

Question11:-Definition of Decompensated Cirrhosis liver includes all except

A:-Ascites

B:-Variceal Bleeding

C:-Spider naevi

D:-Jaundice

Correct Answer:- Option-C

Question12:-Which among the following combination is included in the diagnostic criteria for Multiple Myeloma?

A:-Malignant plasma cells in the bone marrow and skeletal lytic lesions

B:-Urinary M protein and deranged RFT

C:-Serum and or urinary M protein and B2 micro Globulin

D:-Skeletal lytic lesions and raised ESR

Correct Answer:- Option-A

Question13:-Thrombocytopenia is associated with all the following except

A:-Hemolytic uremic syndrome

B:-Bernard soulier syndrome

C:-Chronic myeloid leukemia

D:-Vitamin B_{12} deficiency

Correct Answer:- Option-C

Question14:-Risk factors for developing COPD includes all except

A:-Smoking

B:-Low birth weight

C:-HIV

D:-Lung cancer

Correct Answer:- Option-D

Question15:-In a patient with vertigo diagnostic feature of BPPV is

A:-Positional nystagmus on Hallpikes maneuvers

B:-Progressive deafness on low tone audiometry

C:-CT scan head showing CP angle tumour

D:-70% stenosis in Carotid Artery Doppler

Correct Answer:- Option-A

Question16:-NSAIDS are better avoided in elderly because of the following reasons except

A:-Adipose tissue increases with age. NSAIDS being highly lipid soluble shows increased blood levels

B:-Plasma protein is decreased so unbound drug increases

C:-RFT worsens with age so decreased renal clearance

D:-Chronic NSAID abuse in elderly is associated with progressive BP fall

Correct Answer:- Option-D

Question17:-In rheumatoid arthritis the following statements are true except

A:-Rheumatoid nodules typically occur in RF negative patients

B:-Dry eyes is due to secondary sjogrens

C:-Cardiomyopathy is a rare complication

D:-Bilateral carpel tunnel can be a presenting symptom

Correct Answer:- Option-A

Question18:-The following conditions are associated with hormone excess except

A:-Graves disease

B:-Multinodular goiter

C:-Hashimotos thyroiditis

D:-Subacute thyroiditis

Correct Answer:- Option-C

Question19:-In a patient with spontaneous hypoglycemia increased insulin levels and decreased C peptide is seen in

A:-Alcoholosm

B:-Exogenous insulin intake

C:-Addisons disease

D:-Insulinoma

Correct Answer:- Option-B

Question20:-Causes of metabolic alkalosis include all except

A:-Conn's syndrome

B:-Cushings syndrome

C:-Antacid over use

D:-Salicylate poisoning

Correct Answer:- Option-D

Question21:-Which glycosoaminoglycan shows an increase in relative amounts during the cervical ripening?

A:-Dermatan sulfate

B:-Leucovorin

C:-Atosiban

D:-Hyaluronic acid

Correct Answer:- Option-D

Question22:-Name one complication due to Vitamin deficiency in cases of prolonged hyperemesis

A:-Stress ulcers in stomach

B:-Hypocholaraemic alkalosis

C:-Ketosis

D:-Wernickes encephalopathy

Correct Answer:- Option-D

Question23:-The diagnosis of ovarian pregnancy can be confirmed surgically and histopathologically by

A:-Rubin's criteria

B:-Spiegelberg criteria

C:-Studiford criteria

D:-Sliding sign

Correct Answer:- Option-B

Question24:-The name of the forceps which can be used for after coming head in breech delivery

A:-Outlet forceps

B:-Piper's forceps

C:-Kielland forceps

D:-Simpsons forceps

Correct Answer:- Option-B

Question25:-In the Robson classification system of Caesarean Section, all nulliparous breeches come under _____ group.

A:-5

B:-7

C:-6

D:-9

Correct Answer:- Option-C

Question26:-The other name of acardiac foetus is

A:-Pump twin

B:-Twin anemia polycythaemia sequence (TAPS)

C:-Twin Reversed Arterial Perfusion Sequence(TRAP)

D:-Twin Twin Transfusion Syndrome (TTTS)

Correct Answer:- Option-C

Question27:-The most common numerical defect in the chromosomes which lead to spontaneous abortions

A:-Monosomy X

B:-Polypoidy

C:-Autosomal trisomy

D:-Aneuploidy

Correct Answer:- Option-C

Question28:-The chromosome pattern in Complete Androgen Insensitivity Syndrome is

A:-46 XX

B:-46 XY

C:-47 XXY

D:-45 X

Correct Answer:- Option-B

Question29:-In an endometrial biopsy showing secretary endometrium which is pathognomonic of ovulation?

A:-Crowding of glands

B:-Loss of glandular pattern

C:-Endometrial glands lined with columnar cells

D:-Subnuclear vacuolation

Correct Answer:- Option-D

Question30:-Coarse punctuation in colposcopy is seen in

A:-Normal colposcopy

B:-CIN 2 or 3

C:-Invasive Cancer

D:-CIN 1

Correct Answer:- Option-B

Question31:-The placental site trophoblastic tumour arises from _____ cells in the placental bed.

A:-Cytotrophoblast

B:-Invasive mole

C:-Syncitio trophoblast

D:-Intermediate trophoblast

Correct Answer:- Option-D

Question32:-Whiff test is used to diagnose

A:-Bacterial vaginosis

B:-Candidiasis

C:-Trichomoniasis

D:-Bacterial infection

Correct Answer:- Option-A

Question33:-Walthard cell nests are seen in

A:-Theca cell tumours

B:-Fibroma

C:-Brennen tumour

D:-Dermoid cyst

Correct Answer:- Option-C

Question34:-The ultrasound picture of transverse vaginal septum with hematocolps is diagnostic of

A:-Imperforate hymen

B:-Unicornuate uterus

C:-Septate uterus

D:-Subseptate uterus

Correct Answer:- Option-A

Question35:-LETHAL TRIAD of Trauma refers to

A:-Intracranial hematoma, cervical spine injury, hypoxia

B:-Flail chest, atelectasis, hypoxia

C:-Cardiac tamponade, pneumothorax, sternal fracture

D:-Hypothermia, acidosis, coagulopathy

Correct Answer:- Option-D

Question36:-Upper range of Normal venous lactate level is

A:-2 mmol per litre

B:-3 mmol per litre

C:-5 mmol per litre

D:-10 mmol per litre

Correct Answer:- Option-B

Question37:-Beck's triad is combination of

A:-Perineal hematoma, urinary retention, floating prostate

B:-Hiatus hernia, gall stone, colonic diverticulosis

C:-Jugular venous distension, hypotension, muffled heart sounds

D:-Right hypochondrial pain, elevated temperature, jaundice

Correct Answer:- Option-C

Question38:-Sellick's manoeuvre is done by

A:-Bilateral jugular vein compression

B:-Forced expiration against closed glottis

C:-Xiphisternal pressure

D:-Cricoid pressure

Correct Answer:- Option-D

Question39:-Which of the following clinical features is NOT suggestive of skin invasion by breast cancer?

A:-Fixity

B:-Oedema

C:-Nodule

D:-Ulceration

Correct Answer:- Option-A

Question40:-Pick out the false statement regarding acute pancreatitis

A:-Gall stone disease accounts for approximately forty percentage of acute pancreatitis

B:-Contrast enhanced computerised tomography is essential for prognostication during the initial seventy two hours after the onset of disease

C:-Enteral nutrition is preferred over parenteral nutrition in uncomplicated cases

D:-Infected pancreatic necrosis requires surgical intervention

Correct Answer:- Option-B

Question41:-Pick the true statement regarding venous ulcer

A:-Varus deformity of ankle joint is a late sequel of venous ulcer

B:-Active venous ulcer belongs to C4 clinical classification

C:-Contrast venogram is the gold standard investigation to localise incompetent perforator

D:-Venous ulcer is not premalignant skin disease

Correct Answer:- Option-A

Question42:-Which of the following procedures is NOT suitable in treating Hydatid cyst of liver?

A:-Cystojejunostomy

B:-Capittonage

C:-Cystopericystectomy

D:-PAIR

Correct Answer:- Option-A

Question43:-Which of the following NOT a variety of gangrene?

A:-Phlegmasia dolens

B:-Madura foot

C:-Cancrumoris

D:-Carbuncle

Correct Answer:- Option-B

Question44:-Which of the following anatomical structure does not relate to retromolar trigone?

A:-Sphenomandibular ligament

B:-Third molar tooth

C:-Maxillary tuberosity

D:-Pterygoid Hamulus

Correct Answer:- Option-A

Question45:-Pick the False statement regarding Basal cell carcinoma

A:-Tumour arises from Stratum Spinosum

B:-Morphoeic variant results in bone invasion

C:-Lymphatic metastasis occurs mainly to level one and two cervical lymph nodes

D:-Systemic metastasis is unusual

Correct Answer:- Option-C

Question46:-Which of the following is NOT a histopathological variant of liposarcoma?

A:-Lipomatous liposarcoma

B:-Angiomyoliposarcoma

C:-Myxomatous liposarcoma

D:-Pleomorphic liposarcoma

Correct Answer:- Option-B

Question47:-T4 stage of Carcinoma tongue includes

A:-Tumour size more than 4 centimetres

B:-Tumour crossing midline of tongue

C:-Tumour arising from the posterior one third of tongue

D:-Tumour involving myelohyoid muscle

Correct Answer:- Option-D

Question48:-Rigler's Triad refers to a combination of

A:-Oliguria, reduced tidal volume, reduced cardiac output

B:-Jaundice, haemobilia, right upper quadrant pain

C:-Retching, inability to pass nasogastric tube, upper abdominal pain

D:-Elevated temperature, Jaundice, right upper quadrant pain

Correct Answer:- Option-C

Question49:-Which statistical test is typically used to compare the means of *more than two* groups simultaneously?

A:-'Z' test

B:-'T' test

C:-ANOVA

D:-Chi-square test

Correct Answer:- Option-C

Question50:-According to the natural history of a disease, immunisation falls under which level of prevention?

A:-Primordial prevention

B:-Primary prevention

C:-Secondary prevention

D:-Tertiary prevention

Correct Answer:- Option-B

Question51:-The appropriate management for a patient presenting with multiple transdermal dog bites in a rabies endemic area, according to the WHO classification, includes:

A:-Local wound treatment and Rabies Vaccine (ARV)

B:-Local wound treatment and Rabies Immunoglobulin (RIG) infiltration

C:-Local Wound Treatment, Rabies Vaccine (ARV) and Rabies Immunoglobulin (RIG) infiltration

D:-Observation only, no specific treatment required

Correct Answer:- Option-C

Question52:-Which term refers to the constant presence of a disease or infectious agent within a given geographic area or population group?

A:-Pandemic

B:-Epidemic

C:-Endemic

D:-Sporadic

Correct Answer:- Option-C

Question53:-In multivariate analysis, what is the primary purpose of performing Factor Analysis?

A:-Establish cause and effect between two variables

B:-Reduce a large set of variables into a smaller, more manageable set of underlying factors

C:-Compare the means of multiple groups

D:-Test the statistical significance of the association between two categorical variables

Correct Answer:- Option-B

Question54:-Which of the following is an example of Primordial Prevention in the context of cardiovascular disease?

A:-Mass screening for hypertension in adults

B:-Health education for school children

C:-Administration of ACE inhibitors to a person with diagnosed hypertension

D:-Smoking cessation in adults

Correct Answer:- Option-B

Question55:-The Concept of Prevention applied when a physician screens a seemingly healthy population for early, asymptomatic cancer is

A:-Primordial

B:-Primary

C:-Secondary

D:-Tertiary

Correct Answer:- Option-C

Question56:-A study finds a strong positive correlation (r = +0.85) between air pollution levels and the incidence of paediatric asthma attacks. What is the most correct *statistical interpretation* of this finding?

A:-High air pollution causes high asthma incidence

B:-Low asthma incidence is due to low air pollution

C:-The two variables tend to increase together, indicating a strong linear relationship, but causation cannot be inferred from correlation alone

D:-85% of asthma attacks are preventable by controlling air pollution

Correct Answer:- Option-C

Question57:-A District Health Officer is reviewing the implementation of Rashtriya Bal Swasthya Karyakram (RBSK). The officer is primarily looking for data on :

A:-Adult immunisation rates

B:-Screening and early intervention for defects, deficiencies, diseases and developmental delays in children upto 18 years

C:-Malnutrition in under-fives

D:-Infant mortality

Correct Answer:- Option-B

Question58:-Pick the vaccine for which the open vial policy of immunisation in India is not applicable:

A:-DPT

B:-OPV

C:-Injectable IPV

D:-Measles vaccine

Correct Answer:- Option-D

Question59:-As per the biomedical waste management rules in India, an amputated hand should be disposed of in :

A:-Yellow waste bags

B:-Red waste bag

C:-Green waste bag

D:-White waste bag

Correct Answer:- Option-A

Question60:-The screening for cervical cancer in the community should ideally start from which age among females in India?

A:-20 years

B:-50 years

C:-40 years

D:-30 years

Correct Answer:- Option-D

Question61:-The carriers of diphtheria are to be ideally treated according to Indian guidelines :

A:-10-days course of erythromycin

B:-5-days course of erythromycin

C:-5-days course of doxycycline

D:-10-days course of doxycycline

Correct Answer:- Option-A

Question62:-A 10-year-old household contact of a TB patient in India

A:-Should be given TB preventive therapy without any testing

B:-Test for IGRA and give TB preventive therapy if positive

C:-Test for IGRA and give TB preventive therapy if negative

D:-Screen for symptoms and if positive, give TB preventive therapy

Correct Answer:- Option-B

Question63:-Which of the following conditions is not associated with hypopigmentation?

A:-Vici Syndrome

B:-LEOPARD Syndrome

C:-Gricelli Syndrome

D:-Hermansky Pudlak Syndrome

Correct Answer:- Option-B

Question64:-Which of the following statements is not true of generalised albinism?

A:-All individuals do not have ocular manifestation of albinism

B:-The defect in OCA1 type is 11q14.3

C:-OCA1 A type do not develop freckles

D:-Patients with OCA3 can make pheomelanin

Correct Answer:- Option-A

Question65:-Which of the following statements is not true of Tyrosenemia Type 1 in children?

A:-An acute hepatic crisis commonly heralds the onset

B:-The earlier the presentation, the poorer the prognosis

C:-Episodes of acute peripheral neuropathy can occur

D:-Fanconi syndrome is uncommon in children less than 2 years

Correct Answer:- Option-D

Question66:-Enamel hypoplasia is not a feature of which condition?

A:-Phenyl ketonuria

B:-Histidemia

C:-Galactosemia

D:-PHACE Syndrome

Correct Answer:- Option-C

Question67:-Which of the following statements is not true of pin worm infestation?

A:-Ingestion of eggs is a cause for reinfection

B:-Worms seen in perineal region are all females

C:-Inhaled eggs cannot cause reinfection

D:-Albendazole is the drug of choice

Correct Answer:- Option-C

Question68:-Which of the following is not true about effect of aerosolised hypertonic saline in treatment of bronchiolitis?

A:-Reduces epithelial edema

B:-Produces acute bronchospasm

C:-Increases osmotic flow of water in mucus layer

D:-Inhibits release of prostaglandin E2

Correct Answer:- Option-D

Question69:-Which of the following is not true of Vaccine Associated Paralytic Poliomyelitis (VAPP)?

A:-It is caused by nucleotide substitution of the vaccine strain

B:-Reversion of vaccine strain occurs in intestine

C:-The virus access Central Nervous System through peripheral nerves

D:-The vaccine strain can replicate in the Central Nervous System

Correct Answer:- Option-D

Question70:-Which of the following is not true of chlamydia infection in neonate?

A:-It is the commonest cause of neonatal conjunctivitis in developed countries

B:-25% of the neonates born to mothers with genital chlamydia will get infection if no prophylaxis is given

C:-The most serious complication is pneumonia

D:-If left untreated they are at later risk for asthma

Correct Answer:- Option-B

Question71:-Most common cause of congenital hypothyroidism is

A:-Thyroid dysgenesis

B:-Dyshormonogenesis

C:-Maternal intake of antithyroid drugs

D:-Maternal iodine deficiency

Correct Answer:- Option-A

Question72:-A 3-year-old boy developed pubic hair, increased penile length and aggressive behaviour. His bone age corresponds to 5 years. Blood pressure was 120/90 mm. The serum potassium was 3 meq/dl. Which of the following enzyme is deficient?

A:-11 beta hydroxylase

B:-3 beta hydroxysteroid dehydrogenase

C:-17 hydroxylase

D:-5 alpha reductase

Correct Answer:- Option-A

Question73:-A 3 month old infant presented with atypical genitalia (phallus). On examination Bilateral palpable gonads seen. Baby is alert, active, Blood pressure 80/50 mm of Hg. (Serum Sodium 137, Potassium 4.8, 17 hydroxy progesterone 1.67 ng/ml).
Which of the following is the most probable diagnosis?

A:-Complete androgen insensitivity

B:-21 alpha hydroxylase deficiency

C:-5 alpha reductase deficiency

D:-11 beta hydroxylase deficiency

Correct Answer:- Option-C

Question74:-A 4-year-old came to OPD with "not growing". His height was 87 cm (less than 3^{rd} centile). On examination short 4^{th} metacarpals seen. (Serum Calcium 9.8 mg/dl, Phosphorus 3.4 mg/dl, Parathormone 20 pg/ml). What is the most probable diagnosis?

A:-Pseudohypoparathyroidism 1a

B:-Pseudohypoparathyroidism 1b

C:-Pseudohypoparathyroidism 11

D:-Pseudopseudohypoparathyroidism

Correct Answer:- Option-D

Question75:-What intervention would you take to improve underlying issue if a known alcoholic collapses and is found to be in torsades de pointes?

A:-Rewarm the individual to correct hypothermia

B:-Administer Magnesium Sulphate 1 to 2 gm IV diluted in 10 ml D5W to correct low magnesium

C:-Administer glucose to correct hypoglycemia

D:-Administer naloxone to correct narcotic overdose

Correct Answer:- Option-B

Question76:-Biological Warfare (BW) agents are thought by some to be an ideal weapon for terrorists because of the following?

A:-They kill victims quickly

B:-They are resistant to drug therapy

C:-They have delayed effects

D:-They cannot be detected

Correct Answer:- Option-C

Question77:-Find the correct match regarding tests for blood:

(i)	Glacial acetic acid + NaCl	- (a)	Kastle - Meyer test
(ii)	NaCl + Mercuric Chloride + Distilled Water	- (b)	Teichmann's test
(iii)	NaOH + Pyridine + Glucose	- (c)	Microscopic Examination
(iv)	Phenophthalein reagent + Hydrogen peroxide	- (d)	Takayama test

A:-(i) (a), (ii) (c), (iii) (b), (iv) (d)

B:-(i) (b), (ii) (c), (iii) (d), (iv) (a)

C:-(i) (c), (ii) (d), (iii) (a), (iv) (b)

D:-(i) (d), (ii) (c), (iii) (a), (iv) (b)

Correct Answer:- Option-B

Question78:-Find the correct match for the IPC sections related to consent:

(i)	Sec. 89 IPC	- (a)	A consent given by a person under fear of injury or due to misleading of a fact is not valid

(ii)	Sec. 90 IPC	- (b)	Any communication made in good faith for the benefit of a person is not an offence, if it causes harm to that person to whom it is made
(iii)	Sec. 92 IPC	- (c)	A child under 12 years of age and an insane person cannot give valid consent to suffer any harm which may result from an act done in good faith and for its benefit
(iv)	Sec. 93 IPC	- (d)	Any harm caused to a person in good faith, even without that person's consent is not an offence, if the circumstances are such that it is impossible for that person to signify consent

A:-(i) (a), (ii) (b), (iii) (c), (iv) (d)

B:-(i) (d), (ii) (c), (iii) (a), (iv) (b)

C:-(i) (c), (ii) (a), (iii) (d), (iv) (b)

D:-(i) (b), (ii) (d), (iii) (c), (iv) (a)

Correct Answer:- Option-C

Question79:-The Amputation which involves the Removal of the Entire Lower Limb and partial removal of pelvis is termed

A:-Trans Tibial Amputation

B:-Hemipelvectomy Amputation

C:-Trans Femoral Amputation

D:-Trans Metatarsal Amputation

Correct Answer:- Option-B

Question80:-The Deep Heat Modality which uses the Piezoelectric crystal in resonant sound frequency to treat musculo skeletal condition is

A:-Cryotherapy unit

B:-Laser therapy unit

C:-Therapeutic ultrasound unit

D:-Infrared unit

Correct Answer:- Option-C

Question81:-10 year old boy is being evaluated for vertebral fracture, anaemia, vision loss, deafness and facial nerve palsy, possible diagnosis is

A:-Osteogenesis imperfecta

B:-Osteopetrosis

C:-Perthes disease

D:-Rickets

Correct Answer:- Option-B

Question82:-Double PCL sign in MRI is seen in

A:-ACL injury

B:-Discoid meniscus

C:-Bucket handle tear of meniscus

D:-Multiligamentous injury

Correct Answer:- Option-C

Question83:-If in a patient with injury elbow, if the 3 point relationship of bony prominences is maintained in an elbow injury, the diagnosis could be

A:-Supracondylar fracture of hymerus

B:-Dislocation of elbow

C:-Medial condyle fracture

D:-Lateral condyle fracture

Correct Answer:- Option-A

Question84:-Ilizarov wire application produces which of the following type of sequestration?

A:-Granular

B:-Ring

C:-Tubular

D:-Flake

Correct Answer:- Option-B

Question85:-Paralysis of Recurrent Laryngeal nerve does not affect

A:-Thyroarytenoid

B:-Lateral Cricoarytenoid

C:-Vocalis

D:-Cricothyroid

Correct Answer:- Option-D

Question86:-MRI is more appropriate in evaluating

A:-Extent of disease in chronic sinusitis

B:-Suspected intraorbital or intracranial spread

C:-To know anatomical details in extensive polyposis

D:-Location of Anterior and Posterior Ethmoidal arteries

Correct Answer:- Option-B

Question87:-Patients with petrous apicitis and diplopia has a palsy of cranial nerve

A:-III

B:-IV

C:-VI

D:-VII

Correct Answer:- Option-C

Question88:-Otoacoustic emissions (OAE) is generated by

A:-Outer hair cells

B:-Inner hair cells

C:-Dieters cells

D:-Stria vascularis

Correct Answer:- Option-A

Question89:-Bull's Eye Maculopathy is caused by toxicity due to

A:-Quinine

B:-Ethambutol

C:-Chloroquine

D:-Chloramphenicol

Correct Answer:- Option-C

Question90:-Action of Superior oblique muscle is

A:-Intortion, depression in adducted position, abduction

B:-Extorsion, depression in adducted position, abduction

C:-Intorsion, elevation in abduction, adduction

D:-Extortion, elevation in abduction, adduction

Correct Answer:- Option-A

Question91:-Chronic granulomatous uveitis is caused by all except

A:-Tuberculosis

B:-Psoriatic arthritis

C:-Sarcoidosis

D:-Syphilis

Correct Answer:- Option-B

Question92:-Causes of Ptosis are all except

A:-Oculomotor Nerve Palsy

B:-Horners Syndrome

C:-Myasthenia Gravis

D:-Thyroid Eye Disease

Correct Answer:- Option-D

Question93:-The following type of leprosy is not included in the Ridley and Jopling classification of leprosy:

A:-Pure neuritic leprosy

B:-Tuberculoid leprosy

C:-Borderline borderline leprosy

D:-Borderline lepromatous leprosy

Correct Answer:- Option-A

Question94:-The following are the nail changes in Lichen Planus Except :

A:-Pterygium

B:-Hyperpigmentation

C:-Oil spot macule

D:-Twenty nail dystrophy

Correct Answer:- Option-C

Question95:-The following are the cutaneous manifestations of Internal Malignancy Except :

A:-Erythema gyratum repens

B:-Erythema annulare centrifugam

C:-Necrolytic migrating erythema

D:-Erythema chronicum migrans

Correct Answer:- Option-D

Question96:-Direct immunofluorescence showing "fishnet pattern" in the epidermis is diagnostic of the following autoimmune vesiculo-bullous disorder:

A:-Bullous pemphigoid

B:-Pemphigus vulgaris

C:-Linear IgA dermatosis

D:-Dermatitis Herpetiformis

Correct Answer:- Option-B

Question97:-According to the Mental Health Care Act of 2017, which of the following facts about suicide attempt is right?

A:-Should be punished

B:-A sign of mental illness

C:-A sign of intellectual sub-normality

D:-Government has a duty to provide care and treatment

Correct Answer:- Option-D

Question98:-Which of the following not a first rank symptom of Schizophrenia?

A:-Third person hallucinations

B:-Thought broadcasting

C:-Delusional Perception

D:-Neologism

Correct Answer:- Option-D

Question99:-Which of the following classes of medications is most likely to aggravate tics?

A:-Stimulants

B:-Alpha-adrenergic agonists

C:-Benzodiazepines

D:-Neuroleptics

Correct Answer:- Option-A

Question100:-Which of the following is not true abut alcohol withdrawal seizures?

A:-Mostly they are of generalized tonic-clonic nature

B:-Status epilepticus is very common

C:-Seizure activity in patients with alcohol withdrawal should prompt clinicians to consider other causative factors

D:-In alcohol abusing individuals, metabolic disorders can also lead to seizures

Correct Answer:- Option-B