PROVISIONAL ANSWER KEY

Question 21/2024/OL

Paper Code:

Category 008/2023

Code:

Exam: Driver cum Mechanic

Date of Test 13-03-2024

Department Technical Education

Question1:-Radiation and vibration are belongs to?

A:-Physical hazards

B:-Chemical hazards

C:-Physiological hazards

D:-Psychological hazards

Correct Answer:- Option-A

Question2:-PPE stands for ?

A:-Permanent Protection Equipment

B:-Physical Protection Equipment

C:-Proper Protection Equipment

D:-Personal Protective Equipment

Correct Answer:- Option-D

Question3:-What is the point angle of Centre punch?

A:-60°

B:-90°

C:-30°

D:-45°

Correct Answer:- Option-B

Question4:-Which tool is used to assemble piston into cylinder?

A:-Piston ring remover

B:-Piston ring compressor

C:-Coil spring compressor

D:-Torque wrench

Correct Answer:- Option-B

Question5:-Which measuring tool is suitable for both Internal, External and Depth measurement?

A:-Depth Gauge

B:-Inside micro meter

C:-Bore gauge D:-Vernier caliper Correct Answer:- Option-D Question6:-Pitch of the screw thread in Micro meter? A:-0.5 mm B:-0.01 mm C:-0.1 mm D:-1 mm Correct Answer: - Option-A Question7:-Which drilling machine is used to drill multiple holes in one setting? A:-Radial drilling machine B:-Pillar drilling machine C:-Portable drilling machine D:-Hand operated drilling machine Correct Answer: - Option-A Question8:-Multimeter is also known as A:-Voltage meter B:-Ammeter C:-Micro meter D:-VOM meter Correct Answer:- Option-D Question9:-Which engine having longer crank shaft? A:-V Type engine B:-Radial engine C:-Opposed engine D:-Inline engine Correct Answer:- Option-D Question10:-Which type of engine having Inlet and Exhaust valves arranged in cylinder block? A:-I head engine B:-F head engine C:-L head engine D:-OHC engine Correct Answer:- Option-C Ouestion11:-What is bore?

A:-Cylinder diameter

```
B:-Stroke length
     C:-Stroke
    D:-Crank throw
    Correct Answer:- Option-A
Question12:-Which term, used to express engine efficiency?
    A:-Nm
    B:-Percentage
    C:-Kgcm<sup>2</sup>
    D:-HP
     Correct Answer:- Option-B
Question13:-Which piston is commonly used in two stroke engine?
    A:-Flat head piston
     B:-Domed head piston
    C:-Concave head piston
    D:-Irregular head piston
    Correct Answer:- Option-B
Question14:-The engine does not require valve operating mechanism is
    A:-2 Stroke petrol engine
     B:-4 Stroke petrol engine
    C:-4 stroke diesel engine
    D:-Cl engine
     Correct Answer:- Option-A
Question15:-Combustion take place at constant volume process in?
    A:-Petrol engine
     B:-Diesel engine
    C:-CI engine
     D:-Duel cycle engine
     Correct Answer:- Option-A
Question16:-Which type of valves used in SI engine?
     A:-Rotary valve
     B:-Sleeve valve
    C:-Butterfly valve
    D:-Poppet valve
     Correct Answer:- Option-D
Question17:-Which type of cylinder liner have direct contact with coolant?
    A:-Dry liner
```

C:-Brake liner D:-Clutch liner Correct Answer:- Option-B Question 18:- Which type of bearing is used in crankshaft journals? A:-Roller B:-Bush C:-Shell D:-Needle Correct Answer:- Option-C Question19:-The difference between major axis and minor axis of cylinder is known as A:-Tapper **B:-Ovality** C:-Straightens D:-Stroke Correct Answer:- Option-B Question20:-Which tool is used to tighten cylinder head bolt? A:-Double end spanner B:-Pipe wrench C:-Clyburn spanner D:-Torque wrench Correct Answer:- Option-D Question21:-What is the reason for low oil pressure? A:-Oil leakage B:-High oil level C:-Clogged air filter D:-High grade oil used Correct Answer:- Option-A Question22:-What is the reason for low power generation in engine? A:-Clutch slip B:-Brake failure C:-Tyre pressure low D:-Clogged air filter Correct Answer:- Option-D Question23:-What is the result of oxidation of lubricating oil at high temperature?

B:-Wet liner

	A:-Sludge
	B:-Lacquer
	C:-Oil dilution
	D:-Crystallisation
	Correct Answer:- Option-B
	estion24:-What is the percentage of oil added to petrol in Petroil lubrication tem ?
	A:-50% to 60%
	B:-25% to 30%
	C:-10% to 15%
	D:-2% to 3%
	Correct Answer:- Option-D
Que	estion25:-Which type of oil pump is mostly used with Overhead cam engines?
	A:-Crescent type
	B:-Rotor type
	C:-Vane type
	D:-Plunger type
	Correct Answer:- Option-A
Que	estion26:-Which is not a reason for high oil pressure in lubrication system?
	A:-High viscosity
	B:-Clogged oil gallery
	C:-Oil dilution
	D:-Stuck closed oil relief valve
	Correct Answer:- Option-C
Que	estion27:-Quick engine warming is obtained in cooling system.
	A:-Air
	B:-Thermosyphon
	C:-Pump circulation
	D:-Oil
	Correct Answer:- Option-A
Que	estion28:-Pressure inside the radiator with a pressure cap is always
	A:-Atmospheric pressure
	B:-Higher than atmospheric pressure
	C:-Lower than atmospheric pressure
	D:-Vacuum pressure
	Correct Answer:- Option-B

Question29:-An anti-freeze solution should have
A:-Low specific heat capacity
B:-High viscosity
C:-High freezing point
D:-High boiling pint
Correct Answer:- Option-D
Question30:-Engine over cooling may result due to
A:-Thermostat stuck open
B:-Thermostat stuck closed
C:-Broken fan belt
D:-Blocked radiator
Correct Answer:- Option-A
Question31:-To avoid surging of fuel inside the fuel tank is provided.
A:-Baffles
B:-Air vent
C:-Filler cap
D:-Drain plug
Correct Answer:- Option-A
Question32:-The petrol fuel pump pumps the petrol into
A:-Fuel tank
B:-Float chamber
C:-Fuel filter
D:-Engine
Correct Answer:- Option-B
Question33:-Rich air-fuel mixture is generally required during
A:-Idling
B:-Acceleration
C:-Starting
D:-Cruising
Correct Answer:- Option-C
Question34:-An example of a 'Constant Vacuum' type carburettor is
A:-Zenith carburettor
B:-Carter carburettor
C:-Solex carburettor
D:-SU carburettor
Correct Answer:- Option-D

Ques	stion35:-Maruti 800 car uses type of carburettor.
	A:-Solex Mikuni
	B:-Solex
	C:-Zenith
	D:-SU
	Correct Answer:- Option-A
	stion36:-Cone shaped extension on pintle type diesel nozzle provides the antages of
	A:-High pressure
	B:-Self cleaning
	C:-Increased atomisation
	D:-All of the above
	Correct Answer:- Option-B
	stion37:-The component of fuel injection pump which helps to avoid dribbling of at injector nozzle is
	A:-Control rack
	B:-Plunger
	C:-Delivery valve
	D:-Cam follower
	Correct Answer:- Option-C
	stion38:-In electronic fuel injection system the injection and ignition timing is rmined on the basis of sensor signals.
	A:-Manifold absolute pressure
	B:-Lambda sensor
	C:-Intake air temperature
	D:-Crank position
	Correct Answer:- Option-D
Ques	stion39:-In CRDi the fuel feed pump delivery is controlled by
	A:-Rail pressure sensor and ECU
	B:-Manifold pressure sensor and ECU
	C:-Cam position sensor and ECU
	D:-ECM and Modulator
	Correct Answer:- Option-A
	stion40:-In a Solex carburettor the chance of occuring flatspot at extreme high ed is eliminated by
	A:-Acceleration pump jet
	B:-Economiser jet

	C:-Tickler
	D:-Strangler
	Correct Answer:- Option-B
	estion41:-The number of positive and negative plates contained in lead acid tery is
	A:-Negative plate is one less than positive plate
	B:-Negative plate is one more than positive plate
	C:-Positive plate is equal to the negative plate
	D:-Positive plates is one more than negative plate
	Correct Answer:- Option-B
-	estion42:-A is an electrochemical device consisting of two electrodes an electrolyte.
	A:-Ignition Coil
	B:-Capacitor
	C:-Cell
	D:-Regulator
	Correct Answer:- Option-C
Que	stion43:-A discharged lead acid battery electrolyte is
	A:-Dilute Sulphuric acid
	B:-Lead sulpahate
	C:-Sulphuric acid
	D:-Water
	Correct Answer:- Option-D
	stion44: is the specific gravity reading range of a fully charged lead lattery.
	A:-1.200 - 1.230
	B:-1.240 - 1.250
	C:-1.260 - 1.280
	D:-1.110 - 1.140
	Correct Answer:- Option-C
Que	stion45:-Dwell angle means
	A:-The time for which the contact points remain closed
	B:-The distance between the cam lobes
	C:-The time for which the contact points opened
	D:-The length of Rotor
	Correct Answer:- Option-A

Question46:-Which part in the Ignition system is step up the low voltage of battery

in to high	n voltage ?
A:-D	Distributor
B:-le	gnition coil
C:-C	Condencer
D:-0	C.B points
Cor	rect Answer:- Option-B
Question	47:-Firing order of a four cylinder Inline engine is
A:-1	2-3-4
B:-1	3-2-4
C:-1	-4-2-3
D:-1	L-3-4-2
Cor	rect Answer:- Option-D
	48: is the exact instant a spark is sent to the spark plug and is ed in degrees of crankshaft rotation relative to TDC.
A:-I	gnition advance
B:-le	gnition timing
C:-C	Combustion
D:-S	Spark advance
Cor	rect Answer:- Option-B
Question	49: type of DC starter motor is generally used in automobiles.
A:-S	Series type
B:-C	Compound type
C:-P	Parallel type
D:-S	Star type
Cor	rect Answer:- Option-A
Question	50:-Solenoid switch is used in circuit.
A:-C	Charging
B:-F	leadlight
C:-le	gnition
D:-9	Starting
Cor	rect Answer:- Option-D
Question	51:-What is the function of over running clutch in the starting system?
A:-P	Protect armature from damage
B:-P	Prevent sliding movement of pinion
C:-C	Operate the solenoid
D:-[Orive the armature shaft

Correct Ansi	wer:- Option-A
Question52:-Wha	t is the material used to make diodes ?
A:-Mica	
B:-Silicon	
C:-Alumina f	oil
D:-Graphite	
Correct Ansv	wer:- Option-B
Question53:	type alternator is commonly used in automobiles.
A:-Single ph	ase
B:-Three pha	ase
C:-Two phase	е
D:-Direct cu	rrent
Correct Ansv	wer:- Option-B
Question54:-In ar	n alternator, the current is generated in the
A:-Rotor	
B:-Stator	
C:-Rectifier	
D:-Voltage R	egulator
Correct Ansv	wer:- Option-B
Question55:-Whic	ch of the following is also known as cardan shaft ?
A:-Main shat	it
B:-Clutch sh	aft
C:-Propeller	shaft
D:-Half shaf	<u>-</u>
Correct Ansv	wer:- Option-C
	is types of final drive gear, the pinion axis of the gear is off set to the crown wheel.
A:-Hypoid ge	ear
B:-Straight k	pevel
C:-Spiral bev	/el
D:-All of the	se
Correct Ans	wer:- Option-A
Question57:-Incre	easing the diameter of the clutch driven plate will result
A:-Reduce ir	nertia
B:-Increase	nertia
C:-Un even	wear

D:-Reduce coefficient of friction

Correct Answer:- Option-B

Question 58:-It is working on the principle of relative slip between the input and output member cells facing to each other

A:-Semi centrifugal clutch

B:-Centrifugal clutch

C:-Duel mass flywheel

D:-Fluid fly wheel

Correct Answer: - Option-D

Question59:-The amount of vortex flow is reduced, when the

A:-Turbine speed approaches the speed of impeller

B:-Turbine speed less

C:-Turbine stationary

D:-Impeller speed high

Correct Answer:- Option-A

Question60:-Which among the following is not a tractive resistance?

A:-Air resistance

B:-Rolling resistance

C:-Gradient resistance

D:-None of these

Correct Answer: - Option-D

Question61:-The governor valve in the automatic transmission is driven by

A:-Engine vaccum

B:-Clutch

C:-Transmission output shaft

D:-Transmission input shaft

Correct Answer:- Option-C

Question62:-In a dual mass fly wheel, the clutch function is occurred between

A:-Primary mass and transmission

B:-Secondary mass and transmission

C:-Primary mass and engine

D:-Primary mass and secondary mass

Correct Answer:- Option-B

Question63:-What are the reason for humming noise from the rear axle?

A:-Worn out bearing

B:-Worn out gear

C:-Excessive clearance between pinion and crown D:-All of these Correct Answer:- Option-D Question64:-In this type of axle assembly, a single bearing is placed between the hub and the axle casing A:-Semi floating B:-Three quarter floating C:-Full floating D:-None of these Correct Answer:- Option-B Question65:-The amount of light passing through an area in one second is called A:-Luminous flux **B:-Luminous intensity** C:-Brightness D:-Illumination intensity Correct Answer: - Option-A Question66:-To limit the current during over loading in the power window circuit, one or more switches are installed. A:-Pressure B:-Friction C:-Thermal D:-None of these Correct Answer: - Option-C Question67:-Expansion valve in the car air conditioning mounted at the A:-Outlet side of the evaporator B:-Inlet side of evaporator C:-In the condenser D:-Outlet side of condenser Correct Answer:- Option-B

Question68:-The wiper arms in some types of windscreen wipers are always stop at the edge of the windscreen, irrespective of the instant switching off. This is achieved by means of a

A:-Toggle switch

B:-Thermal switch

C:-Limit switch

D:-Pressure switch

Correct Answer:- Option-C

Question69:-It is the most promising types of rechargeable and superior to oth battery technologies in the terms of application to battery electric vehicle	ner
A:-Lithium-Ion battery	
B:-Lead-acid battery	
C:-Nickel-Cadmium battery	
D:-Nickel-Zinc battery	
Correct Answer:- Option-A	
Question70:-Find the power train architectures of a hybrid electric vehicle	
A:-Power-Split hybrid	
B:-Complex hybrid	
C:-Series hybrid	
D:-All of these	
Correct Answer:- Option-D	
Question71:-The oscillation of the suspension spring is controlled by	_
A:-Damper	
B:-Shackle	
C:-Helper spring	
D:-Stabilizer bar	
Correct Answer:- Option-A	
Question72:-In the following, which component comes under "Unsprung weigh	าt" ?
A:-Engine	
B:-Transmission system	
C:-Steering Knuckle	
D:-Frame	
Correct Answer:- Option-C	
Question73:-The energy stored per unit volume is almost in the case coil spring than the leaf spring	of
A:-Same	
B:-Double	
C:-Half	
D:-One fourth	
Correct Answer:- Option-B	
Question74:-Tilt of the car wheel from vertical is	
A:-Castor	
B:-Camber	
C:-King pin inclination	

D:-Toe-in	
Correct Answer:- Option-B	
Question75:-If the castor angle of both side wheels are not equal, vehicle move	
A:-straight	
B:-no effect	
C:-towards the higher castor side	
D:-towards the lesser castor side	
Correct Answer:- Option-D	
Question76:-The oil used in Hydraulic power steering system is	
A:-SAE 10 W	
B:-SAE 40 W	
C:-SAE 90	
D:-SAE 140	
Correct Answer:- Option-A	
Question77:-Aspect ratio is the ratio of	
A:-Tyre width and Tyre dia	
B:-Tyre dia and Rim dia	
C:-Tyre height and Tyre width	
D:-Tyre height and Rim dia	
Correct Answer:- Option-C	
Question78:-Both side wear of a tyre is due to	
A:-In correct castor	
B:-Incorrect camber	
C:-Over inflation	
D:-Under inflation	
Correct Answer:- Option-D	
Question 79:- To achieve maximum efficiency, the ratio of braking at the front and the rear wheels should be $ \frac{1}{2} \left(\frac{1}{2} \right) = \frac{1}{2} \left(\frac{1}{2} \right) \left(\frac{1}{2} \right$	at
A:-50% at the front and 50% at rear	
B:-60% at front and 40% at rear	
C:-40% at front and 60% at rear	
D:-20% at front and 80% at rear	
Correct Answer:- Option-B	
Question80:-Ply rating means	

A:-Rated strength

	B:-Number of plies
	C:-Aspect ratio
	D:-Under inflation
	Correct Answer:- Option-A
whic	stion81: means any goods carriage the gross vehicle weight of th, or a tractor or a road-roller the unladen weight of either of which, exceeds 00 kilograms.
	A:-Light motor vehicle
	B:-Medium goods vehicle
	C:-Heavy goods vehicle
	D:-Heavy passenger vehicle
	Correct Answer:- Option-C
	stion82:-The motor vehicle with at least four wheels used for carrying engers is called
	A:-Category N
	B:-Category L1
	C:-Category L2
	D:-Category M
	Correct Answer:- Option-D
Question83:-Validity of learners licence	
	A:-30 days from the date of issue of the learners licence
	B:-6 months from the date of issue of the learners licence
	C:-3 months from the date of issue of the learners licence
	D:-1 year from the date of issue of learners licence
	Correct Answer:- Option-B
Que: in fo	stion84:-International driving permit is issued by a licensing authority shall be rm
	A:-Form 6A
	B:-Form 5A
	C:-Form 7
	D:-Form 3
	Correct Answer:- Option-A
	stion85:-When a vehicle approaches an unguarded railway level crossing, re crossing it, the driver shall
	A:-Sound horn and cross the track as fast as possible

C:-Stop the vehicle on the left side of he road, get down from the vehicle, go to railway track and ensure that the track is clear on both sides

B:-Wait till the train passes

D:-Wait for another vehicle to pass

Correct Answer:- Option-C

Question86:-Any motor vehicle used or adapted to be used for the carriage of passengers for hire or reward and includes a maxi cab, a motor cab, contract carriage and stage carriage, is known as

A:-Public service vehicle

B:-Private service vehicle

C:-Heavy goods vehicle

D:-Articulated vehicle

Correct Answer:- Option-A

Question87:-Grace period of tax payment of goods carriages ordinarily kept in the state is

A:-30 days from the date of commencement of the guarter

B:-45 days from the date of commencement of the quarter

C:-One month from the date of commencement of the quarter

D:-14 days from the date of commencement of the quarter

Correct Answer:- Option-C

Question88:-Where the road centre is marked with continuous yellow line the vehicle should

A:-Allow to overtake only through the right side of yellow line

B:-Cross the line only when overtaking a vehicle in front

C:-Reduce speed and proceed

D:-Not touch or cross the yellow line

Correct Answer:- Option-D

Question89:-While you are approaching an intersection where the yellow signal light is blinking you should

A:-Stop the vehicle and wait for green light to appear

B:-As there is no restriction proceed at the same speed

C:-Slow down the vehicle and may drive into the intersection or pedestrain crossing with caution after giving way to the pedestrains and vehicles which are already within the intersection

D:-Sound horn and proceed

Correct Answer:- Option-C

Question 90:-Maximum distance allowed between towing and towed vehicles

A:-15 meters

B:-5 meters

C:-6 meters

D:-10 meters

Correct Answer:- Option-B

Question91:-Which of the following is/are correct?

- (i) Where a road is divided by a longitudinal white solid line, driver shall not cross the white solid line.
- (ii) On a road having a single broken line along with a solid line, driver of the vehicle driving on the left of broken line can cross the broken line inorder to overtake.
- (iii) On a road having a single broken line along with a solid line, driver of the vehicle driving on the left of solid line can cross the solid line inorder to overtake.

A:-Only (i) and (ii)

B:-Only (i) and (iii)

C:-Only (ii) and (iii)

D:-All of the above (i), (ii) and (iii)

Correct Answer: - Option-A

Question92:-Which of the following is/are correct?

- (i) A motor vehicle approaching a 'roundabout' shall choose the lane relevant to the direction of its further movement.
- (ii) While entering a 'roundabout', traffic already in the roundabout shall have the right of way.
- (iii) The driver shall use indicators when changing lanes within the roundabout.

A:-Only (i) and (ii)

B:-Only (ii) and (iii)

C:-Only (i) and (iii)

D:-All of the above (i), (ii) and (iii)

Correct Answer:- Option-D

Question93:-What is the use of 'dipstick'?

A:-It is used to check the coolent level

B:-It is used to check the oil level

C:-It is used to check the brake fluid

D:-All of the above

Correct Answer:- Option-B

Question94:-Which of the following is the correct order of priority for emergency duty vehicles in the road ?

A:-Ambulance, Fire Service Vehicle, Police vehicle and Power Supply vehicle

B:-Ambulance, Police vehicle, Fire Service vehicle and Power Supply vehicle

C:-Fire Service vehicle, Ambulance, Police vehicle and Power Supply vehicle

D:-Fire Service vehicle, Ambulance, Power Supply vehicle and Police vehicle

Correct Answer:- Option-C

Question95:-MSM and PSL rule means

A:-Man - Signal - Mirror and Position - Speed - Light

B:-Mirror - Signal - Maneuver and Position - Speed - Look

C:-Mirror - Signal - Man and Position - Speed - Light

D:-Maneuver - Signal - Mirror and Position - Steering - Look

Correct Answer:- Option-B

Question96:-Maximum permissible speed for Heavy Goods Carriage on State Highways and Major District roads in Kerala

A:-75 km/hr

B:-70 km/hr

C:-65 km/hr

D:-60 km/hr

Correct Answer:- Option-C

Question 97:-Which of the following is/are correct?

- (i) Maximum permissible speed for Heavy Passenger Vehicle on National Highway Four Lane road in Kerala is 90 km/hr.
- (ii)Maximum permissible speed for Heavy Passenger Vehicle on State Highway Four Lane roads in Kerala is 85 km/hr.
- (iii) Maximum permissible speed for Heavy passenger Vehicles on roads within city limit of Kerala is 50 km/hr.

A:-Only (i) and (ii)

B:-Only (i) and (iii)

C:-Only (ii) and (iii)

D:-All of the above (i), (ii) and (iii)

Correct Answer:- Option-B

Question 98:-The minimum alcohol content in blood to constitute the offence under Section 185 (Drunken Driving) of Motor Vehicles Act is

A:-25 mg per 100 ml

B:-30 mg per 100 ml

C:-25 mg per 1000 ml

D:-30 mg per 1000 ml

Correct Answer:- Option-B

Question99:-Which of the following is/are correct?

- (i) 'FASTag' is mandatory for 'L' catagory vehicles
- (ii) 'FASTag' is mandatory for 'M' catagory vehicles.
- (iii) 'FASTag' is mandatory for 'N' catagory vehicles.

A:-Only (i) and (ii)

B:-Only (i) and (iii)

C:-Only (ii) and (iii)

D:-All of the above (i), (ii) and (iii)

Correct Answer:- Option-C

Question100:-Which of the following is/are correct?

(i) Autorickshaw require 'PERMIT' to conduct service on the road.

- (ii) Ambulance require 'PERMIT' to conduct service on the road. (iii) Motor car require 'PERMIT' to conduct service on the road.
 - A:-Only (i)
 - B:-Only (ii)
 - C:-Only (iii)
 - D:-All of the above (i), (ii) and (iii)

Correct Answer:- Option-A